

8

Referências bibliográficas

AKTER, K. F. *et al.* Speciation of arsenic in ground water samples: A comparative study of CE-UV, HG-AAS and LC-ICP-MS. **Talanta**, v. 68, p. 406-415, 2005.

ALVAREZ-LLAMAS, G. et al. Comparison of two CE-ICP-MS interfaces based on microflow nebulizers: application to cadmium speciation in metallothioneins using quadrupole and double focusing mass analyzers. **Journal of Analytical Atomic Spectrometry**, v. 17, n. 7, p. 655-661, 2002.

ALVAREZ-LLAMAS, G.; DE LA CAMPA, M. R. F.; SANZ-MEDEL, A. Metallothionein isoforms separation and cadmium speciation by capillary electrophoresis with ultraviolet and quadrupole-inductively coupled plasma mass spectrometric detection. **Analytica Chimica Acta**, v. 448, n. 1-2, p. 105-119, dec. 2001. Abstract.

AMBARD, C. et al. Interfacing capillary electrophoresis with inductively coupled plasma mass spectrometry for redox speciation of plutonium. **Radiochimica Acta**, v. 93, n. 11, p. 665-673, 2005. Abstract.

CHEN, Z. L.; LIN, J. M.; NAIDU, R. Separation of arsenic species by capillary electrophoresis with sample-stacking techniques. **Analytical and Bioanalytical Chemistry**. V. 375, p. 679-684, 2003.

ATSDR – Agency for Toxic Substances and Disease Registry. Toxicological profile for arsenic. Public Health Statement, 2005. Disponível em <http://www.atsdr.cdc.gov>.

BAKER, D. R. **Capillary Electrophoresis**. New York: John Wiley & Sons, Inc, 1995.

BAKER, S. A.; MILLER-IHLI, N. J. Comparison of a cross-flow and microconcentric nebulizer for chemical speciation measurements using CZE-ICP-MS. **Applied Spectroscopy**, v. 53, n. 4, p. 471-478, apr 1999. Abstract.

BARRA, C. M. et al. Especiação de Arsênio – Uma revisão, **Química Nova**, v. 23, n. 1, p. 58-70 , 2000.

BENDAH, L. et al. Interfacing capillary electrophoresis with inductively coupled plasma mass spectrometry by direct injection nebulization for selenium speciation. **Journal of Analytical Atomic Spectrometry**, v. 16, n. 1, p. 38-42, jan. 2001.

B’HYMER, C.; DAY J. A.; CARUSO, J. A. Evaluation of a microconcentric nebulizer and its suction effect in a capillary electrophoresis interface with inductively coupled plasma mass spectrometry. **Applied Spectroscopy**, v. 54, n. 7, p. 1040-1046, jul 2000.

BVL. National Food Monitoring. Results of the German Food Monitoring of the years 1995 - 2002. **Joint Report of the Federal Republic of Germany**. Bundesamt für Verbraucherschutz und Lebensmittelsicherheit. Berlin, 2002.

CAMPOS, F. A. V. Desenvolvimento de uma metodologia para determinação de trimetil antimônio, Sb(V) e Sb(III) em amostras clínicas. **Dissertação de mestrado**, PUC-Rio, 2003.

CARNEIRO, M. T. W. D.; SILVEIRA, C. L. P.; MIEKELEY, N., FORTES, L. M. C. Intervalos de referência para elementos menores e traço em cabelo humano para a população da cidade do Rio de Janeiro, Brasil. **Química Nova**, v. 25, n. 1, p. 37-45, 2002.

CHAPPELL W. R.; BECK, B. D.; BROWN, K. G.; CHANEY, R.; COTHERN, R.; COTHERN, C. R.; IRGOLIC, K. J.; NORTH, D. W.; THORNTON, I.; TSONGAS, T. A. Inorganic arsenic: a need and an opportunity to improve risk assessment. **Environmental Health Perspectives**, v. 105, p. 1060-1067, 1997.

CHEMKEYS. Material Didático. Elaborado por Sonia Claudia do Nascimento de Queiroz e Isabel Cristina Sales Fontes Jardim (Universidade Estadual de Campinas), 2001. Disponível em http://www.chemkeys.com/bra/md/mds_11/elecap_4.htm.

CORNELIS, R. (Ed.). **Handbook of Elemental Speciation**. Bélgica: John Wiley & Sons, Ltd, 2005.

CASIOT, C.; DONARD, O. F. X.; POTIN-GAUTIER, M. Optimization of the hyphenation between capillary zone electrophoresis and inductively coupled plasma mass spectrometry for the measurement of As-, Sb-, Se- and Te-species, applicable to soil extracts. **Spectrochimica Acta Part B**, v. 57, p. 173-187, 2002.

CULLEN, W. R., REIMER, K. J. Arsenic speciation in the environment. **Chemical Reviews**, v. 89, n. 4, p. 713-784, 1989.

DABEK-ZLOTORZYNSKA, E.; LAI, E. P. C.; TIMERBAEV, A. R. Capillary electrophoresis: the state-of-the-art in metal speciation studies. **Analytica Chimica Acta**, v. 359, p. 1-26, 1998.

DA ROCHA, M. S. et al. Speciation of mercury compounds by capillary electrophoresis coupled on-line with quadrupole and double focusing inductively plasma mass spectrometry. **Journal of Analytical Atomic Spectrometry**, v. 15, n.5, p. 513-518, 2000. Abstract.

DAS, A. K.; DE LA GUARDIA M.; CERVERA M. L. Literature survey of on-line elemental speciation in aqueous solutions. **Talanta**, v. 55, p. 1-28, mar. 2001.

FRAZIER, R. A.; AMES, J. N.; NURSTEN, H. E. **Capillary Electrophoresis for Food Analysis Method Development**. Manchester: Royal Society of Chemistry, 2000.

GINE, M. F. et al. Interfacing flow injection with capillary electrophoresis and inductively coupled plasma mass spectrometry for Cr speciation in water samples. **Journal of Analytical Atomic spectrometry**, v. 17, n. 7, p. 736-738, 2002. Abstract.

HIGGINS, A. J. From ancient Greece to modern Athens: 3000 years of doping in competition horses. **J. vet. Pharmacol. Therapy**, v. 29, n. 1, p. 1-10, 2006.

IFHA - International Federation of Horseracing Authorities.
International agreement on breeding, racing and wagering. Jan. 2005.

JORGENSEN, J. W., LUKACS, K. D., Zone electrophoresis in open-tubular glass capillaries, **Analytical Chemistry**, v. 53, p.1298-1302, 1981.

KANG, J. Z. et al. A novel interface for coupling capillary electrophoresis with inductively coupled plasma mass spectrometry. Chinese **Journal of Analytical Chemistry**, v. 32, n. 2, p. 262-266, feb. 2004. Abstract.

KANNAMKUMARATH, S. S. et al. Capillary electrophoresis-inductively coupled plasma-mass spectrometry: an attractive complementary technique for elemental speciation analysis. **Journal of Chromatography A**, v. 975, p. 245-266, ago. 2002.

KAUTENBURGER, R.; NOWOTKA, K.; BECK, H. P. Online analysis of europium and gadolinium species complexed or uncomplexed with humic acid by capillary electrophoresis-inductively coupled plasma mass spectrometry. **Analytical and Bioanalytical Chemistry**, v. 384, n. 6, p. 1416-1422, mar. 2007. Abstract.

KUCZEWSKI, B. et al. Separation of plutonium and neptunium species by capillary electrophoresis-inductively coupled plasma-mass spectrometry and application to natural groundwater samples. **Analytical Chemistry**, v. 75, n. 24, p. 6769-6774, dec. 2003.

KUHN, R.; HOFFSTETTER-KUHN, S. **Capillary Electrophoresis: Principles and Practice**. New York: Springer-Verlag, 1993. 375p.

LAVORANTE, A. F. et al. Identification of metallothionein in Synechococcus by capillary electrophoresis hyphenated with inductively coupled plasma mass spectrometry. **Analytical Sciences**, v. 19, n. 12, p. 1611-1616, dec. 2003. Abstract.

LEE, T. H.; JIANG, S. J. Speciation of lead compounds in fish by capillary electrophoresis-inductively coupled plasma mass spectrometry. **Journal of Analytical Atomic Spectrometry**, v. 20, n. 11, p. 1270-1274, 2005.

LI, B. H. et al. Speciation analysis of mercury by capillary electrophoresis on-line coupled with inductively coupled plasma mass spectrometry based on a MicroMist nebulizer and a removable interface. **Spectroscopy and Spectral Analysis**, v. 25, n. 8, p. 1336-1338, aug 2005. Abstract.

LI, J. X. et al. A high-efficiency cross-flow micronebulizer interface for capillary electrophoresis and inductively coupled plasma mass spectrometry. **Analytical Chemistry**, v. 73, n. 24, p. 5992-5999, dec 2001.

LOREN, K. Arsenic – A stimulant, depressant and deadly poison. Disponível em <http://www.happinessonline.org/BeTemperate/p12.htm>. Acessado em 29/09/06.

LU Q. H.; MILLER-IHLI, N. J. Evaluation of an ultrasonic nebulizer interface for capillary electrophoresis and inductively coupled plasma mass spectrometry. **Microchemical Journal**, v. 54, n. 2, p. 129-143, aug 1996.

MAJIDI, V. et al. Improving sensitivity for CE-ICP-MS using multicapillary parallel separation. **Journal of analytical Atomic Spectrometry**, v. 14, n. 12, p. 1933-1935, 1999. Abstract.

MAJIDI, V.; MILLER-IHLI, N. J. Two simple interface designs for capillary electrophoresis-inductively coupled plasma mass spectrometry. **The Analyst**, v. 123, n. 5, p. 803-803, may 1998.

MARCUS, S. Toxicity, Arsenic. Disponível em <http://www.emedecine.com>. Acessado em julho/06.

MELAMED, D. Monitoring arsenic in the environment: a review of science and technologies with the potential for field measurements. **Analytica Chimica Acta**. V. 532, p. 1-13. 2005.

MICHALKE, B. CE-ICP-MS: Advantages and improvements in selenium speciation. **Spectroscopy**, v. 15, n. 4, p.30, apr 2000. Abstract.

MICHALKE, B. Potencial and limitations of capillary electrophoresis inductively plasma mass spectrometry – Invited lecture. **Journal of Analytical Atomic Spectrometry**, v. 14, n. 9, p. 1297-1302, sep. 1999..

MICHALKE, B.; SCHRAMEL, O.; KETTRUP, A. Capillary electrophoresis coupled to inductively coupled plasma mass spectrometry(CE/ICP-MS) and to electrospray ionization mass spectrometry (CE/ESI-MS): An approach for maximum species information in speciation of selenium. **Fresenius Journal of Analytical Chemistry**, v. 363, n. 5-6, p. 456-459, mar. 1999. Abstract.

MICHALKE B.; SCHRAMEL P. Hyphenation of capillary electrophoresis to inductively plasma mass spectrometry as an element-specific detection method for metal speciation. **Journal of Chromatography A**, v. 750, n. 1-2, p. 51-62, oct 1996.

MIEKELEY, N., CARNEIRO, M. T., SILVEIRA, C. L. P. How reliable are human hair reference intervals. **Science of the Total Environment**, v. 218, p. 9-17, 1998.

MIEKELEY, N. et al. Elemental anomalies in hair as an indicator for endocrinologic pathologies and deficiencies in the calcium and bone metabolism". **Jornal of Trace Elements in Medicine and Biology**, v. 15, n. 1, p. 46-55, 2001.

MIEKELEY, N. **Comunicação pessoal**, 2006.

NAIDU, R. et al. Aplication of capillary electrophoresis to anion speciation in soil water extracts: II. Arsenic. **Soil Science Society of America Journal**, v. 64, n. 1, p. 122-128, jan-feb 2000.

NAT – The National Academic Press. Mineral Tolerance of Domestic Animals - Arsenic.1980. Disponível em <http://www.darwin.nap.edu/books>. Acessado em 29/09/06.

OLESIK, J. W.; KINZER, J. A.; OLESIK, S. V. Capillary electrophoresis inductively coupled plasma spectrometry for rapid elemental speciation. **Analytical Chemistry**, v. 67, n. 1, p. 1-12, jan 1995.

PELAEZ, M. V.; COSTA-FERNANDEZ J. M.; SANZ-MEDEL, A. Critical comparison between quadrupole and time-of-flight inductively coupled plasma mass spectrometers for isotope ratio measurements in elemental speciation. **Journal of Analytical Atomic Spectrometry**, v. 17, n. 8, p. 950-957, 2002. Abstract.

PRANGE A. et al. Species analysis of metallothionein isoforms in human brain cytosols by use of capillary electrophoresis hyphenated to inductively coupled plasma-sector field mass spectrometry. **Fresenius Journal of Analytical Chemistry**, v. 371, n. 6, p. 764-774, nov 2001. Abstract.

RICHARDSON, D. D et al. Hydride generation interface for speciation analysis coupling capillary electrophoresis to inductively coupled plasma mass spectrometry. **Analytical Chemistry**, v. 76, n. 23, p. 7137-7142, dec. 2004. Abstract

SCHAUMLOFFEL, D., PRANGE, A. A new interface for combining capillary electrophoresis with inductively coupled plasma-mass spectrometry. **Fresenius J. of Analytical Chem**, v. 364, p. 452-456, 1999.

SCHAUMLOFFEL, D. et al. Characterization and quantification of metallothionein isoforms by capillary electrophoresis-inductively coupled plasma-isotope-dilution mass spectrometry. **Analytical and Bioanalytical Chemistry**, v. 372, n.1, p.155-163, jan 2002. Abstract.

SCHOOF, R. A. et al. A Market Basket Survey of Inorganic Arsenic in Food. **Food and Chemical Toxicology**, v. 37, p. 839-846, 1999.

STEWART, I. I.; OLESIK, J. W. Investigation of Cr(III) hydrolytic polymerisation products by capillary electrophoresis-inductively coupled plasma-mass spectrometry. **Journal of Chromatography A**, v. 872, n. 1-2, p. 227-246, mar. 2000. Abstract.

STROH, A., DENOYER, E., LU, Q., VÖLLKOPF, U. (1993) Optimization and use of flow injection vapor generation ICPMS. PerkinElmer-Sciex Application Report No. FAR-1, 1993.

SUAREZ, C. A.; GINE, M. F. A reactor/phase separator coupling capillary electrophoresis to hydride generation and inductively coupled plasma optical emission spectrometry (CE-HG-ICPOES) for arsenic speciation. **Journal of analytical Atomic Spectrometry**, v. 20, n. 12, p. 1395-1397, dec 2005.

SUTTON, K. A.; B'HYMER, C.; CARUSO, J. A. Ultraviolet absorbance and inductively coupled plasma mass spectrometric detection for capillary electrophoresis – A comparison of detection modes and interface designs. **Journal of Analytical Atomic Spectrometry**, v. 13, n. 9, p. 885-891, sep 1998.

TANGEN, A.; LUND W. Capillary electrophoresis-inductively coupled plasma mass spectrometry interface with minimised dead volume for high separation efficiency. **Journal of Chromatography A**, v. 891, n. 1, p. 129-138, sep 2000.

TANGEN, A. et al. Interface for the coupling of capillary electrophoresis and inductively coupled plasma mass spectrometry. **Journal of Chromatography A**, v. 826, n. 1, p. 87-94, nov 1998. Abstract.

TAVARES, M. F. M. Eletroforese capilar: Conceitos básicos. **Química Nova**, v. 19, n. 2, p. 173-181, 1996.

TAVARES, M. F. M. Mecanismos de separação em eletroforese capilar. **Química Nova**, v. 20, n. 5, p. 493-510, abr 1997.

TAYLOR, K. A. et al. Design and characterisation of a microconcentric nebulizer interface for capillary electrophoresis-inductively coupled plasma mass spectrometry. **Journal of Analytical Atomic Spectrometry**, v. 13, n. 10, p. 1095-1100, oct. 1998.

TIAN, X. D. et al. Determination of arsenic speciation by capillary electrophoresis and ICP-MS using a movable reduction bed hydride generation system. **Atomic Spectroscopy**, v. 20, n. 4, p. 127-133, aug 1999.

TIMERBAEV, A. Element speciation analysis by capillary electrophoresis: what are the hints on becoming a standard analytical methodology? **Analytica Chimica Acta**, v. 433, p. 165-180, jan 2001.

TSENG, C. et al. Arsenic exposure, urinary arsenic speciation, and peripheral vascular disease in blackfoot disease-hyperendemic villages in Taiwan. **Toxicology and Applied Pharmacology**, v. 206, p. 299-308, 2005.

TONIETTO, G. B. Estudo da especiação química de arsênio e selênio em correntes aquosas e efluentes da refinaria de petróleo, 2005. **Tese de doutorado**, PUC-RJ.

UTHUS, E. O. **Estimation of safe and adequate daily intake for arsenic**. In **Risk Assessment of Essential Elements**. Ed. W. Mertz., C. O. Abernathy and S. S. Olin. p. 273-282. ILSI Press. Washington. DC.

VAN HOLDERBEKE, M. et al. Speciation of six arsenic compounds using electrophoresis inductively coupled plasma mass spectrometry. **Journal of Analytical Atomic Spectrometry**, v. 14, n. 2, p. 229-234, feb. 1999.

WEHR, T.; RODRÍGUEZ-DIAZ, R.; ZHU, M., **Capillary Electrophoresis of Proteins**. New York: Marcel Dekker, Inc, 1999.

WEINBERGER, R. **Practical Capillary Electrophoresis**. 2.ed. San Diego: Academic Press, 2000.

WELZ, B. **Atomic Absorption Spectrometry**. 2.ed. Germany: VCH, 1985.

YANES, E. G.; MILLER-IHLI, N. J. Parallel path nebulizer: Critical parameters for use with microseparation techniques combined with inductively coupled plasma mass spectrometry. **Spectrochimica Acta Part B – Atomic Spectroscopy**, v. 60, n. 4, p. 555-561, apr 2005.

YEH, C. F.; JIANG, S. J. Determination of monophosphate nucleotides by capillary electrophoresis inductively coupled plasma mass spectrometry. **Analyst**, v. 127, n. 10, p. 1324-1327, 2002.

YEH, C. F.; JIANG, S. J. Speciation of arsenic compounds in fish and oyster tissues by capillary electrophoresis-inductively coupled plasma mass spectrometry. **Electrophoresis**, v. 26, n. 7-8, p. 1615-1621, apr 2005.

YIN, X. B. et al. On-line coupling of capillary electrophoresis to hydride generation atomic fluorescence spectrometry for arsenic speciation analysis. **Analytical Chemistry**, v. 74, n. 15, p. 3720-3725, aug 2002.

YIN, X. B. On-line preconcentration for capillary electrophoresis-atomic fluorescence spectrometric determination of arsenic compounds. **Electrophoresis**, v. 25, n. 12, p. 1837-1842, jun 2004.