

Referências Bibliográficas

- [1] Tyagi A. K., Achary S. N, Mathews M. D. (2001), Phase transition and negative thermal expansion in $A_2(MoO_4)_3$ system ($A = Fe^{3+}$, Cr^{3+} and Al^{3+}), Journal of alloys and compounds 339, pp. 207-210.
- [2] Kingery, W. D., Bowen, H. K., Uhlmann, D. R., (1976), Introduction to ceramics. 2nd. ed. - New York: J. Wiley & Sons, 1032p.
- [3] Callister, William D. (2003), Materials science and engineering: an introduction. 6th ed. New York: John Wiley & Sons, 2003 820 p. ISBN 0471135763 (enc.)
- [4] Sleight A. W., (1998a), Negative thermal expansion, Inorg. Chem, 37, pp. 2854-2860.
- [5] Sleight A. W., (1998b), Compounds that contract on heating, Current opinion on Solid State & Materials Science, 3, pp. 128-131.
- [6] Richerson, D. W., (1992), Modern ceramic engineering: properties, processing, and use in design /. 2nd. ed. rev. and exp. - New York: M. Dekker, 1992. 860p.: ISBN 0824786343.
- [7] Grima J. N., Zammit V., Gatt R., (2006), Negative thermal expansion, Xjenza – journal of the Malta Chamber of Scientists, em impressão.
- [8] White G. K. (1993), Solids - thermal-expansion and contraction, Contemporary Physics 34 (4), pp. 193-204.
- [9] Barrera G. D., Bruno J. A. O, Barron T. H. K. (2005), Negative thermal expansion, Journal of Physics-Condensed Matter 17 (4), pp. R217-R252.
- [10] Evans J. S. O. (1999), Negative thermal expansion materials, Journal of Chemical Society Dalton, pp. 3317-3326
- [11] Evitherm, Virtual institute for thermal metrology, “Thermal expansion: Methods for measurement of thermal expansion”. Disponível em <http://www.evitherm.org/default.asp?ID=249>, acesso em julho 2007.
- [12] Khosrovani N., Sleight A. W. (1999), Strong anisotropic thermal expansion in oxides, International journal of inorganic materials 1, pp. 3-10.
- [13] Lichtenstein A. I., Jones R. O., Xu H., Heaney P.J. (1998), Anisotropic thermal expansion in silicate b-eucryptite:a neutron diffraction and density functional study, Physical Review B 58 (10), pp. 6219-6223.

- [14] Sleight A. W. (1995), Thermal Contraction, Elsevier Science – Endeavour 19 (2), pp. 64-68
- [15] Mary T. A., Sleight A. W. (1999), Bulk thermal expansion for tungstate and molybdates of type $A_2M_3O_{12}$, Journal of Materials research 14, pp. 912-915.
- [16] Roy R., Agrawal D. K., Alamo J., Roy R. A., (1984), Materials Research Bulletin 19, pp 471-477.
- [17] Rustum R., Agrawal D.K., McKinstry H.A., (1989), Very low thermal expansion coefficient materials, Annual Reviews Materials Science, 19 pp. 59-81.
- [18] Evans J. S. O., Mary T. A., Sleight A. W. (1998), Negative thermal expansion materials, Physica B: Condensed Matter 241-243, pp. 311-316.
- [19] Evans J. S. O., Mary T. A., Sleight A. W. (1998), Negative thermal expansion in $Sc_2(WO_4)_3$, Journal of Solid State Chemistry 137, (1), pp. 148-160.
- [20] Tao J. Z., Sleight A. W. (2003a), The role of rigid unit modes in negative thermal expansion, Journal of Solid State Chemistry 173, pp. 442-448.
- [21] Tao J. Z., Sleight A. W. (2003b), Very low thermal expansion in TaO_2F , Journal of Solid State Chemistry 173, pp. 45-48.
- [22] Amos T. G., Yokochi A., Sleight A. W. (1998), Phase Transition and Negative Thermal Expansion in Tetragonal $NbOPO_4$, Journal of Solid State Chemistry 141, (1), pp. 303-307.
- [23] Attfield M. P., Sleight A. W. (1998), Exceptional negative thermal expansion in $AlPO_4$ -17, Chemical Materials 10, pp. 2013-2019.
- [24] Tschaufeser P., Parker S. C. (1995): Thermal Expansion Behavior of Zeolites and $AlPO_4$ s, Journal Physical Chemistry 99, pp. 10609-10615.
- [25] Lightfoot P, Woodcock D. A., Maple M. J., Villaescusa L. A., Wright P. A. (2001), The widespread occurrence of negative Thermal Expansion in zeolites. Journal of materials Chemistry 11 (1), pp: 212-216.
- [26] Attfield P., Sleight A. W (1998), Strong negative thermal expansion in siliceous faujasite, Chemical Communication, pp. 601.
- [27] Woodcock D. A., Lightfoot P., Wright P. A. (1999), Strong negative thermal expansion in the siliceous zeolites ITQ-1, ITQ-3 and SSZ-23, Journal of Materials and Chemistry, 9, pp. 349.
- [28] Woodcock D. A., Lightfoot P., Villaescusa L. A. (1999), Negative Thermal Expansion in the Siliceous Zeolites Chabazite and ITQ-4: A Neutron Powder Diffraction Study. Chemical Materials 11, pp. 2508.

- [29] Marinkovic B. A., Jardim P. M., Saavedra A., Lau L. Y., Baehtz C., de Avillez R.R., Rizzo F. (2005), Negative thermal expansion in hydrated HZSM-5 orthorhombic zeolite, *Microporous and Mesoporous Materials*, 71, (1-3), pp. 117-124
- [30] Jardim P. M., Marinkovic B. A., Saavedra A., Lau L. Y., Baehtz C., Rizzo F. (2005), A comparison between thermal expansion properties of hydrated and dehydrated orthorhombic HZSM-5 zeolite, *Microporous and Mesoporous Materials*, 76, (1-3), pp. 23-28.
- [31] Sen S., Wusirika R. R., Youngman R. E.(2006) High temperature thermal expansion behavior of H[Al]ZSM-5 zeolites: The role of Brønsted sites, *Microporous and Mesoporous Materials* 87, (3), pp. 217-223.
- [32] Bhange D.S., Ramaswamy V. (2007), High temperature thermal expansion behavior of silicalite-1 molecular sieve: in situ HTXRD study, *Microporous and Mesoporous Materials* 103, (1-3), pp. 235-242.
- [33] Beccara S. A., Dalba G., Fornasini P. (2002), Local thermal expansion in a cuprite structure: The case of Ag_2O , *Physical Review Letters* 89 (2), pp. 025503.
- [34] Dapiaggi M., Tiano W., Artioli G.(2003), The thermal behaviour of cuprite: An XRD-EXAFS combined approach, *Nuclear Instruments & Methods in Physics Research Section B-Beam Interactions with Materials and Atoms* 200, pp. 231-236.
- [35] Schafer W, Kirsch A. (2002), Neutron powder diffraction study of the thermal expansion of cuprite, *Applied Physics and Materials Science & Processing*, 74, pp. 61-65.
- [36] Sanson A., Rocca F., Dalba G., (2006), Negative thermal expansion and local dynamics in Cu_2O and Ag_2O , *Physical Review B*, 73, (21), pp. 214305.
- [37] Tiano W., Dapiaggi M., Artioli G. (2003), Thermal expansion in cuprite-type structures from 10K to decomposition temperature: Cu_2O and Ag_2O , *Journal of Applied Crystallography* 36, pp. 1461-1463.
- [38] Amos T. G., Sleight A. W. (2001), Negative Thermal Expansion in Orthorhombic NbOPO_4 , *Journal of Solid State Chemistry* 160, (1), pp. 230-238.
- [39] Khosrovani K., Sleight A. W., Vogt T. (1997), Structure of ZrV_2O_7 from -263 to 470°C, *Journal of Solid State Chemistry* 132 (2) pp. 355-360.
- [40] Withers R. L., Evans J. S. O, Hanson J., Sleight A. W. (1998), An in situ temperature-dependent electron and X-ray diffraction study of structural

- phase transitions in ZrV_2O_7 , journal of Solid State Chemistry 137, pp. 161-167.
- [41] Khosrovani N., Korthuis V., Sleight A. W. (1996), Unusual 180° P-O-P bond angles in ZrP_2O_7 , Inorganic Chemistry 35 (2), pp. 485-489.
 - [42] Withers R. L., Tabira Y., Evans J. S. O, King I. J., Sleight A. W. (2001), A new three-dimensional incommensurately modulated cubic phase (in ZrP_2O_7) and its symmetry characterization via temperature-dependent electron diffraction, journal of Solid State Chemistry 157, pp. 186-192.
 - [43] Korthuis V., Khosrovani N., Sleight A. W. (1995), Negative thermal-expansion and phase-transitions in the $ZrV_{2-x}P_xO_7$ series, Chemistry of Materials 7, (2), pp. 412-417.
 - [44] Sleight A. W. (1998), Isotropic negative thermal expansion, Annual Review Materials Science, 28, pp. 29-43.
 - [45] De Buysser K., Driessche I. V., Putte B. V, Schaubroeck J., Hoste S.(2007), Study of Ti^{4+} substitution in ZrW_2O_8 negative thermal expansion materials, Journal of Solid State Chemistry, em impressão.
 - [46] Mittal R., Chaplot S. L., Schober H., Maty T. A. (2001), Origin of negative thermal expansion in cubic ZrW_2O_8 revealed by high pressure inelastic neutron scattering, Physical Review letters, 86 (20), pp. 4692-4695.
 - [47] Tucker M. G., Goodwin A. L., Dove M. T., Keen D. A., Wells S., Evans J. S. O. (2005), negative thermal expansion in ZrW_2O_8 : mechanisms, rigid unit modes and neutron total scattering, Physical Review Letters 95, 255501.
 - [48] Allen S., Ward R. J., Hampson M. R., et al. (2004), Structures and phase transitions of trigonal $ZrMo_2O_8$ and $HfMo_2O_8$, Acta Crystallographica Section B-Structural Science 60, pp. 32-40.
 - [49] Mittal R, Chaplot S. L., Schober H. (2004), Negative thermal expansion in cubic $ZrMo_2O_8$: Inelastic neutron scattering and lattice dynamical studies, Physical Review B, 70 (21), pp. 214303.
 - [50] Kennedy C. A., White M. A., Wilkinson A. P. (2007), Low thermal conductivity of the negative thermal expansion material, $HfMo_2O_8$, Applied Physics Letters 90 (15), pp. 151906.
 - [51] Yamamura Y., NakajimaN., Tsuji T., Iwasa Y., Saito K., Sorai M. (2002), Heat capacity and Grüneisen function of negative thermal expansion compound HfW_2O_8 , Solid State Communications, 121 (4), pp. 213-217.
 - [52] Kameswari U., Sleight A. W., Evans J. S. O. (2000), Rapid synthesis of ZrW_2O_8 and related phases, and structure refinement of $ZrWMoO_8$, International Journal of Inorganic Materials 2, (4), pp. 333-337.

- [53] Yamamura Y., Kato M., Tsuji T. (2005), Synthesis and phase transition of negative thermal expansion materials $Zr_{1-x}Lu_xW_2O_{8-y}$, *Thermochimica Acta*, 431, (1-2), pp. 24-28.
- [54] Li H., Han J., Ma H., Huang L. Zhao X. (2007), $Zr_{1-x}Ln_xW_2O_{8-x/2}$ ($Ln=Eu, Er, Yb$): Solid solutions of negative thermal expansion-synthesis, characterization and limited solid solubility, *Journal of Solid State Chemistry* 180, (3), pp. 852-857.
- [55] Foster P. M., Sleight A. W. (1999), Negative thermal expansion in $Y_2W_3O_{12}$, *International Journal of Inorganic Materials* 1, (2), pp. 123-127
- [56] Evans J. S. O., Mary T. A. (2000), Structural phase transitions and negative thermal expansion in $Sc_2(MoO_4)_3$, *International Journal of Inorganic Materials* 2, (1), pp. 143-151.
- [57] Foster P. M., Yokochi A., Sleight A. W. (1998), Negative Thermal Expansion in $Lu_2W_3O_{12}$, *Journal of Solid State Chemistry* 140, (1), pp. 157-158.
- [58] Wu M. M., Peng J., Cheng Y. Z., Wang H., Yu Z. X., Chen D. F., Hu Z. B. (2006), Structure and thermal expansion properties of solid solution $Nd_{2-x}Er_xW_3O_{12}$ ($0.0 \leq x \leq 0.6$ and $1.5 \leq x \leq 2.0$), *Solid State Science* 8, (6) pp. 665-670.
- [59] Wu M. M., Peng J., Cheng Y. Z., Xiao X. L., Hao Y. M., Hu Z. B. (2007a), Thermal expansion in solid solution $Er_{2-x}Sm_xW_3O_{12}$, *Materials Science and Engineering: B* 137, (1-3), pp. 144-148.
- [60] Wu M. M., Cheng Y. Z., Peng J., Xiao X. L., Chen D. F., Kiyanagi R., Fieramosca J. S., Short S., Jorgensen J., Hu Z. B. (2007b), Synthesis of solid solution $Er_{2-x}Ce_xW_3O_{12}$ and studies of their thermal expansion behavior, *Materials Research Bulletin*, em impressão.
- [61] Cheng Y. Z., Wu M. M., Peng J., Xiao X. L., Li Z. X., Hu Z. B., Kiyanagi R., Fieramosca J. S., Short S., Jorgensen J. (2007), Structures, thermal expansion properties and phase transitions of $Er_xFe_{2-x}(MoO_4)_3$ ($0.0 \leq x \leq 2.0$), *Solid State Science*, em impressão.
- [62] Peng J., Wu M. M., Wang H., Hao Y. M., Hu Z. B., Yu Z. X., Chen D. F., Kiyanagi R., Fieramosca J. S., Short S. (2007), Structures and negative thermal expansion properties of solid solutions $Y_xNd_{2-x}W_3O_{12}$, *Journal of Alloys and Compounds*, em impressão.
- [63] Suzuki T., Omote A. (2004), Negative thermal expansion in $(HfMg)(WO_4)_3$, *Journal of American Journal Society* 87, (7) pp. 2365-2367.

- [64] Suzuki T., Omote A. Zero thermal expansion in $(\text{Al}_{2x}(\text{HfMg})_{1-x})(\text{WO}_4)_3$, Journal of American Journal Society 89, (2) pp. 691-693 (2006).
- [65] Sumithra S., Tyagi A. K., Umarji A.M. (2005a), Negative thermal expansion in $\text{Er}_2\text{W}_3\text{O}_{12}$ and $\text{Yb}_2\text{W}_3\text{O}_{12}$ by high temperature X-ray diffraction. Materials Science and Engineering B 116 (1), pp. 14-18.
- [66] Sumithra S., Umarji A.M. (2005b), Hygroscopicity and bulk thermal expansion in $\text{Y}_2\text{W}_3\text{O}_{12}$, Materials Research Bulletin 40 (1), pp. 167-176.
- [67] Woodcock D. A., Lightfoot P., Ritter C. (2000), Negative thermal expansion in $\text{Y}_2(\text{WO}_4)_3$, Journal of Solid State Chemistry 149, (1), pp. 92-98.
- [68] Xiao X.L., Cheng Y.Z, Peng J., Wu M.M., Chen D.F., Hu Z.B., Kiyanagi R., Fieramosca J.S., Short S., Jorgensen J. (2007), Thermal Expansion Properties of $\text{A}_2(\text{MO}_4)_3$ ($\text{A} = \text{Ho}$ and Tm ; $\text{M} = \text{W}$ and Mo), Solid State Sciences, doi:10.1016/j.solidstatesciences.2007.09.001.
- [69] Sumithra S., Umarji A.M. (2006), Negative thermal expansion in rare earth molybdates, Solid State Sciences 8, (12), pp. 1453-1458.
- [70] Marinkovic B. A., Jardim P. M., de Avillez R. R., Rizzo F. (2005), Negative thermal expansion in $\text{Y}_2\text{Mo}_3\text{O}_{12}$, Solid State Sciences 7 (11) pp. 1377-1383.
- [71] Evans J. S. O., Mary T. A., Sleight A. W. (1997), Negative thermal expansion in large molybdate and tungstate family, Journal of Solid State Chemistry 133, pp. 580-583.
- [72] Yang Y. M., Li L.Ch., Feng M. (2007), Negative Thermal Expansion Property of $\text{Cr}_2(\text{WO}_4)_3$ and $\text{Cr}_2(\text{MoO}_4)_3$, Chinese Journal of Inorganic Chemistry 23 (3) 382-386.
- [73] Sleight A. W., Brixner L. H. (1973), A new ferroelastic transition in some $\text{A}_2(\text{MO}_4)_3$ molybdates and tungstates, Journal of Solid State Chemistry 7, pp. 172-174.
- [74] Matsushita Electric Industrial Co., Ltd., Suzuki T., Omote A., Kuwata J., Zero thermal expansion material and practical component parts making use of the same, United States Patent 6844283, 2005.
- [75] Carlisle Food Service Products, Parker G. E., Methods and compositions for low thermal expansion ceramic, United States Patent 6919289, 2005.
- [76] Yamaha Corporation, Takano Y., Horiai N., Optical device free from stress due to difference in thermal expansion coefficient between parts and process for fabrication thereof, United States Patent 6861272, 2005.
- [77] Corning Incorporated, Merkel G. A., Optical device with negative thermal expansion substrate and uses therefor, United States Patent 6377729, 2002.

- [78] Broptics Technology Inc, Wen H. L., Lin J, Lo Y., Process for preparation of zirconium tungstate ceramic body, zirconium tungstate, United States Patent 6936235, 2005.
- [79] Corning Incorporated, Merkel G. A., Negative thermal expansion materials including method of preparation and uses therefor, United States Patent 6187700, 2001.
- [80] International Business Machines Corporation, Blumberg L. R., Japp R. M., Rudik W. J., Surowka J. F., Method for reducing coefficient of thermal expansion in chip attach packages, United States Patent 6841026, 2005.
- [81] Matsushita Electric Industrial Co., Ltd., Suzuki T., Omote A., Kuwata J., Zero thermal expansion material, United States Patent 6812178, 2004.
- [82] Ari M. S., Jardim P. M, Marinkovic B. A., Monteiro M. J., Rizzo F. (2006), Síntese e caracterização de molibdato de alumínio – Ítrio, $\text{Al}_{2-x}\text{Y}_{2x}\text{Mo}_3\text{O}_{12}$, Anais do congresso CBECIMAT – CD.
- [83] INCA Energy+- Software para sistema de microanálise de EDS (Espectroscopia de dispersão de energia), Oxford instruments.
- [84] LeBail, A. (1992), Extracting structure factors from powder diffraction data by iterating full pattern profile fitting. In: Prince, E., Taliek, J.K. (Eds.), Accuracy in Powder Diffraction II, Special Publication 846, 213, National Institute of Standards and Technology, Gaithersburg, MD.
- [85] Topas - General Profile and Structure Analysis Software for Powder Diffraction Data, version 2.1, Technical Reference, User's Manual, Bruker AXS GmbH, 2003.
- [86] Harrison W. T. A. (1995), Crystal structures of paraelástica aluminum molybdate and ferric molybdate, $\beta\text{-Al}_2(\text{MoO}_4)_3$ and $\beta\text{-Fe}_2(\text{MoO}_4)_3$, Materials Research Bulletin 30 (11), pp. 1325-1331.
- [87] Chen H.Y. (1979), The crystal structure and twinning behavior of ferric molybdate, $\text{Fe}_2(\text{MoO}_4)_3$, Materials Research Bulletin 14, pp. 1583.
- [88] R. Shirley, The Crysfire 2002 System for Automatic Powder Indexing: User's Manual, The Lattice Press, 41 Guildford Park Avenue, Guildford, Surrey GU2 7NL, England, 2002.
- [89] Cullity B. D., Stock S. R. (2001), Elements of X-ray diffraction. 3th ed. Upper Saddle River, N.J.: Addison-Wesley, 664 p., ISBN 0201610914.
- [90] Werner P.E., David W. I. F., Shankland K., McCusker L. B. (2003), Estructure determination from podwer diffraction data. N.Y. Oxford University press, 304p., ISBN 0198500912.

- [91] Rietveld H. M. (1969), A profile refinement method for nuclear and magnetic structures, *Journal of Applied Crystallography*, 2 , pp. 65-71.
- [92] David W. I. F., Sivia D.S. Shankland K., McCusker L. B. (2003), *Estructure determination from powder diffraction data*. N.Y. Oxford University press, 304p., ISBN 0198500912.
- [93] Pyris - Instrument Managing Software, Version 7.0, Perkin Elmer
- [94] Shannon R. D. (1976), Revised effective ionic radii and systematic studies of interatomic distances in halides and chalcogenides, *Acta Cryst. A*32, pp 751-767.
- [95] Nassau K. Levinstein H.J., Loiacono G.M. (1965). A comprehensive study of trivalent tungstates and molybdates of type $L_2(MO_4)_3$, *Journal of Phys. Chem. Solids*, 26, pp. 1805-1816.
- [96] Rohrer G. S. (2005), *Structure and Bonding in Crystalline Materials*, Cambridge University Press, 533p. ISBN 0511033974.