

Referências bibliográficas

- BANDARRA FILHO, E. P.; RIBATSKI, G.; PASSOS, J. C.; PARISE, J. A. R. **Escoamento monofásico de nanofluidos no interior de tubos.** In: Brazilian Congress of Thermal Engineering and Sciences, 12, 2008. Belo Horizonte. p. 1 - 10.
- BEN MANSOUR, R.; GALANIS, N.; NGUYEN, C. T. **Effect of uncertainties in physical properties on forced convection heat transfer with nanofluids.** Applied Thermal Engineering, v. 27, n. 1, p. 240-249, jan. 2007.
- BOHACZ, R. T. **Engine cooling systems.** Penguin Group, 2007. 128p.
- CHANG, Y.-J.; WANG, C.-C. **A generalized heat transfer correlation for Louver fin geometry.** International Journal of Heat and Mass Transfer, v. 40, n. 3, p. 533-544, 1997. Disponível em:<<http://www.sciencedirect.com/science/article/B6V3H-3WV4FTR-4/2/f8107f740276f02a829917c61525d497>>. Acesso em: 20 out. 2009.
- CHARYULU, D. G.; SINGH, G.; SHARMA, J. K. **Performance evaluation of a radiator in a diesel engine - a case study.** Applied Thermal Engineering, v. 19, p. 625 - 639, 1999.
- CHEN, H. S.; DING, Y. L.; HE, Y. R.; TAN, C. **Rheological behaviour of ethylene glycol based titania nanofluids.** Chemical Physics Letters, v. 444, n. 4-6, p. 333-337, ago. 2007.
- CHOI, S. U. S. **Enhancing thermal conductivity of fluids with nanoparticles.** Developments and Applications of Non-Newtonian Flows, Illinois, v. FED - 231/MD - 66, p. 99 - 105, 1995.
- CHOI, S. U. S.; EASTMAN, J. A. **Enhanced heat transfer using nanofluids.** U.S. n. 6 221 275, 24 abr. 2001.
- CHOI, S. U. S.; XU, X.; KEBLINSKI, P.; YU, W. **Nanofluids can take the heat.** Illinois: ANL, 2002, 9p. Relatório Técnico.
- COWELL, T. A.; HEIKAL, M. R.; ACHAICHIA, A. **Flow and heat transfer in compact louvered fin surfaces.** Experimental Thermal and Fluid Science, v. 10, n. 2, p. 192-199, 1995.
- CROUSE, W. H.; ANGLIN, D. L. **Automotive engine cooling systems.** In: **Automotive air conditioning.** Nova Iorque: McGraw-Hill, 1977. p. 292.

DAS, S. K.; CHOI, S. U. S.; YU, W.; PRADEEP, T. **Nanofluids: Science and technology**. Nova Jersey: John Wiley & Sons, Inc., 2008. 397p.

DAS, S. K.; PUTRA, N.; THIESEN, P.; ROETZEL, W. **Temperature dependence of thermal conductivity enhancement for nanofluids**. Journal of Heat Transfer, v. 125, n. 4, p. 567 - 574, 2003.

DIAMOND, S. **Annual progress report for heavy vehicle systems optimization**. Washington: DOI - FreedomCAR and Vehicle Technologies Program, 2005, 206p. Relatório Técnico: FY 2004.

DITTUS, F. W.; BOELTER, L. M. K. **Heat transfer in automobile radiators of the tubular type**. International Communications in Heat and Mass Transfer, v. 12, n. 1, p. 3 - 22, 1985.

DUANGTHONGSUK, W.; WONGWISES, S. **Measurement of temperature-dependent thermal conductivity and viscosity of TiO₂ - water nanofluids**. Experimental Thermal and Fluid Science, v. 33, n. 4, p. 706 - 714, abr. 2009.

EASTMAN, J. A.; CHOI, S. U. S.; LI, S.; YU, W.; THOMPSON, L. J. **Anomalously increased effective thermal conductivities of ethylene glycol-based nanofluids containing copper nanoparticles**. Applied Physics Letters, v. 78, n. 6, p. 718 - 720, 05 fev. 2001.

EINSTEIN, A. **Investigation on theory of brownian motion**. Nova Iorque: Dover, 1956. 119p.

FAVEZ, J. Y.; WEILENMANN, M.; STILLI, J. **Cold start extra emissions as a function of engine stop time: Evolution over the last 10 years**. Atmospheric Environment, v. 43, n. 5, p. 996 - 1007, fev. 2009.

FRAAS, A. P.; OZISIK, M. N. **Heat exchanger design**. Nova Iorque: John Wiley & Sons, Inc., 1965. 386p.

GNIELINSKI, V. **Equations for heat and mass transfer in turbulent pipe and channel flow**. International Chemical Engineering, v. 16, p. 359 - 368, 1976.

GRANQVIST, C. G.; BUHRMAN, R. A. **Ultrafine metal particles**. Journal of Applied Physics, v. 47, n. 5, p. 2200 - 2219, 1976.

HAMILTON, R. L.; CROSSER, O. K. **Thermal conductivity of heterogeneous two-component systems**. I&EC Fundamentals, v. 1, p. 187-191, 1962.

HESSELGREAVES, J. E. **Compact heat exchangers: Selection, design and operation**. 1. ed. Nederland: Elsevier Sciences & Technology Books, 2001. 398p.

HEYWOOD, J. B. Engine heat transfer. In: **Internal combustion engine fundamentals**. Nova Iorque: McGraw-Hill, Inc., 1988. p. 930.

HOLMAN, J. P. **Heat transfer**. 5. ed. Tokyo: McGraw-Hill Kogakusha, Ltda., 1981. 530p.

HOSOKAWA, M.; NOGI, K.; NAITO, M.; YOKOYAMA, T. **Nanoparticle technology handbook**. 1. ed. U.K.: Elsevier B. V., 2007. 622p.

HWANG, Y.; LEE, J.-K.; LEE, J.-K.; JEONG, Y.-M.; CHEONH, S.-I.; AHN, Y.-C.; KIM, S. H. **Production and dispersion stability of nanoparticles in nanofluids**. Powder Technology, v. 186, n. 2, p. 145 – 153, 2008.

JANG, S. P.; CHOI, S. U. S. **Role of Brownian motion in the enhanced thermal conductivity of nanofluids**. Applied Physics Letters, v. 84, n. 21, p. 4316-4318, 2004.

KAYS, W. M.; LONDON, A. L. **Compact heat exchanger**. 2. ed. Nova Iorque: McGraw-Hill, 1964. 272p.

KELLEY, C. T. **Solving non-linear equations with Newton's method**. Filadélfia: Society for Industrial and Applied Mathematics, 2003. 104p.

KIM, S. H.; CHOI, S. R.; KIM, D. **Thermal conductivity of metal-oxide nanofluids: Particle size dependence and effect of laser irradiation**. Journal of Heat Transfer, v. 129, n. 3, p. 298 - 307, mar. 2007.

KLEIN, S. A. **Engineering equation solver (EES)**. version 7.258: Pacote para solução de equações algébricas. [S.I.]:F-Chart, 2004. Conjunto de programas. 1 CD-ROM.

KRÖGER, D. G. **Radiator characterization and optimization**. Detroit: SAE, 1984, 7p. Relatório Técnico: 840380.

KULKARNI, D. P.; DAS, D. K.; CHUKWU, G. A. **Temperature dependent rheological property of copper oxide nanoparticles suspension (nanofluid)**. Journal of Nanoscience and Nanotechnology, v. 6, n. 4, p. 1150-1154, abr. 2006.

LEMMON, E. W.; HUBER, M. L.; McLINDEN, M. O. **Reference fluid thermodynamic and transport properties (REFPROP)**. version 8.0: Base de dados de propriedades termodinâmicas de fluidos. [S.I.]:NIST, 2007. Conjunto de programas. 1 CD-ROM.

LIMA, J. A.; OTTERMAN, G. R. **Manual on selection and use of engine coolants and cooling system chemicals**. 4. ed.: ASTM, 1989. 14p.

LOAIZA, J. C. V. **Simulação de um sistema de refrigeração operando com nanofluido como fluido secundário**. Rio de Janeiro, 2009. 126 p. Dissertação (Mestrado em Engenharia Mecânica) - Engenharia Mecânica, PUC-Rio.

MAXWELL, J. C. **A treatise on electricity and magnetism**. 3. ed. Nova Iorque: Dover, 1954.

METZ, B.; DAVIDSON, O.; CONINCK, H. D.; LOOS, M.; MEYER, L. **Carbon dioxide capture and storage.** U.K.: IPCC - Cambridge University Press, 2005, 431p. Relatório Técnico.

MORAN, M. J.; SHAPIRO, H. N. **Fundamentals of engineering thermodynamics.** 5. ed. Nova Iorque: John Wiley & Sons, 2004. 874p.

NEWTON, K.; STEEDS, W. Engine cooling. In: **The motor vehicle.** 8. ed. Londres: Ilife book, 1966. p. 713.

PAK, B. C.; CHO, Y. I. **Hydrodynamic and heat transfer study of dispersed fluids with submicron metallic oxide particles.** Experimental Heat Transfer, v. 11, n. 2, p. 151 - 170, abr. 1998.

PRASHER, R.; BHATTACHARYA, P.; PHELAN, P. E. **Thermal conductivity of nanoscale colloidal solutions (nanofluids).** Phys. Rev. Lett., v. 94, n. 2, 2005. Disponível em:<<http://prola.aps.org/pdf/PRL/v94/i2/e025901>>. Acesso em: 20 out. 2009.

SEN, S. P. Heat loss through cylinder and piston. In: **Internal combustion engine: theory and practice.** 2. ed. Deli: Khanna, 1980. p. 615.

SHAYLER, P. J.; CHICK, J. P.; MA, T. **Effect of coolant mixture composition on engine heat rejection rate.** International Congress & Exposition. Detroit: SAE 960275, 1996. p. 85 - 94.

SHENDE, R. **Interlinked challenges, interlinked solutions: Ozone protection and climate change.** Industria & Formazione, Itália, n. 6, p. 4 - 6, 2006.

TAYLOR, C. F. Perdas de calor. In: **Análise dos motores de combustão interna.** Edgar Blücher Ltda., USP, 1971. p. 267-310.

TRISAKSRI, V.; WONGWISES, S. **Critical review of heat transfer characteristics of nanofluids.** Renewable and Sustainable Energy Reviews, v. 11, n. 3, p. 512 - 523, 2007.

VASU, V.; RAMA KRISHNA, K.; KUMAR, A. C. S. **Thermal design analysis of compact heat exchanger using nanofluids.** International Journal of Nanomanufacturing, v. 2, n. 3, p. 271-288, 2008. Disponível em:<<http://inderscience.metapress.com/openurl.asp?genre=article&eissn=1746-9406&volume=2&issue=3&spage=271>>. Acesso em: 20 out. 2009.

VELAGAPUDI, V.; KONIJETI, R. K.; ADURU, C. S. K. **Empirical correlations to predict thermophysical and heat transfer characteristics of nanofluids.** Thermal Science, v. 12, p. 27-37, 2008. Disponível em:<<http://www.doiserbia.nbs.bg.ac.yu/img/doi/0354-9836/2008/0354-98360802027V.pdf>>. Acesso em: 20 out. 2009.

WAMBSGANSS, M. W. **Thermal management in heavy vehicles: A review identifying issues and research requirements.** ANL, 1999, 17p. Relatório Técnico: CP - 98208.

WANG, X. Q.; MUJUMDAR, A. S. **A review on nanofluids - Part I: Theoretical and numerical investigations.** Brazilian Journal of Chemical Engineering, v. 25, n. 4, p. 613 - 630, out./dez. 2008.

WEBB, R. L.; JUNG, S. H. **Air-side performance of enhanced brazed aluminum heat exchangers.** In: ASHRAE Winter Meeting, Anaheim, CA, USA, 01/25-29/92, 1992. p. 391-401.

WITHARANA, S. **Boiling of refrigerants on enhanced surfaces and boiling of nanofluids.** Estocolmo, 2003. 132 p. Licentiate Thesis - Department of Energy Technology, The Royal Institute of Technology.

XUAN, Y.; LI, Q. **Investigation on convective heat transfer and flow features of nanofluids.** Journal of Heat Transfer, v. 125, n. 1, p. 151 - 155, fev. 2003.

XUAN, Y. M.; ROETZEL, W. **Conceptions for heat transfer correlation of nanofluids.** International Journal of Heat and Mass Transfer, v. 43, n. 19, p. 3701-3707, 2000.

YU, W.; CHOI, S. U. S. **The rol of interfacial layers in the enhanced thermal conductivity of nanofluids: A renovated Maxwell model.** Journal of Nanoparticle Research, v. 5, n. 1 – 2, p. 167 – 171, abr. 2003.

YU, W.; FRANCE, D. M.; CHOI, S. U. S.; ROUTBORT, J. L. **Review and assessment of nanofluid technology for transportation and other applications.** U.S.: ANL - DOE, 2007, 75p. Relatório Técnico: ANL/ESD/07 - 9.

ZOU, X.; JORDAN, J. A.; SHILLOR, M. **A dynamic model for a thermostat.** Journal of Engineering Mathematics, v. 36, n. 4, p. 291-310, 1999.