

Referências bibliográficas

AKIMA, H. A Method of Bivariate Interpolation and Smooth Surface Fitting for Irregularly Distributed Data Points, ACM, Association for Computing Machinery. Transactions on Mathematical Software, Vol. 4, No. 2, pp. 148-159, jun 1978.

ALLER et al. DRASTIC: A Standardized System for Evaluating Ground Water Pollution Potential Using Hydrogeologic Settings, 1987– USEPA. 428 p.

ALMEIDA, F. F. M., HASUI, Y., BRITO NEVES, B. B., FUCK, R.A. As províncias estruturais brasileiras, In: SBG, Simpósio Geológico NE, 8, Campina Grande, 1977. **Atas...**, p 363-391.

ALMEIDA, F. F. M., HASUI, Y., BRITO NEVES, B. B., FUCK, R. A. Brazilian structural provinces: an itroduction. Earth-Sci. Reviews, v.17, p. 1-21.

ALMEIDA, J. C. H., TUPINAMBÁ, M., HEILBRON, M., TROUW, R. Geometric and kinematic analysis at the Central Tectonic Boundary of the Ribeira belt, Southeastern Brazil. In: 39 Congresso Brasileiro de Geologia. 1998, Belo Horizonte. **Anais...** P 32.

ANDERSON & WOESSNER **Applied Groundwater Modeling**: simulation of flow and advective transport. Academic Press, 2002, 381p.

ARNOLD J. G., ALLEN PM, MUTTIAH R, BERNHARDT G (1995) Automated base flow separation and recession analysis techniques. Ground Water 33:1010–1018.

ASTM Designation: D 5611 – 94 Standard Guide for Conducting a Sensitivity Analysis for a Ground-Water Flow Model Application, 2002.

ASTM Designation: D 5490 – 93 Standard Guide for Comparing Ground-Water Flow Model Simulations to Site-Specific Information, 2002.

BARRETO, A. B. C.; MONSORES, A. L. M.; LEAL, A. **Hidrogeologia do Estado do Rio de Janeiro**. Projeto Rio de Janeiro, CPRM, Companhia de Pesquisa de Recursos Minerais/Serviço Geológico do Brasil, 2001.

BHERING, S. B. **Influência do manejo do solo e da dinâmica da água no sistema de produção do tomate de mesa: subsídios a sustentabilidade agrícola do noroeste fluminense**, 2007. 211p. Tese (Doutorado em geografia) Instituto de Geociências – Universidade Federal do Rio de Janeiro

BOURNE, J. H. & REY, N. A. C. Geology, Deep River Map Area (31K), Ontario and Quebec. In: Report of activities Part A, Geological Survey of Canada. Paper 76-1A. 1976.

BOUWER, H. Theoretical aspects of seepage from open channels. J Hydraul Division. Am Soc Civil Eng . 1965.

BREDEHOEFT, J. D., PAPADOPOULOS, S. S., COOPER Jr., H. H., Groundwater: The Water Budget Myth. In: Scientific Basis of Water Resource Management, National Academy Press, Studies in Geophysics, pp. 51–57. 1982.

BREDEHOEFT, J. D. Safe yield and the water budget myth. **Editorial**. Ground Water, v. 35, n.6, Nov/Dez. 1997.

BREDEHOEFT, J. D. The water budget myth revisited: why hydrogeologists model. Ground Water, v. 40, n.4, p. 340–345. 2002.

BROWN, A. Geoscience research at Underground Laboratory. Proc. Of 16th Info. meeting of the nuclear fuel waste management program, AECL TR-180. 1981.

CALDERANO FILHO, B.; CHAGAS, C. da S.; PRADO, R. B.; PEREZ, D. V.; GONÇALVES, A. O.; SOUZA, J. S. de. 2006. **Levantamento semidetalhado dos solos da microbacia do Barro Branco, no município de São José de Ubá, Região Noroeste do Estado do Rio de Janeiro**. Rio de Janeiro: Embrapa Solos, 2006. Contém texto e mapa color., escala 1:10.000. Embrapa Solos. Boletim de Pesquisa e Desenvolvimento. (No prelo).

CARVALHO FILHO, A. de; LUMBRERAS, J. F.; MOTTA, P. E. F. da; NAIME, U. J.; PALMIERI, F.; BARUQUI, A. M.; CALDERANO, S. B.; FIDALGO, E. C. C. **Levantamento de reconhecimento de média intensidade dos solos da Região Noroeste do Estado do Rio de Janeiro**. Rio de Janeiro: Embrapa Solos, 2008. Contém texto e mapa color., escala 1:100.000. Embrapa Solos. Boletim de Pesquisa e Desenvolvimento. (Em andamento).

CLARK, I. D. & FRITZ, P. **Environmental isotopes in hydrogeology**. Lewis Publishers, 330 p. 1997.

DANIEL, C.C., III, Ground-water recharge to the regolith-fractured crystalline rock aquifer system, Orange County, North Carolina: U.S. Geological Survey Water-Resources Investigations Report 96-4220, 59 p. 1996.

DANTAS, M. E. Geomorfologia do Estado do Rio de Janeiro: texto explicativo do mapa geomorfológico do Estado do Rio de Janeiro. Escala 1:50.000. Rio de Janeiro: CPRM; Niterói: DRM-RJ, 60 p. 2000.

DANTAS, M. E.; SHINZATO, E.; MEDINA, A. I. de M.; SILVA, C. R. da; PIMENTEL, J.; LUMBRERAS, J. F.; CALDERANO, S. B.; CARVALHO FILHO, A. de. Diagnóstico geoambiental do Estado do Rio de Janeiro. In: **CPRM. Serviço Geológico do Brasil**. Rio de Janeiro: geologia, geomorfologia, geoquímica, geofísica, recursos minerais, economia mineral, hidrogeologia, estudos de chuvas intensas, solos, aptidão agrícola, uso e cobertura do solo, inventário de escorregamentos, diagnóstico geoambiental. Rio de Janeiro: CPRM: Embrapa Solos; [Niterói]: DRM-RJ, 2001. CD-ROM. Cap. 11. Contém texto e mapa color., escala 1:500.000.

DAVISON, C. C. Physical hydrogeologic measurements in fractured crystalline rock. Summary of 1979 Research Programs at WNRE ad CRNL. AECL. 1981.

DEVLIN, J.F., SOPHOCLEOUS, M. The persistence of the water budget myth and its relationship to sustainability. *Hydrogeol J.* v.13, p. 549–554. 2005.

DIERCH, H-J. G. FEFLOW – reference manual. WASI – Institute of Water Resources Planning and System Research Ltd., Berlin, Germany. 1998a

DIERCH, H-J. G. (1998b) FEFLOW – users manual. WASI – Institute of Water Resources Planning and System Research Ltd., Berlin, Germany. 1998b

DREISS, S. J., ANDERSON, L. D. (1985) Estimating vertical soil moisture flux at a land treatment site. *Ground Water* 23:503–511

EMBRAPA. Centro Nacional de Pesquisa de Solos. **Sistema Brasileiro de Classificação de Solos**. Brasília: Embrapa -SPI; Rio de Janeiro: Embrapa Solos, 2006. 306p.

ERICSSON, L.O., RONGE, B. (1986) Correlation between tectonic lineaments and permeability values of crystalline bedrock in the Gideå area. SKB Technical Report, TR86-19.

FERRARI, A. L. **Evolução tectônica do gráben da Guanabara**, 2001 412 p Tese (Doutorado em Geologia Sedimentar), Instituto de Geociências, USP – Universidade de São Paulo.

FERREIRA, Charles R. Do Carmo ; LATERRA, Emanuelle F ; MENEZES, P. T. L. Modelagem geofísica para água subterrânea nos aquíferos fissurais da sub-bacia do Barro

Branco - Município de São José de Ubá (RJ). In: 10th International Congress of the Brazilian Geophysical Society, 2007, Rio de Janeiro. Anais: 10th International Congress of the Brazilian Geophysical Society, 2006. v. 1, p. 1-6.

FETTER, C. W., **Applied Hydrogeology** Merrill Publishing Co., (2nd ed.), Columbus, Ohio, 592 p. 1988

FIDALGO, E. C. C.; ABREU, M. B. de; ARAUJO, F. O. de. Uso e ocupação das terras na bacia hidrográfica do rio São Domingos. In: SIMPÓSIO DE GEOLOGIA DO SUDESTE, 9. SIMPÓSIO DE GEOLOGIA DE MINAS GERAIS, 13., 2005, Niterói. **Anais...** Niterói: Instituto de Geociências da UFF, 2005. CR-ROM.

FIDALGO, E. C. C.; ABREU, M. B. Uso de imagens Áster para o mapeamento do uso e cobertura da terra na bacia hidrográfica do rio São Domingos, RJ. In: SIMPÓSIO BRASILEIRO DE SENSORIAMENTO REMOTO, 12, 2005, Goiânia. **Anais ...** Goiânia: INPE, 2005, p. 3747 – 3753.

FREEZE, R. A., & CHERRY, J. A. **Groundwater**. Prentice-Hall, 604 p. 1979.

GALE, J.E. Assessing the permeability characteristics of fractured rocks. Geological Society of America Special Paper 189:163-181. 1982.

GALE, J.E., MACLEOD, R., WELHAN, J. Hydrogeological characterization of the Stripa Site. SKB Technical Report. TR-87-15. 1987.

GALE, J.E., SCHAEFER, R. A., CARPENTER, A. B. and HERBERT, A. Collection, Analysis and Integration of Discrete Fracture Data from the Monterey Formation for Fractured Reservoir Simulations. 66th Annual Technical Conference and Exhibition of the Society of Petroleum Engineers. SPE 22741 Society of Petroleum Engineers. 1991.

GALE, J.E., VARGAS Jr., E. do A. Notas de Aula do Curso Fundamentos de Hidrogeologia de Rochas Fraturadas, CPRM/ABAS, Núcleo RJ. 1999.

GONÇALVES, A. O.; FIDALGO, E. C. C.; BASTOS, C. L.; ABREU, M. B. Caracterização climática da bacia do rio São Domingos. In: WORKSHOP DE INTEGRAÇÃO DE INFORMAÇÕES OBTIDAS NO ÂMBIDO DO PROJETO PRODETAB AQUÍFEROS - EMBRAPA SOLOS. 2006, Rio de Janeiro. 2006. **Anais...** Rio de Janeiro: Embrapa Solos, 2006. CD ROM.

GURWIN, J., LUBCZYNSKI, M. (2005) Modeling of complex multi-aquifer systems for groundwater resources evaluation - Swidnica study case (Poland). Hydrogeol. J. 13:627–639.

HEALY, R. W., COOK, P.G. (2002) Using groundwater levels to estimate recharge. Hydrogeol J. 10:91–109.

HEILBRON, M. & MACHADO, N. Timing of terrane accretion in the Neoproterozoic-Eopaleozoic Ribeira orogen (SE Brazil). *Prec. Res.* **125** (1-20: 87-112. 2003.

HEILBRON, M., SOARES, A. C. P., NETO, M. C. C., SILVA, L. C., TROUW, R. A. J., JANASI, V. A. 2004. Província Mantiqueira. In: *Geologia do continente sul-americano: evolução da obra de Fernando Flávio de Almeida*. São Paulo. Beca, 647 p.

HOLTSCHLAG, D. J., 1997, A generalized estimate of ground-water recharge rates in the Lower Peninsula of Michigan: U.S. Geological Survey Water-Supply Paper 2437, 37 p.

HSIEH P.A., WINGLE W., HEALY R. W. **VS2DI** – a graphical software package for simulating fluid flow and solute or energy transport in variably saturated porous media. US Geol Surv. Water-Resour Invest Rep 99–4130:16. 2000

KALF, F. R. P., WOOLLEY, D. R. Applicability and methodology of determining sustainable yield in groundwater systems. *Hydrogeol J.* 13:295–312. 2005.

KITE G. W. The **SLURP** model. In: Singh VP (ed) *Computer models of watershed hydrology*. Water Resources Publications, Highlands Ranch, Colorado, pp 521–562. 1995.

KLECZKOWSKI A. S. (GZWP) Environmental protection map of the main groundwater resource basins (MGWB) in Poland AGH Krak._w (in Polish). 1990.

KÖPPEN, W. **Climatologia**. Buenos Aires: Panamericana, 1948. 478 p.

KRAATZ, D. B., Irrigation canal lining. FAO Land and Water Development Ser. No 1, 199 p. 1977

LAPPALA, E. G., HEALY, R. W., WEEKS, E. P. Documentation of computer program VS2D to solve the equations of fluid flow in variably saturated porous media. US Geol Surv Water-Resour Invest Rep 83–4099:184. 1987.

LEE, D. R., CHERRY, J. A. A field exercise on groundwater flow using seepage meters and mini-piezometers. *J Geol Educ* 27:6–10. 1978.

LERNER D. N., 1990 ISSAR A. S., SIMMERS, I. Groundwater recharge, a guide to understanding and estimating natural recharge. International Association of Hydrogeologists, Kenilworth, Rep 8, 345 pp. 1990.

LUMBRERAS, J. F.; NAIME, U. J.; CARVALHO FILHO, A. de. Zoneamento agroecológico do Estado do Rio de Janeiro, 2003. Rio de Janeiro: Embrapa Solos (Rio de Janeiro) In: **WORKSHOP DE INTEGRAÇÃO DE INFORMAÇÕES OBTIDAS NO ÂMBITO DO PROJETO PRODETAB AQUÍFEROS** – Setembro de 2006. **Anais...** Rio

de Janeiro: Embrapa Solos, 2006. Contém texto e mapa color., escala 1:250.000. (Embrapa Solos. Boletim de Pesquisa e Desenvolvimento, 33).

MORAES, M. F. **Estimativa do balanço hídrico na bacia experimental/representativa de Santa Maria/Cambiocó, Município de São José de Ubá – RJ.** Tese (Doutorado) COPPE. RJ. 2007.

MCDONALD, M. G., HARBAUGH, A. W. A modular three-dimensional finite-difference groundwater flow model. Techniques of water resources investigations 06-A1. US Geophys Soc. 1988.

MUÑOZ, J. F., FERNÁNDEZ, B., ESCAURIAZA, C. Evaluation of groundwater availability and sustainable extraction rate for the Upper Santiago Valley Aquifer, Chile. Hydrogeol. J. 11:687–700. 2003.

NASTEV, M., RIVERA, A., LEFEBVRE, R., MARTEL, R., SAVARD, M. Numerical simulation of groundwater flow in regional rock aquifers, southwestern Quebec, Canada. Hydrogeol. J. 13: 835–848. 2005.

NATHAN, R. J., MCMAHON, T. A. (1990) Evaluation of automated techniques for base flow and recession analyses. Water Resour Res 26:1465–1473. 1990.

NELSON, R. A. Geologic analysis of naturally fractured reservoirs (Contributions in Petroleum Geology and Engineering; v.1). Gulf Publishing Company. 1985

NEUMAN, S. P. Trends, Prospects and Challenges in Quantifying Flow and Transport through Fractured Rocks. Hydrogeology Journal, Volume 13, Number 1, The Future of Hydrogeology, pp. 124-147. 2005

OLIVEIRA, M. B. **Análise do desempenho de equações de infiltração e de métodos de determinação da capacidade de campo para solos em uma bacia hidrográfica de São José de Ubá-RJ.** 2005. Dissertação (Mestrado) - COPPE, UFRJ, Rio de Janeiro.

OTTONI, M. V. **Classificação físico-hídrica de solos e determinação da capacidade de campo in situ a partir de testes de infiltração.** 2005. 141 p. Dissertação (Mestrado) - COPPE, UFRJ, Rio de Janeiro.

PETTYJOHN, W. A., AND HENNING, R. Preliminary estimate of ground-water recharge rates, related streamflow and water quality in Ohio: Ohio State University Water Resources Center Project Completion Report Number 552, 323 p. 1979.

PROJETO PRODETAB Aquíferos – Código 087-02/01 “Planejamento Conservacionista das Terras e Modelagem Preditiva de Sistemas Aquíferos do Cristalino para a Recarga Hídrica em Bacias Hidrográficas de Relevo Acidentado” - Versão atualizada em março de 2004.

RADEMA Sistemas pastoris sustentáveis utilizando práticas de plantio direto para recuperação de áreas degradadas em relevo movimentado do bioma Mata Atlântica na Região Noroeste do Estado do Rio de Janeiro. In: Edital PRODETAB 106-02/1999.

RAVEN, K. G. Studies in fractured hydrogeology at Chalk River Nuclear Laboratories: 1977/78/79. Atomic Energy of Canada Ltd. Report TR-113. 1980.

RAVEN, K. G. Hydraulic characterization of a small groundwater system in fractured monzonitic gneiss. Conducted by contaminant hydrogeology section, NHRI Environment Canada for AECL. 1985

RAVEN, K. G. A compilation of subsurface hydrogeologic data, Vol. I, Main Report by GTC – Geologic Testing Consultants, Ottawa, Ontario, Canada. 1986.

RICHARDS, L. A., GARDNER, W. R., OGATA, G. Physical processes determining water loss from soil. Soil Sci Soc Am Proc 20:310–314. 1956.

RISSER, D. W. Simulated water budgets and ground-water/surface-water interactions in Bushkill and parts of Monocacy Creek watersheds, Northampton County, Pennsylvania—A preliminary study with identification of data needs: U.S. Geological Survey Open-File Report 2006-1143, 31 p. 2006.

RISSER, D. W., GBUREK, W. J., FOLMAR, G. J. Comparison of methods for estimating ground-water recharge and base flow at a small watershed underlain by fractured bedrock in the eastern United States: U.S. Geological Survey Scientific Investigations Report 2005-5038, 31 p. 2005.

RORABOUGH, M. I. Estimating changes in bank storage and groundwater contribution to streamflow. Int Assoc Sci Hydro Publ 63:432–441. 1964.

ROSS, P. J. **SWIM** – a simulation model for soil water infiltration and movement. Publ 37. CSIRO, Glen Osmond, South Australia. 1990.

ROYER, J. M., VACHAUD, G. Determination directe de l'évapotranspiration et de l'infiltration par mesures des teneurs en eau et des succions. Hydrol Sci Bull 19:319–336. 1974.

RUSHTON, K. Recharge from permanent water bodies. In: SIMMERS I (ed) Recharge of phreatic aquifers in (semi)arid areas. AA Balkema, Rotterdam, pp 215–255. 1997.

RUTLEDGE, A. T. Computer programs for describing the recession of ground-water discharge and for estimating mean ground-water recharge and discharge from streamflow records: U.S. Geological Survey Water-Resources Investigations Report 93-4121. 1993.

SAKIYAN, J., YAZICIGIL, H. Sustainable development and management of an aquifer system in western Turkey. Hydrogeol. J. 12:66–80. 2004.

SALAMA, R. B., FARRINGTON, P., BATTLE, G. A., WATSON, G. D. Distribution of recharge and discharge areas in a first-order catchment as interpreted from water level patterns. *J Hydrol* 143:259–277. 1993.

SALAMA, R. B., BATTLE, G. A., FARRINGTON, P., WILSON, V. Basin geomorphological controls on the mechanism of recharge and discharge and its effect on salt storage and mobilisation – comparative study using geophysical surveys. *J Hydrol* 155:1– 26. 1994.

SANFORD, W. Recharge and groundwater models: an overview. *Hydrogeol. J.*10: 110-120. 2002.

SCANLON, B. R., HEALY, R.W., COOK, P. G. Choosing appropriate techniques for quantifying groundwater recharge. *Hydrogeology. J.* (2002) 10:18–39. 2002.

SHARMA, M. L., BARI, M., BYRNE, J. Dynamics of seasonal recharge beneath a semiarid vegetation on the Gnamangara Mound, Western Australia. *Hydrol Proc* 5:383–398 Center, Colorado School of Mines, Golden, Colorado. 1991.

SILVA FILHO, R. S. Metodologias de investigação da potencialidade de aquíferos fraturados na acia do rio São Domingos – RJ. **Monografia** (bacharelado em geologia). FGEL – Faculdade de Geologia. UERJ. 2005. 84 p. Anexos.

SIMMERS, I. Aridity, groundwater recharge and water resources management. In: **Groundwater recharge: A guide to understanding and estimating natural recharge.** David N. Lerner, Arie S. Issar, Ian Simmers. Internat. Association of Hydrogeologists – Hannover: Heisse ,1990

SIMUNEK, J., SEJNA, M., VAN GENUCHTEN, M. T. **Hydrus-2D**: simulating water flow and solute transport in two-dimensional variably saturated media. *International Groundwater Modeling.* 1996.

SLOTO, R. A. & CROUSE, M.Y., **HYSEP** A computer program for streamflow hydrograph separation and analysis: U.S. Geological Survey Water-Resources Investigations Report, 96-4040, 46 p. 1996.

SOPHOCLEOUS, M. Interactions between groundwater and surface water: the state of the science. *Hydrogeol. J.* 10:52-67. 2002.

SOPHOCLEOUS, M. Groundwater recharge and sustainability in the High Plains aquifer in Kansas, USA. *Hydrogeol. J.*13:351–365. 2005.

STOTHOFF, S. A. **BREATH** Version 1.1 – coupled flow and energy transport in porous media, simulator description and user guide. Publ NUREG/CR-6333. US Nuclear Regulatory Commission, Washington, DC. 1995.

SZILAGYI, J., HARVEY, F. E., AYERS, J. F., Regional estimation of base recharge to ground water using water balance and a base-flow index: *Ground Water*, v. 41, no. 4, p. 504-513. 2003.

THEIS, C. V. The source of water derived from wells: essential factors controlling the response of an aquifer to development. *Civil Engineering* 10 (5), 277–280. 1940.

TODD, D. K., & BEAR, J. River seepage investigations, Contrib. n° 20, Hydraulic Lab., Water Resource Center, Univ. of California, Berkeley. 1959.

TROUW, R., HEILBRON, M., RIBEIRO, A., PACIULLO, F., VALERIANO, C. M., ALMEIDA, J.C.H., TUPINAMBÁ, M. & ANDREIS, R. The central segment of the Ribeira Belt. In: Cordani, U.G., Milani, E. J., Thomz Filho, A. & Campos, D. A. (eds), *Tectonic Evolution of South America*, Rio de Janeiro, 287-310.

TUPINAMBÁ, M., HEILBRON, M., ALMEIDA, J. DUARTE, B., NOGUEIRA, J. R., GERALDES, M., ALMEIDA, C. G., MIRANDA, A., MEDEIROS, F., MANSUR, K. Base geológica da bacia do rio São Domingos, Itaperuna, RJ: Metodologia e resultados. In: *Workshop de Integração de Informações Obtidas no 6º Ambito do Projeto PRODETAB Aquíferos*. Embrapa Solos. RJ. 2006, CD.

VAN GENUCHTEN, M. TH. A closed equation for predicting hydraulic conductivity of unsaturated soils. *Soil Science Society of America journal*, v. 44, n. 5., Sept-Oct, 1980.

WAHL, K. L. & WAHL, T. L., 1988, BFI A computer program for determining an index to base flow: U.S. Bureau of Reclamation Water Resources Research Laboratory, accessed August 25, 2004, at: http://www.usbr.gov/pmts/hydraulics_lab/twahl/bfi/.

WELLINGS, J. R. Recharge of the Upper chalk aquifer at a site in Hampshire, England. *J Hydrol* 69:259–273. 1984.