

ARYA, L. M.; PARIS, J. F. (1981). **“A Physico-empirical Model to Predict the Soil Moisture characteristic from Particle-size Distribution and Bulk Density Data”**. Soil Science society of America Journal, 45: 1023-1030.

AUBERTIN, M., MBONIMPA, M., BUSSIÈRE, B. and CHAPUIS R. P. (2001). **“A Physically Based Model to Predict the Water Retention Curve from Basic Geotechnical Properties”**. Submitted to the Canadian Geotechnical Journal, for publication.

BARTON, N. & KJAERNSLI, B. (1981); **“Shear Strength of Rockfill”**, Proceedings of ASCE, Geotechnical Testing Journal, Volume 7, pp. 873 to 891.

BISHOP, A. W. (1955). **The Use of the Slip Circle in the Stability Analysis of Slopes**, Géotechnique, Vol. 5.

BREITENBACH A. J. (2004). **Improvement in Slope Stability Performance of Lined Heap Leach Pads from Design to Operation and Closure**, AB Engineering Inc., Littleton, Colorado, USA.

BREITENBACH, A. J. (1993); **“Rockfill Placement and Compaction Guidelines”**, proceedings of ASCE, Geotechnical Testing Journal, Volume 16, pp 76 to 84

BROOKS, R. H.; COREY, J. C. (1996). **“Properties of Porous Media Affecting Fluid Flow”**. ASCE Journal, Irrigating and Drainage Division.

BROWN, C. B. and KING I. P. (1967). **“Automatic Embankment Analysis Equilibrium and Instability Conditions”**, Journal of Soil Mechanics and Foundation division, ASCE. 93 (SM4): 209-219.

CALDWELL, J. A. and A. S. E. MOSS (1985). **“Simplified Stability Analysis, in Design of Non-Impoundment Waste Dumps”**, ed. M.K. McCarter. SME-AIME, pp.47-61.

CLOUGH, R. W.; WOODWARD, R. J. (1967). **Analysis of Embankment Stresses and Deformations**. Journal of the Soil Mechanics and Foundations Division. pp. 529 – 549.

DE CAMPOS, T. M. P. (1985). **“Análise de Estabilidade: Métodos, Parâmetros e Pressões Neutras”**, Relatório Técnico, Departamento de Engenharia Civil, PUC/RJ, Rio de Janeiro.

DEATHERAGE, J. D., J. R. FAHY, and L. A. HANSEN (1987). **“Shear Testing of Geomembrane Soils Interface”**, in Geotechnical aspects of heap leach design, ed. D. van Zyl. SME-AIME, pp. 45-50.

DIRK J. A. VAN SYL; IANP.G. HUTCHISON; JEAN E. KIEL (1988). **Introduction to Evaluation, Design and Operation of Precious Metal Heap Leaching Projects**, Society of Mining Engineers, Inc., Littleton, Colorado.

DIRK VAN ZYL (1987). **Geotechnical Aspects of Heap Leach Design**, Colorado State University.

DUNCAN, J. M. and CHANG, C. Y. (1970). **“Nonlinear Analysis of Stress and Strain in Soils”**, Proc. Am. Soc. Civil Eng., 96, N°. SM5, 1629-1653.

DUNCAN J. M.; PETER BYRNE; KAI S. WONG and PHILLIP MABRY, **Strength, Stress, Strain and Bulk Modulus Parameters**. For finite element analyses of stress and movements in soil masses. Report N° UCB/GT/80-01 August, 1980. Department of Civil Engineering; University of California. Berkeley.

DUKE, H. R. (1973). **“Drainage Design Based Upon Aeration,”** Hydrology Paper N°. 61, Colorado State University.

EAST, D.R., J.P. HAILE, and R.V. Beck (1987). **“Optimizing Technology for Leach Pad Liner Selection”**, in Geotechnical aspects of heap leach design, ed. D. van Zyl. SME-AIME, pp. 1-6.

ELZEFTAWY, A., and CARTWRIGHT, K., (1981). **“Evaluation the Saturated and Unsaturated Hydraulic Conductivity of Soils”**. Permeability and Groundwater Contaminant Transport, ASTM STP, T.F. Zimmie and C.D. Riggs Editors, pp. 168-181.

FINN, W. D. L. (1998). **“Seismic Safety of Embankment Dams Developments in Research and Practice 1988-1998”**. *Geotechnical Earthquake Engineering and Soil Dynamics III*, Seattle, WA, 812-852.

FREDLUND, D. G.; ANQING XING (1994). **“Equations for the Soil - Water Characteristic Curve”**. *Canadian Geotechnical Journal*. Vol. 31, pp: 521-532

FREDLUND D. G.; RAHARDJO H.(1993). **“Soil Mechanics for Unsaturated Soils”**. John Wiley & Sons, Inc. Canada.

GEO-SLOPE International Ltd. SLOPE/W, SEEP/W, SIGMA/W e QUAKE/W. For finite element stress and deformation analysis. Calgary, Alberta, Canada.

GREEN, R. E. and COREY, J. C., (1971). **“Calculation of Hydraulic Conductivity”**: A Further Evaluation of Some Predictive Methods. *Soil Science Society of America Proceedings*, Vol. 35, pp. 3-8.

HARPER, T. G., LEACH J. D., TAPE R. T. (1987). **“Slope Stability in Heap Leach Design”**.

HISKEY J. B. (1985). **“Gold and Silver Extraction: the Application of Heap-Leaching Cyanidation”**, field notes, Arizona Bureau of Geology and Mineral Technology, Tucson, Vol. 15, N° 4, Winter, pp 1-5.

HO, P. G., (1979). **“The Prediction of Hydraulic conductivity from Soil Moisture Suction Relationship”**; B.Sc. Thesis, University of Saskatchewan, Saskatoon, Canada.

HOLTZ, R. D., and KOVACS W. D. (1981). **“An Introduction to Geotechnical Engineering”**, Prentice Hall, New York, 167-185.

JANBU, NILMAR. (1968). **Discussion of Paper “Dimensionless Parameters for Homogeneous Earth Slopes**. *Journal of the Soil Mechanics and Foundations Division, ASCE*, Vol. 93, No. SM6, pp. 367-374.

KUHLEMEYER, R. L. and LYSMER, J. (1973). **“Finite Element Method Accuracy for Wave Propagation Problems”**, *Journal of Soil Mechanics & Foundation Division, ASCE*, 99(SM5), 421-427.

KULHAWY, F. H. (1969). **Finite Element Analysis of the Behavior of Embankments**. Ph.D. thesis, University of California, Berkley, CL, USA.

LEPS, T. M. (1970) **“Review of Shearing Strength of Rockfill”**, J. S. M. Division. ASCE, V. 96, July.

LYSMER, J. and KUHLEMEYER, R. L. (1969). **“Finite Dynamic Model for Infinite Media”**, *Journal of Engineering Mechanics Division*, ASCE, Vol. 95, N°.EM4, pp. 859-877.”

MARACHI, N. D., CHAN, C. K., & SEED, H. B. (1972); **“Evaluation of the Properties of Rockfill Materials”**, *Proceedings of ASCE, Soil Mechanics Journal*, Volume 1, pp. 95 to 114.

MARCUSON, W. F.; HADALA, P. F. AND LEDBETTER, R. H. (1996). **“Seismic Rehabilitation of Earth Dams”**. *Journal of Geotechnical Engineering*, 122(1), 7-20.

MARK E. SMITH (2004). **Drainage Pipe Deflection for High Heaps**, Published in the mining record.

MARTIN, J. P., R. M. KOERNER and J. E. WHITTY (1984). **“Experimental Friction Evaluation of Slippage Between Geomembrane”**, Denver, Ind. Fabrics Assoc., pp. 191-196.

MORGENSTERN, N. R.; PRICE, V. E. (1965). **The Analysis of the Stability of General Slip Surfaces**. Technical Notes, pp. 79-93.

MURRAY D. FREDLUND; G. WARD WILSON; DELWYN G. FREDLUND. (1998). **Estimation of Hydraulic Properties of an Unsaturated Soil Using a Knowledge - Based System**, Department of Civil engineering University of Saskatchewan, Saskatoon, Sask., Canada.

NAYLOR, D. J. (1982). **“Finite Elements and Slope Stability”**, *Numerical Methods in Geomechanics*, Martins, J.B. ed., D. Reidel Publishing, pp. 229-244.”

NEWMARK, N. M. (1965). **Effects of Earthquakes on Dams and Embankments**. Fifth Rankine Lecture, vol2, pp.139-159.

SARMA, S. K., 1973. **“Stability Analysis of Embankments and Slopes”**. *Geotechnique*, Vol, 23 (3), pp. 423-433.

SARMA, S. K., 1979. **“Stability Analysis of Embankments and Slopes”**. Journal of the Geotechnical Engineering Division. ASCE. Vol. 105, N°. GT12. pp. 1511-1524.

SAXENA, S. K. and Y. T. WONG (1984). **“Frictional Characteristics of a Geomembrane”**, in Proc. Of int. conf. on geomembrane, Denver, Ind. Fabrics Assoc., pp 187-190.

SEED, H. B. (1979). **“Considerations in the Earthquake-Resistant Design of Earth and Rockfill Dams”**, Geotechnique, V. 29, N° 3, pp. 215-263.

SEED, H. B.; IDRIS, I. M. (1970). **Simplified Procedure for Evaluating Soil Liquefaction Potential**. Journal of the Soil Mechanics and Foundations Division, ASCE, vol. 97, No SM9, pp. 1249-1273.

SEED, R. B.; HARDER, L. F. (1990). **“SPT-Based Analysis of Cyclic Pore Pressure Generation and Undrained Residual Strength.”** *H.Bolton Seed Memorial Symposium Proceedings*, 351-376.

SMITH M. E.; AIGEN ZHAO (2004). **“Drainage for Improved and Cost Reduction in Heap Leaching.”**, Published in GFR Engineering Solution Magazine.

SMITH M. E. (2003). **State of the Practice Review Heap Leach Pad Design Issues**, Presented at the bi-annual meeting of the geosynthetics research institute, in Las Vegas, Nevada, USA.

SMITH M. E.; GIROUD J. P. (2000). **Influence of the Direction of ore Placement on the Stability of Ore Heaps on Geomembrane - Lined Pads**, Slope stability in surface mining.

SMITH, M. W.(1995). **Seismic Stability of Landfills**. M.S. Thesis, University of Washington, pp.179.

SMITH M. E. (1985). **Potential Problems in Dump Leaching**, Technological advances in low grade leaching.

SKEMPTON, A. W. (1977). **Slope stability of Cuttings in Brown London Clay**. Proc. 9th Intl. Conf. Soil Mech. Found. Eng., Tokyo, vol. 3, pp. 261-270.

SPENCER, E.(1967). **Method of Analysis of the Stability of Embankments Assuming Parallel Inter - Slice Forces**. Géotechnique, 17(1): 11–26.

STEVEN L. KRAMER (1996). **“Geotechnical Earthquake Engineering”**. University of Washington. Prentice – Hall International Series in Civil Engineering and Engineering Mechanics.

TIKA-VASSILIKOS, T. E.; SARMA, S. K.; AMBRASEYS, N. (1993) **Seismic Displacements on Shear Surfaces in Cohesive Soils**. Earthquake Engineering and Structural Dynamics, Vol. 22, pp. 709-721.

THIEL, R. and SMITH, M. E. (2003). **“State of the Practice Review of Heap Leach Pad Design Issues”**, Proceedings of the 17th Annual GRI Conference *Hot Topics in Geosynthetics-IV*, presented in Las Vegas, NV, Dec. 15, 2003, Geosynthetics Institute, Folsom, PA.

THORSTAD, L. E. (1987). **“How Heap Leaching Changed the West”**, World Investment News, A Pacific Regency Publication, Vancouver, B.C., February, pp 31, 33.

U.S. Army Corps of Engineers (1982). **“Engineering and Design Stability for Earth and Rockfill Dams”**, EM 1110-2-1902.

VAN GENUCHTEN, M.Th. (1980). **A Closed - Form Equation for Predicting the Hydraulic Conductivity of Unsaturated Soils**, Soil Science Society of America Journal 44:892-898.

VAN GENUCHTEN, R. (1978). **“Calculating the Unsaturated Hydraulic Conductivity with a New, Closed - Form Analytical Model”**. Research Report 78-WR-08, Water Resources Program, Dep. Of Civil Engineering, Princeton Univ., Princeton, N.J.

VICK, S. (1983). **“Planning, Design, and Analysis of Tailings”**. Dams, John Wiley and Sons.

VAN ZYL, D. AND SMITH, M. E. (1986). **“Heap Leach Pad System Design”**: II clay and amended soil liners, in Heap and Dump leaching Newsletter, Vol. 3, No.3, pp. 1, 5 and 6.

WELSH, J. D. (1987). **“Practical Design Considerations for the Installation of Leach Pad Liners”**, in Geotechnical aspects of heap leach design, ed. D. van Zyl. SME-AIME, pp. 23-26.

WILSON, S. D., and R. J. MARSAL (1979). **“Current trends in the Design and Construction of Embankment Dams”**, ASCE.

ZIENKIEWIEZ, O. C.; TAYLOR, R. L.(1975). **The Finite Element Method**. Vol.1, McGraw-Hill.