

Referências Bibliográficas

- [BEA] Bea weblogic. <http://bea.com/framework.jsp?CNT=index.htm&FP=/content/products/server>. 1.1.6
- [BES] Borland enterprise server. <http://www.borland.com/bes/appserver>. 1.1.6
- [Bekman03] BEKMAN, S.; CHOLET, E.. Practical Mod_PERL. O'Reilly & Associates, Inc., Sebastopol, CA, USA, 2003. 3.5
- [GOF] GAMMA, E.; HELM, R.; JOHNSON, R. ; VLISSIDES, J.. Design patterns: elements of reusable object-oriented software. Addison-Wesley Professional, 1995. 4.2, 4.2
- [Geronimo] Geronimo application server by apache software foundation. <http://geronimo.apache.org>. 1.1.6
- [IA-32] INTEL. Ia-32 intel architecture software developer's manual vols 1-4, June 2006. 5.1.1
- [Ierusalimsky03] IERUSALIMSKY, R.. Programming in Lua. Lua.org, 2003. 1.1.5, 3.1, 3.2.1
- [Ierusalimsky06] IERUSALIMSKY, R.. Programming in Lua (Second Edition). Lua.org, 2006. 1.1.2, 3.1
- [Itanium] INTEL. Intel itanium architecture software developer's manual vols 1-4, January 2006. 5.1.1
- [JBoss] Jboss application server. <http://www.jboss.org/products/jbossas>. 1.1.6
- [JOnAS] Jonas by objectweb consortium (java open application server). <http://jonas.objectweb.org>. 1.1.6
- [JRun] Jrun by macromedia. <http://www.macromedia.com/software/jrun/>. 1.1.6

- [KeaheyDF04] KEAHEY, K.; DOERING, K. ; FOSTER, I.. **From sandbox to playground: Dynamic virtual environments in the grid.** In: Buyya, R., editor, 5TH INTERNATIONAL WORKSHOP ON GRID COMPUTING (GRID 2004), 8 NOVEMBER 2004, PITTSBURGH, PA, USA, PROCEEDINGS, p. 34–42. IEEE Computer Society, 2004. 2.1
- [Killelea98] KILLELEA, P.. **Web performance tuning.** O'Reilly & Associates, Inc., Sebastopol, CA, USA, 1998. 3.2, 8.1
- [Lea99] LEA, D.. **Concurrent Programming in Java. Second Edition: Design Principles and Patterns.** Addison-Wesley Longman Publishing Co., Inc., Boston, MA, USA, 1999. 1.1.5
- [McGraw96] MCGRAW, G.; FELTEN, E.. **Java security: hostile applets, holes&antidotes.** John Wiley & Sons, Inc., New York, NY, USA, 1996. 1.1.7
- [Midgley01] MIDGLEY, J. T. J.. **The linux http benchmarking howto,** July 2001. <http://www.xenoclast.org/doc/benchmark/HTTP-benchmarking-HOWTO/>. 3.5
- [Monitors] HOARE, C.. **Monitors: an operating system structuring concept.** Commun. ACM, 17(10):549–557, October 1974. 1.1.5
- [NPTL] DREPPER, U.; MOLNAR, I.. **The native posix thread library for linux.** Technical report, Technical report, February 2005. 7.4
- [Niederauer04] NIEDERAUER, J.. **PHP para quem conhece PHP.** Novatec, São Paulo, SP, Brasil, 2004. 2
- [OracleAS] Oracle application server. <http://www.oracle.com/appserver>. 1.1.6
- [Oram02] BOVET, D.; CESATI, M.. **Understanding the Linux Kernel, Second Edition.** O'Reilly & Associates, Inc., Sebastopol, CA, USA, 2002. 6.2.1
- [OrionAS] Orion application server by ironflare. <http://www.orionserver.com>. 1.1.6
- [POA98] PYARALI, I.; SCHMIDT, D.. **An overview of the corba portable object adapter.** StandardView, 6(1):30–43, 1998. 2.3
- [Pramati] Pramati server. <http://www.pramati.com>. 1.1.6

- [SunAS] Sun java system application server. http://www.sun.com/software/products/appsvr/home_appsrvr.xml. 1.1.6
- [WebSphere] Websphere application server by ibm. <http://www-306.ibm.com/software/webservers/appserv/was/features>. 1.1.6
- [WebObjects] Webobjects application server by apple computer. <http://www.apple.com/webobjects>. 1.1.6
- [WebServicesHandbook] WAHLI, U.; KJAER, T.; ROBERTSON, B.; SATOH, F.; SCHNEIDER, F.; SZCZEPONIK, W. ; WHYLE, C.. WebSphere Version 6 Web Services Handbook Development and Deployment. IBM, 2005. 2.3
- [aas-understanding] AAS, J.. Understanding the linux 2.6.8.1 cpu scheduler. 7.4
- [ab] Apachebench's man page. <http://www.hmug.org/man/8/ab.php>. 3.5
- [adya02cooperative] ADYA, A.; HOWELL, J.; THEIMER, M.; BOLOSKY, W. ; DOUCEUR, J.. Cooperative task management without manual stack management, 2002. 1.1.4
- [copas] Copas - coroutine oriented portable asynchronous services for lua. <http://www.keplerproject.org/copas>. 3.2.2
- [cygwin] Cygwin. <http://www.cygwin.com/>. 4.4
- [elsevier] URURAHY, C.; RODRIGUEZ, N. ; IERUSALIMSCHY, R.. ALua: Flexibility for parallel programming. Computer Languages, 28(2):155–180, 2002. 3.2.1
- [goldberg96secure] GOLDBERG, I.; WAGNER, D.; THOMAS, R. ; BREWER, E.. A secure environment for untrusted helper applications. In: PROCEEDINGS OF THE 6TH USENIX SECURITY SYMPOSIUM, San Jose, CA, USA, 1996. 2.1
- [hu97measuring] HU, J.; PYARALI, I. ; SCHMIDT, D.. Measuring the impact of event dispatching and concurrency models on web server performance over high-speed networks. In: PROCEEDINGS OF THE 2 ND GLOBAL INTERNET CONFERENCE, IEEE, 1997. 2.2, 8.1
- [hu99jaws] HU, J.; SCHMIDT, D.. Jaws: A framework for high performance web servers, 1999. J. Hu and D. C. Schmidt, JAWS: A Framework for High Performance Web Servers , in Domain-Specific Application


- Frameworks: Frameworks Experience by Industry (M. Fayad and R. Johnson, eds.), Wiley & Sons, 1999. 2.2, 2.4, 4, 8.1
- [ierusalimschy+05] IERUSALIMSCHY, R.; FIGUEIREDO, L. ; CELES, W.. **The implementation of lua 5.0.** Journal of Universal Computer Science, 11(7):1159–1176, 2005. 1.1.3
- [kepler] Kepler project. <http://www.keplerproject.org>. 3.2
- [linux26] SOLTYS, J.. **Linux Kernel 2.6 Documentation.** PhD thesis, Department of Computer Science, Comenius University, 2006. 7.4
- [luathread] Luathread. <http://www.cs.princeton.edu/~diego/professional/luathread/>. 1
- [luasocket] Luasocket. <http://www.cs.princeton.edu/~diego/professional/luasocket/>. 3.4
- [mosberger98httperf] MOSBERGER, D.; JIN, T.. **httperf: A tool for measuring web server performance.** In: FIRST WORKSHOP ON INTERNET SERVER PERFORMANCE, p. 59—67. ACM, June 1998. 3.5
- [ntscheduler1] RUSSINOVICH, M.. **Inside the windows nt scheduler, part 1.** Window NT Magazine, July 1997. 2.2.1
- [ntscheduler2] RUSSINOVICH, M.. **Inside the windows nt scheduler, part 2.** Window NT Magazine, August 1997. 2.2.1
- [powell91sunos] POWELL, M.; KLEIMAN, S.; BARTON, S.; SHAH, D.; STEIN, D. ; WEEKS, M.. **SunOS multi-thread architecture.** In: PROCEEDINGS OF the Winter 1991 USENIX TECHNICAL CONFERENCE AND EXHIBITION, p. 65–80, Dallas, TX, USA, 1991. 1.1.3
- [ps01] PREVELAKIS, V.; SPINELLIS, D.. **Sandboxing applications.** In: USENIX 2001 TECHNICAL CONFERENCE PROCEEDINGS: FREENIX TRACK, Berkeley, CA, June 2001. USENIX Association. 2.1
- [revisitandoco-rotinas] MOURA, A.. **Revisitando co-rotinas.** PhD thesis, Department of Computer Science, PUC-Rio, September 2004. 1.1.5, 2.2, 3.2.2
- [rusling96linux] RUSLING, D.. **The linux kernel,** 1996. 6.2.1
- [ry96-4] IERUSALIMSCHY, R.; FIGUEIREDO, L. ; CELES, W.. **Lua - an extensible extension language.** Software: Practice and Experience, 26(6):635–652, 1996. 1, 3.1


[wahbe93efficient] WAHBE, R.; LUCCO, S.; ANDERSON, T. ; GRAHAM, S.. **Efficient software-based fault isolation.** ACM SIGOPS Operating Systems Review, 27(5):203–216, December 1993. 2.1


A


Testes com 40 registradores

O interpretador lua foi compilado com 40 registradores e o sistema base (Linux-Celeron com janela TCP de 4 Kbytes) foi testado para um loop de 1000000 ciclos.












B


Resultados do Linux com janela grande


A janela TCP do sistema Linux-Celeron foi fixada em 128 Kbytes.


























C


Resultados do Windows 2000


Sistema Windows-Celeron com a janela TCP se ajustando dinamicamente.























D


Resultados do Linux com 4 processadores


Sistema Linux-4processadores (Itanium) com a janela TCP de ajustando dinamicamente.























E

Resultados do Linux com atraso de 50 ms

Sistema Linux-Celeron com a janela TCP de ajustando dinamicamente e com a inserção de um atraso de 50 milisegundos na transmissão dos pacotes.

