

Bibliografia

- [1] A. Buades, B. Coll, and J Morel. "On image denoising methods." Technical Report 2004-15, CMLA, 2004. (www.cmla.enpcachan.fr/Cmla/Publications/2004/CMLA2004-15.pdf)
- [2] A. Efros and T. Leung. Texture synthesis by non parametric sampling. In Proc. Int. Conf. Computer Vision, volume 2, pages 1033-1038, 1999.
- [3] A. Buades, B. Coll, and J. M. Morel. A non-local algorithm for image denoising. In Computer Vision and Pattern Recognition (CVPR'05), pages 60.65, 2005.
- [4] A. Buades, B. Coll, and J. M. Morel. A review of image denoising algorithms, with a new one. Multiscale Modeling & Simulation (SIAM interdisciplinary journal), 4(2):490.530, 2005.
- [5] M. Mahmoudi and G. Sapiro. Fast image and video denoising via nonlocal means of similar neighborhoods. Signal Processing Letters, 12(12):839.842, 2005.
- [6] <http://www.cs.wisc.edu/~evanswes/cs766.html>
- [7] S. Yoshizawa, A. Belyaev and H.P. Seidel. "Smoothing by example: Mesh Denoising by Averaging with Similarity-based Weights". International Conference on Shape Modeling and Applications (SMI), pp. 38-44, June 14-16, 2006 at Matsushima, JAPAN.
(<http://www.mpii.mpg.de/~shin/smi06ybs.pdf>)
- [8] .W. Ra and J.K. Kim. A fast mean-distance-ordered partial codebook search algorithm for image vector quantization. IEEE Transactions on Circuits and Systems II: Analog and Digital Signal Processing, 40(9):576 579, September 1993. (ENNS)
- [9] C. H. Lee and L. H. Chen, "Fast closest codeword search algorithm for vector quantization," IEE Proc. Vision Image and Signal Processing, vol. 141, no. 3, pp. 143--148, 1994. (EENNS)

- [10] S. J. Baek, B. K. Jeon, and K. M. Sung, "A fast encoding algorithm for vector quantization," IEEE Signal Processing Letters, vol. 4, no. 2, pp. 325--327, 1997.(IEENNS)
- [11] Pan, J.-S., Z.-M. Lu and S.-H. Sun, An efficient encoding algorithm for vector quantization based on subvector technique, IEEE Signal Processing Letters, vol. 4, pp325-327, Feb 1997 (PAN)
- [12] Chou-Chen Wang and Chi-Wei Tung, "A fast encoding algorithm for vector quantization," IEICE Electronics Express (ELEX), vol.2, no.17, pp.458-464, 2005.09 (IPAN)
- [13] S. Winkler and S. Süsstrunk, Visibility of noise in natural images, Proc. IS&T/SPIE Electronic Imaging 2004: Human Vision and Electronic Imaging IX, Vol. 5292, pp. 121-129, 2004.
- [14] S. Voloshynovskiy, A. Herrigel, N. Baumgartner, and T. Pun, "A stochastic approach to content adaptive digital image watermarking," in Proc. Int. Workshop on Information Hiding, Vol. LNCS 1768 of Lecture Notes in Computer Science, pp. 212–236, Springer Verlag, Dresden, Germany (1999).
- [15] http://ohzawa-lab.bpe.es.osaka-u.ac.jp/ohzawa-lab/izumi/CSF/A_JG_RobsonCSFchart.html
- [16] Campbell FW & Robson JG (1968). Application of Fourier analysis to the visibility of gratings. Journal of Physiology, 197: 551-566.
- [17] G. M. Johnson and M. D. Fairchild, "Sharpness Rules," IS&T/SID 8th Color Imaging Conference, Scottsdale, 24-30 (2000).
- [18] <http://dmi.uib.es/~tomeucoll/toni/nlmeanscode.html>
- [19] <http://sipi.usc.edu/database/>
- [20] <http://sampl.ece.ohio-state.edu/database.htm>
- [21] "Image and film denoising by non-local means", Ph. D. Thesis submitted by Antoni Buades, Universitat De Les Illes Baleares. (dmi.uib.es/~tomeucoll/toni/publicacions/tesi.pdf)