

Referências Bibliográficas

ABRIOLA, L. M.; PINDER, G. F., A Multiphase Approach to the Modeling of Porous Media Contamination by Organic Compounds, Part 1 Equation Development, **Water Resources Research**, Vol. 21, 1985a, pp.11-18.

ABRIOLA, L. M.; PINDER, G. F., A Multiphase Approach to the Modeling of Porous Media Contamination by Organic Compounds, Part 2 Numerical Simulation, **Water Resources Research**, Vol. 21, 1985b, pp. 19-26.

ALLEN, M.B., Numerical Modeling of Multiphase Flow in Porous Media, **Advances in Water Resources**, Vol. 8, 1985, pp. 162-187.

ANP, Agência Nacional de Petróleo. Disponível em <http://www.anp.gov.br>, acessado em 2003.

AMERICAN PETROLEUM INSTITUTE (API), 1993. Guide for Assessing and Remediating Petroleum Hydrocarbons in Soils, First Edition, **API Publication 1629**, Washington, D.C.

ARTHUR D. LITTLE INC., The Role of Capillary Pressure in the S Area Landfill, Arthur D. Little, Inc., Boston, MA, **Report to Wald Hardrader & Ross**, Washigton D.C., prepared for USEPA.

ASSOCIAÇÃO BRASILEIRA DE NORMAS TÉCNICAS. **NBR 6508**: Grãos de solos que passam na peneira de 4,8 mm - Determinação da Massa Específica. Rio de Janeiro, 1984.

ASSOCIAÇÃO BRASILEIRA DE NORMAS TÉCNICAS. **NBR 7181**: Solo - Análise Granulométrica. Rio de Janeiro, 1984.

ASSOCIAÇÃO BRASILEIRA DE NORMAS TÉCNICAS. **NBR 12004**: Determinação do índice de vazios máximo de solos não coesivos. Rio de Janeiro, 1990.

ASSOCIAÇÃO BRASILEIRA DE NORMAS TÉCNICAS. **NBR 12051**: Determinação do índice de vazios mínimo de solos não coesivos. Rio de Janeiro, 1991.

BAEHR, A. L.; CORAPCIOGLU, M. Y., A Compositional Multiphase Model for Groundwater Contamination by Petroleum Products: 2. Numerical Solution, **Water Resources Research**, Vol. 23, 1987, pp. 201-214.

BANERJEE, S.; YALKOWSKY, S. H., Cosolvent-Induced Solubilization of Hydrophobic Compounds into Water. **Analytical Chemistry**, Vol. 60, 1988, pp. 2153-2155.

BEAR, J., **Dynamics of Fluids in Porous Media**, American Elsevier Publishing Company, Inc., U.S.A., 1972, 764 p.

BEDIENT, P.; RIFAI, H. S.; NEWELL, C., **Groundwater Contamination – Transport and Remediation**, Prentice Hall, U.S.A., 1994, 541 p.

BICALHO, K. V., 1997. **Dissolução de Gasolina em Presença de Água e Etanol**. Tese de Doutorado, Rio de Janeiro: Faculdade de Engenharia Civil, Pontifícia Universidade Católica do Rio de Janeiro, 163 p.

BORDEN, R.C.; KAO, C. M., Evaluation of Groundwater Extraction for Remediation of Petroleum Contaminated Aquifers, **Water Environment Research**, Vol. 64, No. 1, 1992, pp. 28-38.

BORGES, A. F., **Modelagem Numérica de Fluxo Bifásico e Transporte em Meios Porosos com Transferência de Massa e Co-solvência**. Dissertação de Doutorado, Departamento de Engenharia Civil, Pontifícia Universidade Católica do Rio de Janeiro, 2002, 180 p.

BRADFORD, S. A.; VENDLINSKI, R. A.; ABRIOLO, L. M., The Entrapment and Long-Term Dissolution of Tetrachloroethylene in Fractional Wettability Porous Media, **Water Resources Research**, Vol. 35, No. 10, 1999, pp. 2955-2964.

BRATBERG, D.; HOPKINS, L., **Risk Based Corrective Action and Risk Assessment Procedures in the United States: a 1995 Survey**, In: Proceedings of the 1995 Petroleum 78 Hydrocarbon and Organic Chemicals in Groundwater: Prevention, Detection, and Restoration Conference, Houston, Texas, 1995, pp. 25-31.

BURDINE, N. T., Relative Permeability Calculations from Pore-Size Data, **Trans. AIME**, Vol.198, 1953, pp. 71-77.

BURMASTER, D.D.; HARRIS, R.H., Groundwater Contamination: An Emerging Threat, **Tech. Rev.** Vol. 84, No. 7, 1982, pp. 50-62.

BROOKS, R. H. e COREY, A. T., Hydraulic Properties of Porous Media, **Hydrology Paper 3**, Civil Engineering Department, Colorado State University, Fort Collins, CO, 1964.

BROOKS, R. H. e COREY, A. T., Properties of Porous Media Affecting Fluid Flow, **Journal of Irrigation and Drainage Division**, ASCE, 92(IR2), 1966, pp. 61-88.

CADORIN, M., Presidente da Fundação de Meio Ambiente, Joinville, SC., **Comunicação pessoal**, 1996. (*apud* Cordazzo, 2000).

CARRILLO, D. C. W., **Resistência ao Cisalhamento dos Solos Coluvionares e Residuais Não Saturados da Vista Chinesa, RJ**, Dissertação de Mestrado, Departamento de Engenharia Civil, Pontifícia Universidade Católica do Rio de Janeiro, 1993, 273 p.

CARRILLO, D. C. W., **Desenvolvimento de um Equipamento para o Estudo da Permeabilidade Efetiva em Meios Multifásicos**, Dissertação de Doutorado, Departamento de Engenharia Civil, Pontifícia Universidade Católica do Rio de Janeiro, 2000, 236 p.

CETESB, Companhia de Tecnologia e Saneamento Ambiental. Consulta em 2003, no sitio eletrônico <http://www.cetesb.sp.gov.br>.

CLINE, P.V.; DELFINO, J.J.; RAO, P.S.C., Partitioning of Aromatic Constituents Into Water from Gasoline and Other Complex Solvent Mixtures, **Environmental Science and Technology**, Vol. 25, 1991, pp. 914-920.

COATS, K. H., Reservoir Simulation: State of the Art, **Transactions American Institute of Mining Engineers**, 273, 1982, pp. 1633-1642.

CORAPCIOGLU, M. Y.; BAEHR, A. L., A Compositional Multiphase Model for Groundwater Contamination by Petroleum Products 1: Theoretical Considerations, **Water Resource Research**, Vol. 23, No. 1, 1987, pp. 191-200.

CORDAZZO, J., **Modelagem e Simulação Numérica do Derramamento de Gasolina Acrescida de Álcool em Águas Subterrâneas**, Dissertação de Mestrado, Departamento de Engenharia Mecânica, Universidade Federal de Santa Catarina, 2000, 108 p.

CORSEUIL, H.X.; ALVAREZ, P.J.J., Implications of the Presence of Ethanol on Intrinsic Bioremediation of BTX Plumes in Brazil, **Hazardous Waste and Hazardous Materials**, Vol.13, No.2, 1996, pp. 213-221.

CORSEUIL, H. X., **Enhanced Degradation of Monoaromatic Hydrocarbons in Sandy Aquifer Materials by Inoculation Using Biologically Active Carbon Reactors**, PhD Dissertation, Ann Arbor, MI, U.S.A., 1992.

CORSEUIL, H. X.; FERNANDES, M., **Co-solvency Effect in Aquifers Contaminated with Ethanol-Amended Gasoline**. Departamento de Engenharia Sanitária e Ambiental, Universidade Federal de Santa Catarina, Florianópolis, SC, Brasil, 1999, pp. 135-140.

CORSEUIL, H. X.; MARTINS, M. D. M., Contaminação de Águas Subterrâneas por Derramamentos de Gasolina: O Problema é Grave?, **Engenharia Sanitária e Ambiental**, Vol. 2, No. 2, 1997.

CONSELHO NACIONAL DO MEIO AMBIENTE-CONAMA, RESOLUÇÃO Nº 357, DE 17 DE MARÇO DE 2005 **Dispõe sobre a classificação dos corpos de água e diretrizes ambientais para o seu enquadramento, bem como estabelece as condições e padrões de lançamento de efluentes, e dá outras providências.**

CONSELHO NACIONAL DO MEIO AMBIENTE-CONAMA, RESOLUÇÃO Nº 273, DE 29 DE NOVEMBRO DE 2000. **Dispõe sobre prevenção e controle da poluição em postos de combustíveis e serviços.**

CHATZIS, I.; MORROW, N. R.; LIM, H. T., Magnitude and Detailed Structure of Residual Oil Saturation, **Society of Petroleum Engineers**, Vol. 23, No. 2, 1983, pp. 311-326.

CHARBENEAU, R. J.; WEAVER, J. W.; SMITH, V. J., **Kinematic Modeling of Multiphase Solute Transport in the Vadose Zone**, R. S. Kerr Environmental Research Laboratory, United States Environmental Protection Agency, EPA/600/2-89/035, 1989.

CHARBENEAU, R. J.; WEAVER, J. W.; LIEN, B. K., **The Hydrocarbon Spill Screening Model (HSSM), Volume 2: Theoretical Background and Source**

Codes, Robert S. Kerr Environmental Research Laboratory, United States Environmental Protection Agency, EPA/600/R-94/039 b, 1995, 208 p.

CHARBENEAU, R. J., **Groundwater Hydraulics and Pollutant Transport**, Prentice Hall, New Jersey, 2000, 592 p.

CHILDS, E. C.; COLLIS-GEORGE, N., The Permeability of Porous Materials, Proc. Roy. Soc. London Ser. A 201, 1950, pp. 392-405.

CORAPCIOGLU, M. Y.; BAEHR, A., A Compositional Multiphase Model for Groundwater Contamination by Petroleum Products, I. Theoretical Considerations, **Water Resources Research**, Vol. 23, 1987, pp. 201-243.

DEMOND, A. H.; ROBERTS, P. V., Effect of Interfacial Forces on Two-Phase Capillary Pressure-Saturation Relationships, **Water Resources Research**, Vol. 27, No. 3, 1991, pp. 423-437.

DRACOS, T., Theoretical Considerations and Practical Implications on the Infiltration of Hydrocarbons in Aquifers, *In: Proceedings International Symposium on Groundwater Pollution by Oil Hydrocarbons*, **International Association of Hydrologists**, Prague, 1978.

DULLIEN, F. A. L., **Porous Media: Fluid Transport and Pore Structure**, 2a edição, Academic Press, Inc., U.S.A., 1992, 574 p.

EL-KADI, A. I., Applicability of Sharp-Interface Models for NAPL Transport: 1. Infiltration, **Groundwater**. Vol. 30, 1992, pp. 849-856.

ENGINEERINGTOOLBOX: banco de dados. Disponível em <http://www.engineeringtoolbox.com>.

FAIRCHILD, T.; TAIOLI, F.; TEIXEIRA, W., TOLEDO, M. C. M., **Decifrando a Terra**, Universidade de São Paulo, São Paulo, Oficina de Textos, Brasil, 2000, 558 p.

FAUST, C. R., Transport of Immiscible Fluids Within and Below the Unsaturated Zone - A Numerical Model, **Water Resources Research**, Vol. 21, 1985, pp. 587-596.

FAUST, C. R., J. H. GUSWA e J. W. MERCER, Simulation of three-dimensional

FEENSTRA, S.; CHERRY, J.A., Subsurface Contamination by Dense Nonaqueous Phase Liquid (DNAPL) Chemicals, *In: International Groundwater Symposium*, **International Association of Hydrologists**, Halifax, Nova Scotia, 1988,

FERNANDES, M.; CORSEUIL, H. X., Contaminação de Águas Subterrâneas por Derramamento de Gasolina: Efeito Cosolvência, **3º Simpósio Ítalo-Brasileiro de Engenharia Sanitária e Ambiental (SIBESA)**, Gramado, 1996.

FERNANDEZ, F.; QUIGLEY, R. M., Hydraulic Conductivity of Natural Clays Permeated With Simple Liquid Hydrocarbons, **Canadian Geotechnical Journal**, Vol. 22, 1985, pp. 205-214.

FERREIRA, S. M., **Relação Entre a Espessura Real e Aparente da Gasolina com Etanol e da Gasolina Pura em Colunas de Laboratório**, Tese de Doutorado, Instituto de Geociências, Universidade de São Paulo, 2003.

FETTER, C.W., **Contaminant Hydrology**, Macmillan Publishing Company, New York, U.S.A., 1992, 458 p.

FREEZE, R.A.; CHERRY, J.A., **Groundwater**, Prentice Hall, Inc., Englewood Cliffs, New Jersey, U.S.A., 1979, 604 p.

FINOTTI, A. R., **Efeitos da Transferência de Massa na Relação Matemática entre Espessuras Real e Aparente em Fase Livre de Gasolina com Etanol nas Contaminações Subterrâneas**, Tese de Doutorado, Universidade Federal do Rio Grande do Sul, 2003, p. 190.

GELLER, J. T.; HUNT, J. R., Mass Transfer from Nonaqueous Phase Organic Liquids in Water-Saturated Porous Media, **Water Resources Research**, Vol. 29, No. 4, 1993, pp. 833-845.

GREEN, W. H.; AMPT, G. A., Studies on Soil Physics, **Journal of Agricultural Science**, No. 4, 1911, pp. 1-24.

GROVES, F. R., Effect of Cosolvents on the Solubility of Hydrocarbons in Water, **Environmental Science Technology**, Vol. 22, No. 3, 1988, 282 p.

GRUBB, D. G., Importance of Bulk and Interfacial Property Correlation Methods for Modeling NAPL Recovery. *In: Third International Congress on Environmental Geotechnics*. Sêco e Pinto (ed.). Lisboa, 7 a 11 de setembro. 1998.

HEERMANN, S. E.; POWERS, S. E., Modeling the Partitioning of BTEX in Water-Reformulated Gasoline Systems Containing Ethanol, **Journal of Contaminant Hydrology**, Vol. 34, 1998, pp. 315-341.

HOCHMUTH, D. P.; SUNADA, D. K., Groundwater Model of Two-Phase Immiscible Flow in Coarse Materials, **Groundwater**, 23, 617-626, 1985.

HULING, S.G.; WEAVER, J.W., Dense Nonaqueous Phase Liquids, Groundwater Issue, EPA/540/4-91-002, U.S.EPA, R.S. Kerr Environmental Research Laboratory, Ada, OK, 1991, 21 p.

HILLEL, D., **Fundamentals of Soil Physics**, Academic Press, San Diego, 1980.

JENNINGS, A. A.; KIRKNER, D. J., Criteria for Selecting Equilibrium or Kinetic Sorption Descriptions in Groundwater Quality Models, *In: Frontiers in Hydraulic Engineering*, Shen, H. T. (Ed.), ASCE, New York, 1983.

JI, W.; BRUSSEAU, M.L., A General Mathematical Model for Chemical-Enhanced Flushing of Soil Contaminated by Organic Compounds, **Water Resources Research**, Vol. 34, No.7, 1998, pp.1635-1648.

JUCA, J.F.T., **Comportamiento de los Suelos Parcialmente Saturados Bajo Succión Controlada**, Tesis Doctoral, Universidad Politécnica de Madrid, ETS de Ingenieros de Caminos Canales y Puertos; Madrid, España, 1990.

KARICKHOFF, S. W., Semi-Empirical Estimation of Sorption of Hydrophobic Pollutants on Natural Sediments and Soils, **Chemosphere**, Vol. 10, No. 8, 1981, pp. 833-846.

KESSLER, A.; H. RUBIN, Relationships between Water Infiltration and Oil Spill Migration in Sandy Soils, **Journal of Hydrology**, Vol. 91, 1987, pp. 187-204.

KOWLES, J.; POWERS, S. E., **Reformulated Gasolines: Effects of Ethanol on the Interfacial Tension between Gasoline and Water**, Undergraduate Research Thesis, Clarkson University, Potsdam, NY, U.S.A., 1997.

KUEPER, B. H.; FRIND, E. O., Two-Phase Flow in Heterogeneous Porous Media, 1. Model Development, **Water Resources Research**, Vol. 27, No. 6, 1991, pp. 1049-1057.

KUPPUSSAMY, T.; SHENG, J.; PARKER, J.C.; LENHARD, R.J., Finite-Element Analysis of Multiphase Immiscible Flow Through Soils, **Water Resources Research**, Vol. 23, 1987, pp. 625-631.

LAGO, G. P., **Modelagem Física da Mobilidade da Gasolina e Gasolina com Etanol em Solos Não Saturados**. Trabalho de Fim de Curso, Departamento de Engenharia Civil da PUC-Rio, 2004, 23p.

LEE, K. Y.; PETERS, C. A., UNIFAC Modeling of Cosolvent Phase Partitioning in Nonaqueous Phase Liquid-Water Systems, **Journal of Environmental Engineering**, ASCE, 2004, pp. 478-483.

LETCHER, T. M.; HEYWARD, C.; WOOTEN, S.; SHUTLEWORTH, B., Ternary Phase Diagrams for Gasoline-Water-Ethanol Mixtures. **Fuel**, Vol. 65, 1986, pp. 891-894.

LEVERETT, M.C.; LEWIS, W.B., Steady Flow of Gas-Oil-Water Mixtures Through Unconsolidated Sands, **Trans. AIME**, 142, 1941, pp. 107-116.

MACKAY, D. M.; FREYBERG, D. L.; ROBERTS, P. V.; CHERRY, J. A., A Natural Gradient Experiment in a Sand Aquifer: 1. Approach and Overview of Plume Movement, **Water Resources Research**, Vol. 22, 1986, pp. 2017-2030.

MACKAY, D. M.; CHERRY, J. A., Groundwater Contamination: Pump-and-Treat Remediation, **Environ. Toxicol. Chem.** 4:743. 1989.

MARSHALL, T. J., A Relation between Permeability and Size Distribution of Pores, **Journal of Soil Science**, Vol. 9, 1958, pp. 1-8,.

McDOWELL C.J., e S.E. POWERS, Mechanisms Affecting the Infiltration and Redistribution of Ethanol-Blended Gasoline in the Vadose Zone. **Environmental Science Technology**, Vol. 37 No. 9, 1803-1810, 2003

MELO, F. H.; PELIN, E. R., **As Soluções Energéticas e a Economia Brasileira**, Hucitec, São Paulo, 1984, 146 p.

MENDOZA, C. A.; McALARY, T. A., Modeling of Groundwater Contamination Caused by Organic Solvent Vapors, **Groundwater**, Vol. 28, No. 2: 1990, pp. 199-206.

MERCER, C., J.; COHEN, R. M., A Review of Immiscible Fluids in the Subsurface: Properties, Models, Characterization and Remediation, **Journal of Contaminant Hydrology**, Vol. 6, 1990, pp. 107-163.

MESSING, I., Estimation of the Saturated Hydraulic Conductivity in Clay Soils from Soil Moisture Retention Data, **Soil Science Society of America Journal**, Vol. 53, No. 3, 1989, pp. 665-668.

MILLER, C. T.; POIRIER-MCNEILL, M. M.; MAYER, A. S. Dissolution of Trapped Nonaqueous Phase Liquids: Mass Transfer Characteristics, **Water Resource Research**, Vol. 26 No. 11, 1990, pp. 2783-2796.

MILLINGTON, R. J. E. J. M. QUIRK, Permeability of Porous Solids, **Trans. Faraday Soc.**, 57, 1961, pp. 1200-1207.

MORRIS K. R., ABRAMOWITZ R., PINAL R., DAVIS P., YALKOWSKY S. H., Solubility of Aromatic Pollutants in Mixed Solvents. **Chemosphere**, Vol. 17 No. 2, 1988, pp. 285–298.

MUALEM, Y., A New Model for Predicting the Hydraulics Conductivity of Unsaturated Porous Media, **Water Resource Research**, Vol. 12, 1976, pp. 513-522.

MUALEM, Y., A Catalog of Hydraulics Properties of Unsaturated Soils, **Israel Institute of Technology**, Haifa, Israel, 1976a.

MUALEM, Y., Hydraulic Conductivity of Unsaturated Soils: Prediction and Formulas, Methods of Soils Analysis, Part 1, A Klute (Ed.), **American Society of Agronomy**, Madison, WI, 1986, pp. 799-823.

MULL, R., The migration of oil-products in the subsoil with regard to ground-water pollution by oil, **Proceedings of the Fifth International Conference on Advances in Water Pollution Research**, San Francisco and Hawaii, S. A. Jenkins, ed., Pergammon, Oxford, Vol. 2, HA 7(A)/1-8, 1971.

MULL, R., Calculations and experimental investigations of the migration of oil products in natural soils, Proceedings International Symposium on Groundwater Pollution by Oil Hydrocarbons, **International Association of Hydrologists**, Prague, June 5-9, 1978, pp. 167-181.

NEWELL, J. C., ACREE, S. D., ROSS, R. R., Groundwater Issue – Light Nonaqueous Phase Liquids, **United States Environmental Protect Agency**, 1995, 28 p.

OLIVEIRA, E., 1997 **Ethanol flushing of gasoline residuals – microescale and field scale experiments**. Tese de Doutorado. University of Waterloo. Canadá, Ontário, Waterloo, 291 p.

OSBORNE, M. e J. SYKES, Numerical Modeling of Immiscible Organic Transport at the Hyde Park Landfill, **Water Resources Research**, Vol. 22, 1986, pp. 25-33.

ÖSTERREICHER, P. C., VARGAS, E. A. Jr., DAVEÉ, J. R., LAGO, G. P., ANTUNES, F. S., SILVA, M. I. P. Efeito do Etanol na Degradação e Distribuição da Gasolina em Solo Tropical Não Saturado. Submetido à **ASCE**, 2007, 37 p.

PARKER, J. C. E A. J. VALOCCHI, Constrains on the Validity of Equilibrium and First-Order Kinetic Transport Models in Structured Soils, **Water Resource Research**, Vol. 22 No. 3, 1986, pp. 399-408.

PESCHKE, N. E S.I. SANDLER, "Liquid-liquid Equilibria of Fuel Oxygenate e Water e Hydrocarbon Mixtures", **Journal of Chemical Engineering and Data**, Vol. 40, No. 1, 1995

PINDER, G. F. e ABRIOLA, L. M.. On the simulation of Nonaqueous phase organic compounds in the subsurface. **Water Resources Research**, Vol. 22 No. 9, 1986, pp. 109S-119S.

PINTO, C.D.S., **Curso Básico de Mecânica dos Solos**, 2a edição, Oficina de Textos, São Paulo, 2002, 247 p.

POULSEN, M., LEMON, L. E BARKER, J. F. (1991) Chemical Fate and Impact of Oxygenates in Groundwater: Solubility of BTEX from Gasoline-Oxygenate Compounds. Health and Environmental Sciences, **API Publication**, No. 4531, Washington, DC, 113 p.

POULSEN, M.; LEMON, L. E BARKER, J.F.. Dissolution of Monoaromatic Hydrocarbons into Groundwater from Gasoline-Oxygenate Mixtures. **Environmental Science Technology**, Vol. 26, 1992.

POWERS S. E., HUNT C. S., HEERMANN S. E., CORSEUIL H. X., RICE D, ALVAREZ P. J. J. The transport and fate of ethanol and BTX in groundwater contaminated by gasohol. CRC Crit Rev **Environmental Science Technology** 2001; Vol. 31 No. 1, pp.79–123.

POWERS, S. E. e S.E. HEERMANN (1999). A critical review: The effect of ethanol in gasoline on the fate and transport of BTEX in the subsurface. In: Health and Environmental Assessment of the Use of Ethanol as a Fuel Oxygenate. **Report to the California Environmental Policy Council in Response to Executive Order D-5-99**. Vol. 4, Potential Ground and Surface Water Impacts, D .W. Rice and G. Cannon (Eds). Lawrence Livermore National Laboratory, Livermore, CA. UCRL- AR- 135949 Vol. 4 Ch. 2.

POWERS, S. E. e MCDOWELL, C. J., **Infiltration and Distribution of Ethanol and Ethanol-blended Gasoline in the Vadose Zone**, UCRL-AR-1453809 Ch. 2, 2001.

RAISBECK, J. M. e M. F. MOHTADI, **The environmental impacts of oil spills on land in the arctic regions**, **Water, Air and Soil Pollution**, 3, 195-208, 1974.

RAO, P.S.C. Sorption Processes. Presentation at International Symposium on Processes Governing the Movement and Fate of Contaminants in Subsurface Environments. **International Association on Water Pollution Research and Control**, Stanford, CA. July 23-26, 1989.

REIBLE, D. D., T. H. ILLANGASEKARE, D. V. DOSHI, AND M. E. MALHIET, Infiltration of Immiscible Contaminants in the Unsaturated Zone, **Groundwater**, 28, pp. 688-692, 1990.

RICE, W. D. E DEPUE, R. T., Subsurface Fate and Transport of Gasoline Containing Ethanol, **Report to the California State Water Resources Control Board**, UCRL-AR-145380, 2001.

ROSS, S., AND R. E. PATTERSON. Surface and Interfacial Tensions of Conjugate Solutions In Ternary Systems. **Journal of Chemistry Engineerings. Data**. Vol. 24 No.2; pp. 111–115, 1979.

SAHIMI, M. Applications of Percolation Theory. **Taylor e Francis Ltda.**, Reino Unido, 1994, 258 p.

SCHMIDT R. A, J. GUDBJERG B,* , T.O. SONNENBORG B, K.H. JENSEN - Removal of NAPLs from the Unsaturated Zone Using Steam: Prevention of Downward Migration by Injecting Mixtures of Steam and Air. **Journal of Contaminant Hydrology** 55, 2002, pp. 233– 260.

SCHIRMER, M., MOLSON, J. W., and BARKER, J. F., 1999. The Potential Impact of Alcohol as a Gasoline Oxygenate on BTEX Degradation at Spill Sites In **Petroleum Hydrocarbons Conference**, Nov. 17-19, Houston, Texas.

SCHWILE, F., **Petroleum Contamination of the Subsoil - A Hydrological Problem In Joint Problems of Oil and Water Industries**. Hepple, P., Ed., Elsevier. New York, 1965.

SCHWILLE, F. Groundwater Pollution in Porous Media by Fluids Immiscible with Water, **Science Total Environment**, Vol. 21, 1981, pp. 173-185.

SCHWILLE, F. Migration of Organic Fluids Immiscible with Water. Pollutants in Porous Media: The Unsaturated Zone between Soil Surface and Groundwater, **Ecological Studies**, Vol. 47, 1984, pp. 27-48.

SILVA, M. I. P., **Comunicação Pessoal** - Coordenadora do Laboratório de Química da PUC-Rio, Maio, 2007.

SIMMONS, C. S., KELLER, J. M., **Status of Models for Land Surface Spills of Nonaqueous Liquids**. Pacific Northwest National Laboratory, Departamento de Energia dos Estados Unidos, 2003, pp. 62.

SINISCALCHI, C. R., **Modelagem Física da Mobilidade da Gasolina Pura e Gasolina com Etanol em Solos Não Saturados**. Relatório de Iniciação Científica, Departamento de Engenharia Civil da PUC-Rio - ANP, 2007, 35p.

SHAW, D. J., **Introduction to Colloid & Surface Chemistry**, 4th ed. Butterworth Heinemann, Oxford, 1998, 306 p.

SMITH, J. E., AND R. W. GILLHAM. The Effect of Concentration Dependent Surface Tension on the Flow of Water and Transport of Dissolved Organic Compounds: A pressure head-based formulation and numerical model. **Water Resource Research**, Vol. 30 No. 2, 1994, pp. 343–354.

SMITH, J. M., E H. C. VAN NESS. **Introduction to Chemical Engineering Thermodynamics**, 4th ed. McGraw-Hill, New York, NY, 1987.

STALLARD, W. M., B. HERBERT, H-C. CHOI, AND M. Y. CORAPCIOGLU. Enhanced migration of gasohol fuels in clay soils and sediments. **Environmental & Engineering Geoscience**, Vol. 3 No. 1: pp. 45–54, 1997.

VALOCCHI, A. J., Validity of the Local Equilibrium Assumption for Modeling Sorbing Solute Transport Through Homogeneous Soils, **Water Resource Research**, Vol. 21 No.6, pp. 808-820, 1985.

VAN DAM, J., The Migration of Hydrocarbons in a Water-bearing Stratum, **The Joint Problems of the Oil and Water Industries**, pp. 55-88, 1967.

VAN GENUCHTEN, M. Th. A Closed-Form Equation for Predicting the Hydraulic Conductivity of Unsaturated Soils. **Soil Science Society of American Journal**. Vol. 44 pp 892-898, 1980.

VAN GENUCHTEN, M. Th., F. J. Leij, and S. R. Yates. 1991, **The RETC Code for Quantifying the Hydraulic Functions of Unsaturated Soils**, Version 1.0. EPA Report 600/2-91/065, U.S. Salinity Laboratory, USDA, ARS, Riverside, California.

VARGAS, E. A. Jr., Comunicação pessoal, 2007.

VIANA, A. F., **Modelagem Física do Transporte de Gasolina e de sua Mistura com Etanol em Meios Porosos Não Saturados**. Relatório de Iniciação Científica, Departamento de Engenharia Civil da PUC-Rio – ANP, 2002, 55p.

VIANA, A. F., VARGAS, E. A. Jr., CAMPOS, T.M.P., ARARUNA, J. T. Jr., Modelagem Física do Transporte de Gasolina e de sua Mistura com Etanol em Meios Porosos Não Saturados. In: **V Congresso Brasileiro de Geotecnia Ambiental**, 2003, Porto Alegre. Anais do V Congresso Brasileiro de Geotecnia Ambiental, 7p.

WEAVER, J. W., **A Kinematic/Dynamic Model of Nonaqueous Phase Liquid Transport in the Vadose Zone**, Dissertação de Doutorado, Departamento de Engenharia Civil da Universidade do Texas, Austin, 1988.

WEAVER, J. W., CHARBENEAU, R. J. E LIEN, B. K., A Screening Model for Nonaqueous Phase Liquid Transport in the Vadose Zone Using Green-Ampt and kinematic Wave Theory, **Water Resource Research**, Vol. 30 No.1, pp. 93-105, 1994.

WEAVER, J. W., CHARBENEAU, R. J., TAUXE, J. D., LIEN, B. K. E J. B. PROVOST, The Hydrocarbon Spill Screening Model (HSSM), Volume 1 : User's Guide, **United States Environmental Protection Agency**, EPA/600/R-94/039 a, Abril 1994, 212 p.

WILSON, J. L., CONRAD, S. H., MASON, W. R., PEPLINSKI, W., e E. HAGAN, Laboratory Investigation of Residual Liquid Organics from Spills, Leaks, and the Disposal of Hazardous Wastes in Groundwater. R. S. Kerr Environmental Research Laboratory, **United States Environmental Protection Agency**, Ada, Oklahoma, EPA/600/6-90/004, April 1990.

YALKOWSKY, S.H., ROSEMAN, T. **Solubilization of Drugs by Cosolvents. Techniques of Solubilization of Drugs**. Yalkowsky, S.H., Ed. Marcel Dekker, Inc: New York, p. 91-134, 1981.

YALKOWSKY S. H., BANERJEE S. **Aqueous Solubility Methods of Estimation for Organic Compounds**. New York: Ed. Marcel-Dekker; 1992. p. 41-117.