

AINSWORTH, N., *et al.*, **Distribution of antimony in contaminated grassland 1. vegetation and soils** Environmental Pollution 65(1): 66-77, 1990.

ALMEIDA, C., **Estudos sobre a origem e transformação de selênio e de suas espécies químicas ao longo do processo de refino do petróleo**. 161f Dissertação de Mestrado Departamento de Química Pontifícia Universidade Católica do Rio de Janeiro, Rio de Janeiro 2008.

ALTAMIRANO, A., **100 anos de Leishmanioses**. Informativo Bimestral do Instituto de Pesquisa Clínica Evandro Chagas Filho – FIOCRUZ – M.S. 1: 1-2, 2003.

AMEIREITH, S., *et al.*, **Speciation analysis of inorganic antimony in soil using HPLC-ID-ICP-MS**. Anal Bioanal Chem 383: 1052-1059, 2005.

AÑEZ, N., *et al.*, **Antimony determination in tissues and serum of hamsters infected with *Leishmania garnhami* and treated with meglumine antimoniate**. Ann Trop Med Parasitol 88(1): 37-41, 1994.

ANDREAE, M., *et al.*, **Arsenic, antimony and germanium biogeochemistry in the Baltic Sea**. Tellus Series B-Chemical and Physical Meteorology 36(2): 101-117, 1984.

ASHLEY, P., *et al.*, **Magnitudes, spatial scales and processes of environmental antimony mobility from orogenic gold – antimony mineral deposits, Australasia**. Environ Geol 51: 499-507, 2006.

ASSIS, R., *et al.*, **Intake and excretion of dissodium monomethylarsonate in horses: a speciation study**. Anal Bioanal Chem 390: 2107-2113, 2008.

ASSIS, R., **Aperfeiçoamento e aplicações de uma metodologia para análise de especiação de arsênio por eletroforese capilar com detector de ICPMS**. 159f Tese de doutorado Departamento de Química Pontifícia Universidade Católica do Rio de Janeiro, Rio de Janeiro 2006.

ATKINSON Jr, A. **Principles of clinical pharmacology**. San Diego, California Academic Press, 2001.

BAJULA-SANTOS, C.; GONZALEZ-PORTAL, A., **Application of hydride generation to atomic-absorption spectrometric analysis of wines and beverages- A review**. Talanta 39 (4): 329-339, 1992.

BARBOSA, F., *et al.*, **A critical review of biomarkers used for monitoring human exposure to lead: Advantages, limitations, and future needs**. Environmental Health Perspectives 113(12): 1669-1674, 2005.

BARBOSA, G., *et al.*, **Aspectos epidemiológicos da leishmaniose tegumentar americana em cães, no Município de Paraty, Estado do Rio de Janeiro, Brasil**. Cad Saúde Pública, Rio de Janeiro, 15 (3): 641-645, 1999.

BARONI, F., *et al.*, **Antimony accumulation in *Achillea ageratum*, *Plantago lanceolata* and *Silene vulgaris* growing in an old Sb – mining area**. Environ Pollut 109: 347-352, 2000.

BARRA, C. M., *et al.*, **Especiação de arsênio - uma revisão**. Quím. Nova 23(1): 58-70, 2000.

BARRETT, S., **Commercial hair analysis-science or scam**. Jama-Journal of The American Medical Association 254(8):1041-1045, 1985.

BASTOS, A., **O uso do “digestor de alta pressão (HPA)” na mineralização de óleos para determinação de elementos-traço por ICPMS e ICP OES**. Dissertação de Mestrado Departamento de Química Pontifícia Universidade Católica do Rio de Janeiro, Rio de Janeiro 2005.

BATZEVICH, VA., **Hair Trace-element analysis in human-ecology studies**. Sci. Tot. Environ. 164(2): 89-98, 1995.

BEAUCHEMIN, D., **Inductively Coupled Plasma Mass Spectrometry**. Anal Chem 78: 4111-4136, 2006.

BERMAN, J., *et al.*, **Pharmacokinetic of pentavalent antimony (Pentostam[®]) in hamsters**. Am. J. Trop. Med. Hyg. 39: 41-45, 1988.

BERMAN, J., **Human leishmaniasis: clinical, diagnostic, and chemotherapeutic developments in the last 10 years**. Clin Infect Dis 24: 684-703, 1997.

BOAS, O., **Farmacologia**. Alfenas, MG, 2006

BOECK, M., *et al.*, **Cobalt and antimony: genotoxicity and carcinogenicity.** Mutation Res 533: 135-152, 2003.

BURGUERA, M., *et al.*, **Selective determination of antimony (III) and antimony (V) in liver tissue by microwave-assisted mineralization and hydride generation atomic absorption spectrometry.** Fresenius J Anal Chem 353: 133-136, 1995.

BURGUERA, J., *et al.*, **Selective determination of antimony (III) and antimony (V) in serum and urine of total antimony in skin biopsies of patients with cutaneous leishmaniasis treated with meglumine antimonite.** Trace Elem. Med. 10 (2): 66-70, 1993.

CALLE GUNTIÑAS, M., BORDIN, G., RODRIGUEZ, A., **Identification, characterization and determination of metal-binding proteins by liquid chromatography. A review.** Anal Bioanal Chem 374: 369-378, 2002.

CÁMARA, C., CALLE-GUNTIÑAS, M., MADRID, Y., **Speciation of Sb(III) and Sb(V) by pH-control using three inorganic acids (hydrochloric, phosphoric and sulphuric).** Fresenius J Anal Chem 343: 597-599, 1992.

CAPEL, I., *et al.*, **Comparison of concentrations of some trace, bulk and toxic metals in the hair of normal and dyslexic children.** Clin Chem 27: 879-881, 1981.

CAMPOS, R., GRINBERG, P., **Acoplamento cromatografia gasosa-espectrometria de absorção atômica em estudos de especiação : uma revisão.** Quim Nova 24(2): 220-227, 2001.

CAMPOS, R.C., LUNA, A.S., STURGEON, R.E., **Chemical vapor generation: atomic absorption by Ag, Au, Cu, and Zn following reduction of aquo ions with sodium tetrahydroborate(III).** Anal.Chem., 72: 3523-3531, 2000.

CARNEIRO, M., *et al.*, **Intervalos de referência para elementos menores e traço em cabelo humano para população da cidade do Rio de Janeiro-Brasil.** Quim Nova 25(1): 37-45, 2002.

CARNEIRO, M., **Estabelecimento de valores de referência para elementos essenciais e tóxicos em cabelo humano.** Tese de doutorado Departamento de química Pontifícia Universidade Católica do Rio de Janeiro, Rio de Janeiro, 1999.

CAROLI, S., *et al.*, **Human hair as a marker of pollution by chemical elements emitted by a thermoelectric power plant.** Microchem J 67: 397-405, 2000.

CHULAY, J., FLECKENSTEIN, L., SMITH, D., **Pharmacokinetics of antimony during treatment of visceral leishmaniasis with sodium stibogluconate or meglumine antimoniate.** Trans R Soc Trop Med Hyg 82: 69-72, 1988.

CORNELIS, R., *et al.*, **Handbook of Elemental Speciation II – Species in the environment, food, medicine and occupational health.** Inglaterra, John Wiley and Sons, 2005.

CORNELIS, R., *et al.*, **Trends in certified reference materials for the speciation of trace elements.** Fresenius J Anal Chem 370:120-125, 2001.

CORNELIS, R., BOURGUET, F., De KIMPE, J., **Trace elements in medicine.** Anal Chim Acta 283: 183-189, 1993.

COSTA, J., **A Leishmaniose Visceral e Tegumentar: Clínica e Terapêutica.** Palestra ministrada no Seminário “Leishmaniose – 100 anos da descoberta da descoberta do parasito”, Rio de Janeiro, Brasil, 2003.

CRAW, D., WILSON, N., HUNTER, K., **Antimony distribution and environmental mobility at an historic antimony smelter site, New Zealand.** Environ Pollut 129: 257-266, 2004.

CROFT, S., COOMBS, G., **Leishmaniasis – current chemotherapy and recent advances in the search for novel drugs.** Trends Parasitol 19: 502-508, 2003.

CRUZ, A., *et al.*, **Pharmacokinetics of antimony in children treated for leishmaniasis with meglumine antimoniate.** JID 195: 602-608, 2007.

CURTIUS, A., POZEBON, D., DRESSLER, V., **Análise de cabelo: uma revisão dos procedimentos para a determinação de elementos traço e aplicações.** Quim Nova 22(6): 838-846, 1999.

CUTTER, G. A., *et al.*, **Antimony and arsenic biogeochemistry in western Atlantic Ocean.** Deep-sea Research part II- Topical Studies in Oceanography 48(13) : 2895-2915, 2001.

DAINTITH, J., (Ed.). **A dictionary of chemistry**, 4. ed. Oxford: Oxford University Press, 2000.

DESJEUX, P., **Leishmaniasis- Public health aspects and control.** Clinics in dermatology 14 (5): 417-423, 1996.

DIETL C, REIFENHÄUSER W, PEICHL, L., **Association of antimony with traffic – occurrence in airborne dust, deposition and accumulation in standardized grass cultures.** Sci Total Environ 205: 235-244, 1997.

DOREA, J., *et al.*, **Retention of antimony in hair during leishmaniasis treatment.** Clin Chim Acta 179: 341-346, 1989.

DOREA, J., *et al.*, **Antimony accumulation in hair during treatment of leishmaniasis.** Clin Chem 33(11): 2081-2982, 1987.

DRUYAN, M. E., *et al.*, **Determination of reference ranges for elements in human scalp hair.** Biological Trace Element Research 62(3): 183-197, 1998.

DURRANT, S. F., WARD, N. I. **Multi-elemental analysis of human milk by inductively coupled plasma-source mass spectrometry: Implications for infant health.** J Micronutr Anal, 5:111-126, 1989.

EL-YAZIGI, A., JASER, M., CROFT, S., **Pharmacokinetics of antimony in patients treated with sodium stibogluconate for cutaneous leishmaniasis.** Pharm Res 12 (1): 113-116, 1995.

EL-YAZIGI, A., *et al.*, **Skin uptake, distribution, and elimination of antimony following administration of sodium stibogluconate to patients with cutaneous leishmaniasis.** Antimicrob Agents Chemother 39 (2): 516 – 519, 1995-b.

EMONS, H., KRACHLER, M., **Speciation analysis of antimony high-performance liquid chromatography inductively coupled plasma mass spectrometry using ultrasonic nebulization.** Anal Chim Acta 429: 125-133, 2001a.

EMONS, H., KRACHLER, M., **Urinary antimony speciation by HPLC-ICP-MS.** J Anal At Spectrom 16: 20-25, 2001b.

EMONS, H., KRACHLER, M., **Potential of high performance liquid chromatography coupled to flow injection hydride generation atomic absorption spectrometry for the speciation of inorganic and organic antimony compounds.** J Anal At Spectrom 15: 281-285, 2000.

EMONS, H., KRACHLER, M., BUROW, M., **Biomonitoring of antimony matrices from terrestrial and limnic ecosystems.** J Environ Monit 1: 477-481, 1999.

EPA 2008 <http://www.epa.gov/safewater/dwh/c-ioc/antimony.html> , acessada em 2008

FELDMANN, J., *et al.*, **Antimony species in environmental samples**. Intern J o Environ Anal Chem 77(2): 111-131, 2000.

FELDMANN, J., KOCH, I., CULLEN, W., **Complementary use of capillary gas chromatography-mass spectrometry (ion trap) and gas chromatography-inductively coupled plasma mass spectrometry for the speciation of volatile antimony, tin and bismuth compounds in landfill and fermentation gases**. Analyst 123: 815-820, 1998.

FELL, G.S., *et al.*, **Determination of antimony in urine, blood and serum and in liver and lung tissues of infants by inductively coupled plasma mass spectrometry**. Analyst 122 (11): 1323-1329, 1997.

FILELLA, M, BELZILE, N, CHEN, Y. **Antimony in the environment: a review focused on natural waters III. Microbiota relevant interactions**. Earth-Science Rev 80: 195-217, 2007.

FILELLA, M, MAY, P, **Computer simulation of low-molecular-weight inorganic species distribution of antimony (III) and antimony (V) in natural waters**. Geochim Cosmochim Acta 67 (21): 4013-4031, 2003.

FILELLA, M, BELZILE, N, CHEN, Y. **Antimony in the environment: a review focused on natural waters I. Ocurrence**. Earth-Science Rev 57: 125-176, 2002-a.

FILELLA, M, BELZILE, N, CHEN, Y. **Antimony in the environment: a review focused on natural waters II. Relevant solution chemistry**. Earth-Science Rev 59: 265-285, 2002-b.

FORTES, L., **Anomalias de elementos menores e traço em cabelo humano como indicador de patologias endócrinas e de deficiências de osso**. Dissertação de Mestrado Departamento de Química Pontifícia Universidade Católica do Rio de Janeiro, Rio de Janeiro, 1999.

FRANKE, E.D., *et al.*, **Drug resistance in leishmaniasis: it's implication in systemic chemotherapy of cutaneous and mucocutaneous disease**. Amer J Trop Med Hyg, 47:117-126, 1992

FREZARD, F., *et al.*, **Novel methods for the encapsulation of meglumine antimoniate in liposomes**. Braz J Med Biol Res 33 (7): 841-846, 2000.

FRIEDRICH, K., **Estudos da cinética do antimônio e alterações de citocromos P450 em primatas e ratos tratados com antimoníato de meglumina**. 165f Tese de doutorado Escola Nacional de Saúde Pública Sérgio Arouca Fundação Oswaldo Cruz, Rio de Janeiro 2008.

FRITZ, J., GJERDE, D., **Ion chromatography**. República Alemã: Wiley Vch Weinheim, Alemanha, 2000.

FUENTES, E., *et al.*, **Redox speciation analysis of antimony in soil extracts by hydride generation atomic fluorescence spectrometry**. Spectrochim Acta Part B 58(7): 1279-1289, 2003.

GEBEL, T., *et al.*, **Human biomonitoring of antimony**. Int Arch Occup Health 71: 221-224, 1998a.

GEBEL, T., *et al.*, **Human biomonitoring of arsenic and antimony in case of an elevated geogenic exposure**. Environ Health Perspect 106: 33-39, 1998b.

GEBEL, T., **Arsenic and antimony: comparative approach on mechanistic toxicology**. Chemico-Biological Interactions 107: 131-144, 1997.

GERVASIO, A., *et al.*, **Eletroforese capilar acoplada à espectrometria com plasma: uma ferramenta eficiente para a especiação**. Quím. Nova 26(1): 65-74, 2003.

GÓMEZ, D., *et al.*, **Monitoring trace metals in urban aerosols from Buenos Aires city. Determination by plasma-based techniques**. J Environ Monit 6: 286-294, 2004.

GONTIJO, B., CARVALHO, M., **Leishmaniose tegumentar Americana**. Rev Soc Bra Med Trop 36 (1): 71-80, 2003.

GOULLÉ, J., *et al.*, **Metal and metalloid multi-elementary ICP-MS validation in whole blood, plasma, urine and hair Reference values**. Forensic Science International 153: 39-44, 2005.

GREGORI, I., *et al.*, **Simultaneous speciation analysis of Sb(III), Sb(V) and (CH₃)₃SbCl₂ by high performance liquid chromatography-hydride generation-atomic fluorescence spectrometry detection (HPLC-HG-AFS): application to antimony speciation in sea water**. J Chromatogr A 1091 (1-2): 94-101, 2005.

HAMBIDGE, K.M., **Hair Analyses - worthless for vitamins, limited for minerals**. Amer J Clin Nutr 36(5): 943-949, 1982.

HAMMEL, W., *et al.*, **Mobility of antimony in soil and its availability to plants**. Chemosphere 41(11): 1791-1798, 2000.

HANDBOOK OF CHEMISTRY AND PHYSICS. Boca Raton, Fla.: CRC Press, 74, 2000.

HERNÁNDEZ-CÓRDOBA, M., *et al.*, **Liquid chromatography-hydride generation-atomic fluorescence spectrometry hybridation for antimony speciation in environmental samples**. Talanta 68:1401-1405, 2006.

HERWALDT, B., **Leishmaniasis**. Lancet 354: 1191-1199, 1999.

HEUMANN, K.G., SHEDLBAUER, O. F., **Development of an isotope dilution mass spectrometric method for dimethylthallium speciation and first evidence of its existence in the ocean**. Anal Chem 71(24): 5459-5464, 1999.

HEUMANN, K.G., *et al.*, **Precision and accuracy in isotope ratio measurements by plasma source mass spectrometry**. J Anal At Spectrom 13(9): 1001-1008, 1998.

HEUMANN, K.G., **Trace determination and isotopic analysis of the elements in life sciences by mass- spectrometry**. Biomed Mass Spectrom 12(9): 477-488, 1985.

HOU, H., *et al.*, **Concentrations of Ag, In, Sn, Sb and Bi, and their chemical fractionation in typical soils in Japan**. European J Soil Sci 57: 214-227, 2006.

HOZHINA, E., *et al.*, **Uptake of heavy metals, arsenic, and antimony by aquatic plants in the vicinity of ore mining and processing industries** J Geochem Explor 74, 153-162, 2001.

JAGER, A., TAVARES, M., **Determinação simultânea de cátions por eletroforese capilar: fundamentos e aplicações**. Quim. Nova 24(3): 363-373, 2001.

JUNG, M., THORNTON, I., CHON, H., **Arsenic, Sb and Bi contamination of soils, plants, waters and sediments in the vicinity of the Dalsung, Cu-W mine in Korea**. Sci Tot Environ 295: 81-89, 2002.

KANNAMKUMARATH, S., *et al.*, **Capillary electrophoresis-inductively coupled plasma-mass spectrometry: an attractive complementary technique for elemental speciation analysis**. J. Chromatogr. A 975: 245-266, 2002.

KANTIN , R., **Chemical speciation of antimony in marine algae.** Limnol. Oceanogr. 28: 165-168, 1983.

KEENAN, F., *et al.*, **Correlation of the antimony concentration of umbilical cord and infant hair measured by hydride generation-atomic fluorescence spectrometry** Anal Chin Acta 354: 1-6, 1997.

KAVA, H.; SABROZA, P., **Espacialização da leishmaniose tegumentar na cidade do Rio de Janeiro.** Cad Saúde Pública, Rio de Janeiro, 18 (3): 853-865, 2002

KRACHLER, M., *et al.*, **Anthropogenic impacts on the biogeochemistry and cycling of antimony.** Biochemistry Availability, And Transport of Metals Ions in Biological Systems 14, 2005a.

KRACHLER, M., *et al.*, **Increasing atmospheric antimony contamination in the northern hemisphere: snow and ice evidence from Devon Island, Artic Canada.** J Environ Monit 7: 1169 – 1176, 2005b.

KRACHLER, M., *et al* **Biomonitoring of antimony in environmental matrices from terrestrial limnic ecosystems.** J Environ Monit 1(5): 477-481, 1999.

KRUPP, E.M., *et al.*, **Speciation of metals and metalloids in sediment with LTGC/ICP-MS.** Fresenius J. Anal. Chem. 354: 546-549, 1996.

LARSSON, B.S., MARS, U., **Pheomelanin as a binding site for drugs and chemicals.** Pigment Cell Research 12(4): 266-274, 1999.

LARSSON, B.S., **Interaction between chemicals and melanin.** Pigment Cell Research 6(3): 127-133, 1993.

LINTSCHINGER, J., SCHRAMEL, O., KETTRUP, A., **The analysis of antimony species by using ESI-MS and HPLC-ICP-MS.** Fresenius J Anal Chem 361: 96-102, 1998a.

LINTSCHINGER, J., *et al.*, **Studies on speciation of antimony in soil contaminated by industrial activity.** Int J Environ Anal Chem 72: 11-25, 1998b.

LINTSCHINGER, J., KOCH, I., SERVES, S., FELDMANN, J., CULLEN, W., **Determination of antimony species with high performance liquid chromatograph using element specific detection.** Fresenius J. Anal. Chem. 359: 484-491, 1997.

LLANOS-CUENTAS, E., *et al.*, **Human mucocutaneous leishmaniasis in Três Braços, Bahia – Brazil. An area of *Leishmania braziliensis braziliensis***

transmission II. Cutaneous disease. Presentation and evolution Rev Soc Bras Méd Trop 17:169-177, 1984.

LÓPEZ-SÁNCHEZ, J. F., *et al.*, **New considerations about the separation and quantification of antimony species by ion chromatography-hydride generation atomic fluorescence spectrometry.** J Chromatogr A 1052: 121-129, 2004.

LOSKA, K., *et al.*, **Antimony concentration in farming soil of Southern Poland.** Bull Environ Contam Toxicol 72: 858-865, 2004.

MAEDA, S., *et al.*, **Bioaccumulation of antimony by chlorella vulgaris and the association mode of antimony in the cell.** Appl Organometal Chem 11(5):393-396, 1998.

MAEDA, S., **The chemistry of organic arsenic, antimony and bismuth compounds.** Nova York: Wiley, 1994.

MAJIDI, V., **Capillary electrophoresis inductively coupled plasma mass spectrometry.** Microchem. J. 66: 3-16, 2000.

MARSDEN, P., *et al.*, **Spontaneous healing of leishmania-braziliensis – Braziliensis skin ulcers** Transact Royal Soc Trop Med and Hygiene 78 (4): 561-562, 1984.

MAY, T., WIEDMEYER, R., **A table of polyatomic interferences in ICP-MS.** Atomic Spectroscopy 19(5): 150-155, 1998.

MEHARG, A., *et al.*, **Antimony bioavailability in mine soils.** Environ Pollution 124: 93-100, 2003.

MEHRA, R.; JUNEJA, M., **Biological monitoring of lead and cadmium in human hair and nail and their correlations with biopsy materials, age and exposure.** Ind J Biochem Biophys 41(1): 53-56, 2004.

MENDONÇA, S., AZEREDO-COUTINHO, R., **An intermittent schedule is better than continuous regimen of antimonial therapy for cutaneous leishmaniasis in the municipality of Rio de Janeiro, Brazil.** Rev Soc Bras Med Trop 35, 2002.

MENG, Y-L, LIU, Z., ROSEN, B., **As (III) and Sb (III) uptake by GlpF and efflux by ArsB in *Escherichia coli*.** J Biol Chem 279: 18334-18341, 2004.

MICHALKE, B., **The coupling of LC to ICP-MS in element speciation: I. General aspects.** Trends Anal Chem 21: 142-153, 2002.

MICHALKE, B., SCHRAMEL, P., **Antimony speciation in environmental samples by interfacing capillary electrophoresis on-line to an inductively coupled plasma mass spectrometer.** J Chromatogr A: 341-348, 1999.

MIEKELEY, N., *et al.*, **Total antimony and speciation analysis of clinical samples by inductively coupled plasma mass spectrometry and hyphenated techniques.** 8th International Conference on Nuclear Analytical Methods in the Life Sciences. 17-22 of April 2005, Rio de Janeiro, Brazil. Oral presentation, Book of Abstracts: 229, 2005.

MIEKELEY, N., MORTARI, S., SCHUBACH, A., **Monitory of total antimony and its species by ICP-MS and on-line ion chromatography in biological samples from patients treated for leishmaniasis.** Anal Bioanal Chem 372: 495-502, 2002.

MIEKELEY, N., *et al.*, **Elemental anomalies in hair as indicators of endocrinologic pathologies and deficiencies in calcium and bone metabolism.** J Trace Elem Med Biol 15: 46-55, 2001.

MIEKELEY, N., DIAS CARNEIRO, M.T.W., PORTO DA SILVEIRA, C.L., **How reliable are human hair reference intervals for trace elements?** Sci Total Environ 218: 9-17, 1998.

MINOIA, C., *et al.*, **Trace element reference values in tissues from inhabitants of the European community I. A study of 46 elements in urine, blood and serum of Italian subjects.** Sci Total Environ 95: 89-105 1990.

MIRANDA, E., *et al.*, **Developmental toxicity of meglumine antimoniate and transplacental transfer of antimony in the rat.** Reproductive Toxicology 21: 292-300, 2006.

MIRANDA, C., *et al.*, **Sistemas interfaceados de análise por injeção em fluxo e eletroforese capilar (FIA-CE): desafios, aplicações perspectivas.** Quím. Nova 25(3): 412-419, 2002.

MIRAVET, R., LÓPEZ-SÁNCHEZ, J., RUBIO, R., **New considerations about the separation and quantification of antimony species by ion chromatography-hydride generation atomic fluorescence spectrometry.** J Chromatogr A 1052 (1-2): 121-129, 2004.

MONTASER, A., **Inductively coupled plasma mass spectrometry.** Wiley-VCH, 1998.

MOREIRA, R., *et al.*, **Nível de conhecimento sobre Leishmaniose Tegumentar Americana (LTA) e uso de terapias alternativas por populações de uma área endêmica da Amazônia do Maranhão, Brasil.** Cad Saúde Pública, RJ 18(1): 187-195, 2002.

MOREIRA, F., MOREIRA, J., **A importância da análise de especiação do chumbo em plasma para a avaliação dos riscos à saúde.** Quim. Nova 27: 251-260, 2004.

MORTARI, S., **Determinação da concentração total de antimônio e de suas espécies químicas em amostras clínicas de pacientes com leishmanioses.** 143f Tese de doutorado Departamento de Química Pontifícia Universidade Católica do Rio de Janeiro, Rio de Janeiro 2001a.

MORTARI, S., *et al.*, **Avaliação retrospectiva da administração de baixas doses de antimonial pentavalente para o tratamento da leishmaniose tegumentar americana através da dosagem de antimônio em segmentos de amostras de cabelo.** XXXVII Congresso da Sociedade Brasileira de Medicina Tropical, Salvador, Bahia . Livro de Resumos: 162, 2001b.

MORTON, J., *et al.*, **Removal of exogenously bound elements from human hair by various washing procedures and determination by inductively coupled plasma mass spectrometry.** Anal Chim Acta 455: 23-34, 2002.

MS – MINISTÉRIO DA SAÚDE **Manual de vigilância da leishmaniose tegumentar Americana / Ministério da Saúde, Secretaria de Vigilância em Saúde, Departamento de Vigilância Epidemiológica,** Brasília, Editora do Ministério da Saúde, 182 p, 2007.

MS – MINISTÉRIO DA SAÚDE **Atlas de leishmaniose tegumentar Americana: diagnóstico clínico e diferencial / Ministério da Saúde, Secretaria de Vigilância em Saúde, Departamento de Vigilância Epidemiológica,** Brasília: Editora do Ministério da Saúde, 136 p, 2006.

MS – MINISTÉRIO DA SAÚDE **Manual de Controle da Leishmaniose Tegumentar Americana** Fundação Nacional de Saúde, Brasília, 62p, 2000.

NEGLECTED TROPICAL DISEASE COALITION, <http://www.neglectedtropicaldiseases.org/>, acessada em 20/04/2008.

OLIVEIRA-NETO, M., *et al.*, **South American cutaneous leishmaniasis of the eyelids.** Ophthalmology 107(1): 169-172, 2000.

OLIVEIRA-NETO, M., *et al.*, **Treatment of american cutaneous leishmaniasis: a comparison between low dosage (5 mg / kg / day) and high dosage (20 mg / kg / day) antimony regimens.** Pathologie Biologie 45 (6): 496-499, 1997a.

OLIVEIRA-NETO, M. *et al.*, **Intralesional therapy of American cutaneous leishmaniasis with pentavalent antimony in Rio de Janeiro, Brazil – in the area of Leishmania (V.) *braziliensis* transmission.** Int J Dermatol 36: 463-468, 1997b.

OLIVEIRA-NETO, M. *et al.*, **A low dose treatment in 159 patients with American cutaneous leishmaniasis. Extensive follow-up studies (up to 10 years)** Am J Trop Med Hygiene 57: 651-655, 1997-c

OLIVEIRA-NETO, M., *et al.*, **High and low dose of antimony (Sb^V) in American cutaneous leishmaniasis. A five years follow-up of 15 patients.** Memórias do Instituto Oswaldo Cruz 91: 207-209, 1996.

OLLIARO, P., *et al.*, **Visceral leishmaniasis: current status of control, diagnosis, and treatment, and a proposed research and development agenda.** Lancet Infect Dis 2: 494-501, 2002.

OMS **Antimony in drinking water – background document for preparation of WHO Guidelines for drinking water quality**, World Health Organization (WHO/SDE/WSH/03.04/74), 2003.

OMS, <http://www.who.int/tdr/diseases/leish/default.htm>, acessada em 2002.

PAMPLIN, C., *et al.*, **Pharmacokinetics of antimony during sodium stibogluconate therapy for cutaneous leishmaniasis.** Clin Pharmacol Therapeutics 29(2): 270-271, 1981.

PANNIER, F., *et al.*, **Simultaneous speciation of Sb(III), Sb(V) and (CH₃)₃SbCl₂ by high performance liquid chromatography-hydride generation-atomic fluorescence spectrometry detection (HPLC-HG-AFS): Application to antimony speciation in sea water.** J. Chromatogr. A 1091: 94-101, 2005

PASCHAL, D., *et al.*, **Trace Metals in Urine of United States Residents: Reference Range Concentration.** Environ Res, 76: 53-59, 1998.

PAUMGARTTEN, F., CHAHOUD, I., **Embryotoxicity of meglumine antimoniate in the rat.** Reproductive Toxicol 15: 327-331, 2001.

PEÑA, Y., *et al.*, **On-line determination of antimony(III) and antimony(V) in liver tissue and whole blood by flow injection – hydride generation – atomic absorption spectrometry** Talanta55: 743-754, 2001

PEÑA, Y., *et al.*, **Selective determination of antimony (III) and antimony (V) in blood serum and urine by hydride generation and atomic absorption spectrometry.** J Bras Chem Soc 1: 72-75, 1990.

PEREIRA, R., *et al.*, **Inorganic speciation analysis of selenium by IC-ICPMS and its application to effluents from a petroleum refinery.** Spectrochim Acta Part B, 60: 633-641, 2005.

PEREIRA, R., **Desenvolvimento e aplicação de uma metodologia para análise de especiação de selenito, selenato e selenocianato em efluentes hídricos de refinaria de petróleo.** Dissertação de Mestrado Departamento de química Pontifícia Universidade Católica do Rio de Janeiro, Rio de Janeiro, 2004.

POON, R., *et al.*, **Effects of Antimony on Rats Following 90-day Exposure via Drinking Water.** Food and Chemical Toxicology 36: 21-35, 1998.

PORROZI, R., *et al.*, **Cross-immunity experiments between different species or strains of *Leishmania* in Rhesus macaques (*Macaca Mulatta*)** Am J Trop Hyg. 71: 297-305, 2004.

RATH, S., *et al.*, **Antimoniais empregados no tratamento da leishmaniose: estado da arte** Quím Nova 26(4): 550-555, 2003.

RATH, S., JARDIM, W., DÓREA, J., **A simple spectrophotometric procedure for the determination of antimony (III) and (V) in antileishmanial drugs** Fresenius J Anal Chem 358: 548-550, 1997.

ROBERTS, W., McMURRAY, W., RAINEY, P., **Characterization of the antimonial antileishmanial agent meglumine antimonate (glucantime)** Antimicrob Agents Chemother 42(5): 1076-1082, 1998.

RODUSHKIN, I., AXELSSON, M., **Application of double focusing sector field ICP-MS for multielemental characterization of human hair and nails. Part I. Analytical methodology** Sci Total Environ 250: 83-100, 2000a.

RODUSHKIN, I., AXELSSON, M., **Application of double focusing sector field ICP-MS for multielemental characterization of human hair and nails. Part II. A study of the inhabitants of northern Sweden** Sci Total Environ 262: 21-36, 2000b

RUBIM, J., SANTOS, M., TAVARES, M., **Implementação de um sistema de eletroforese capilar com detecção de fluorescência induzida por laser** Quím. Nova 23(5): 585-589, 2000.

SAENZ, R., *et al.*, **Efficacy and toxicity of Pentostam against Panamanian mucosal leishmaniasis** Am J Trop Med Hyg 44(4): 394-398, 1991.

SAMPAIO, R., *et al.*, **Avaliação da tolerância e nefrotoxicidade do antimonial pentavalente administrado na dose de 40 mg Sb (V) / kg / dia, de 12/12 h, por 30 dias na forma cutâneo-mucosa de leishmaniose** Rev Soc Bra Med Trop 30 (6): 457-463, 1997.

SÁNCHEZ-RODRIGUES, I., *et al.*, **Elemental concentrations in different species of seaweeds from Loreto Bay, Baja California Sur, México: implications for the geochemical control of metals in algal tissue** Environment Pollution 114:145-160, 2001.

SANZ-MENDEL, A., *et al.*, **Trace element speciation by ICPMS in large biomolecules and its potencial for proteomics** Anal Bioanal Chem 377: 236-247 2003.

SAYAGO, A., *et al.*, **Optimization of an HPLC-HG-AFS method for screening Sb(V), Sb(III), and Me₃SbBr₂ in water samples** J. Anal At. Spectrom 17: 1400-1404, 2002.

SCHUBACH, A., *et al.*, **Estudos sobre o metabolismo de antimônio e de suas espécies química no tratamento da Leishmaniose Tegumentar Americana com baixas doses de antimônio** Rev Soc Bras Med Trop 35 (3): 102-104, 2002.

SCHUBACH, A., *et al.*, **Estudo sobre o metabolismo de antimônio e de suas espécies químicas no tratamento da leishmaniose tegumentar americana com baixas doses de antimônio** Projeto de pesquisa apresentado a FAPERJ, 2001.

SCOPUS, <http://www.scopus.com.scopeesprx.elesevier.com/>, acessada em 20/04/2008

SERENO, D., *et al.*, **Antimonial-mediated DNA fragmentation in *Leishmania infantum* amastigotes** Antimicrobial Agents and Chemotherapy 45(7): 2064-2069, 2001.

SERENO, D., LEMESTRE, J., LE, X., **Use of an enzymatic in vitro micromethod to quantify amastigote stage of axenically grown amastigote forms of *leishmania amazonensis*** Parasitol 83: 401-403, 1997.

SERFOR-ARMAH, Y., *et al.*, **Levels of arsenic and antimony in water and sediment from Prestea, a gold mining town in Ghana and its environs** Water, Air, and Soil Pollut 175: 181-192, 2006.

SHOTYK, W., *et al.*, **Natural abundance of Sb and Sn in pristine groundwater, Springwater, Township, Ontario, Canada and implications for tracing contamination from landfill leachates** J Environ Monit 7(12): 1238-1244, 2005.

SHOTYK, W., *et al.*, **Antimony in recent, ombrotrophic peat from Switzerland and Scotland: Comparison with natural background values (5,320 to 8,020 C-14 yr BP) and implications for the global atmospheric Sb cycle.** Global Biogeochemical Cycles 18(1), 2004.

SILVA JR., J., **Eletroforese de Proteínas** Rio de Janeiro: Editora Interciência, 2001.

SMICHOWSKI, P., *et al.*, **Antimony: a traffic-related element in the atmosphere of Buenos Aires, Argentina** J Environ Monit 7: 1162-1168, 2005.

SMICHOWSKI, P., *et al.*, **Trace elements content in size-classified volcanic ashes as determined by inductively coupled plasma-mass spectrometry** Microchem J 75: 109-117, 2003.

SMICHOWSKI, P., MADRID Y., CÁMARA, C., **Analytical methods for antimony speciation in waters at trace and ultratrace levels. A review** Fresenius J. Anal. Chem. 360: 623-629, 1998.

SUTTON, K., CARUSO, J., **Liquid chromatography-inductively coupled plasma mass spectrometry** J Chromatogr A 856: 243-258, 1999.

SUZUKI, K., MANDAL, B., OGRA, Y., **Speciation of arsenic in body fluids** Talanta 58: 111-119, 2002

TAVARES, M., **Mecanismos de Separação em eletroforese capilar** Quím. Nova 20(5): 493-510, 1997.

TAVARES, M., **Eletroforese capilar: conceitos básicos** Quím. Nova 19(2): 173-181, 1996.

TAYLOR, H., **Inductively coupled plasma mass spectroscopy and techniques: practices and techniques** Estados Unidos: Academic Press, 2001.

TEMPLETON, D., *et al.*, **Guidlines for terms related to chemical speciation and fractionation of elements. Definitions, structural aspects, and methodological approaches.** Pure Appl. Chem. 72(8):1453-1470, 2000.

TEMPLETON, D., **Trace element speciation in toxicology and clinical sciences** Analisis Magazine 26(6): 68-71, 1998.

TEVA, A., *et al.*, **Responses of *Leishmania (Viannia) braziliensis* cutaneous infection to n-methylglucamine antimoniate in the rhesus monkey (*Macaca mulatta*) model** J. Parasitol. 91: 976-978, 2005.

TEVA, A., *et al.*, ***Leishmania (Viannia) braziliensis*-induced chronic granulomatous cutaneous affecting the nasal mucosa in the rhesus monkey (*Macaca mulatta*) model** Parasitology, 127: 437-447, 2003.

TRIVELIN, L., *et al.*, **Determination of pentavalent antimony in antileishmaniotic drugs using automated system for liquid-liquid extraction with on-line detection** Talanta 68: 1536-1543, 2006.

ULRICH, N., SHAKED, P., ZILBERSTEIN, D., **Speciation of antimony (III) and antimony (V) in cell extracts by anion chromatography/inductively coupled plasma mass spectrometry** Fresenius J Anal Chem 368: 62-66, 2000.

ULRICH, N., **Speciation of antimony (III), antimony (V) and trimethylstiboxide by ion chromatography with inductively coupled plasma atomic spectrometric and mass spectrometric detection** Anal Chim Acta 359: 245-253, 1998.

VALLADARES, J., *et al.*, **Pharmacokinetics of meglumine antimoniate after administration of a multiple dose in dogs experimentally infected with *Leishmania infantum*** Vet Parasitol 75: 33-40, 1998.

VALLADARES, J., *et al.*, **Disposition of antimony after administration of N-methylglucamine antimonite to dogs** Vet Rec. 138: 181-183, 1996.

VÁSQUES, L., *et al.*, **Pharmacokinetics of experimental pentavalent antimony after intramuscular administration in adult volunteers** Curr Therapeutic Res. 67 (3): 193-203, 2006.

VIEIRA, F., MIEKELEY, N., SCHUBACH, A., **Studies on the behavior of meglumine antimoniate and its metabolic species in the human body**

European Winter Conference on Plasma Spectrochemistry, Taormina, Itália, Abstract no CD-ROM, 2007.

VIEIRA, F., **Desenvolvimento de uma metodologia para determinação de trimetil antimônio, Sb(V) e Sb(III) em amostras clínicas por IC-ICPMS** 116f
Dissertação de Mestrado Departamento de Química Pontifícia Universidade Católica do Rio de Janeiro, Rio de Janeiro 2003.

VIÑAS, P., *et al.*, **Liquid chromatography-hydride generation-atomic fluorescence spectrometry hybridation for antimony speciation in environmental samples** Talanta 68 (4): 1401-1405, 2006.

VOET, D. , VOET, J., **Biochemistry** , Estados Unidos, JWS, 1995

WARD, N.I., *et al* ., **Multielement Relationships and Analysis of Cerebrospinal - fluid in unsolved problems of human-diseases** Trace Elements in Medicine 9(1): 1-6, 1992.

WEHR, T., RODRÍGUEZ-DÍAZ, R., ZHU, M., **Capillary electrophoresis of proteins** Estados Unidos: Marcel Dekker, Inc, v.80, Chromatogr. Sci., 1998.

WOLFSPERGER, M., *et al.*, **Heavy metals in human hair samples from Austria and Italy: influence of sex and smoking habits** Sci Total Environ 156: 235-242, 1994.

ZHENG,J., FURUTA, N., TAKEDA, A., **Investigating the electrospray mass spectra of inorganic and organic antimony compounds** J Anal At Spectrom 16: 62-67, 2001a.

ZHENG, J.,FURUTA, N., IIJIMA, A., **Complexation effect of antimony compounds with citric acid and its application to the speciation of antimony (III) and antimony (V) using HPLC-ICP-MS** J Anal At Spectrom 16: 812-818, 2001b.

ZHENG, J., FURUTA, N., OHATA, M., **Antimony speciation in environmental samples by using high-performance liquid chromatography coupled to inductively coupled plasma mass spectrometry** Anal Sci 16: 75-80, 2000a.

ZHENG, J., FURUTA, N., OHATA,M., **Studies on the speciation of organic antimony compounds in airborne particulate matter by HPLC-ICP-MS** Royal Soc Chem 125:1025-1028, 2000b.