

7**Bibliografia**

- [1] ATAIE-ASHTIANE, B.; SHOBERY, G.; FARHADI, L. Modified incompressible SPH method for simulating free surface problems. Fluid Dynamics Research (2008), doi: 10.1016/j.fluidyn.2007.12.001.
- [2] ATAIE-ASHTIANE, B.; FARHADI, L. A stable moving particle semi-implicit method for free surface flows. Fluid Dynamics Research, v. 38, p. 241-256, 2006.
- [3] BATCHELOR, G. K. An introduction to fluid dynamics. Cambridge University Press, 1967.
- [4] BECHER, M.; TESCHNER, M. Weakly compressible SPH for free surface flows. In: SIGGRAPH, 2007, San Diego. Proceedings of ACM SIGGRAPH, p. 1-8, 2007.
- [5] CLAVET, S.; BEAUDOIN, P.; POULIN, P. Particle-based viscoelastic fluid simulation. In: SIGGRAPH, 2005, Los Angeles. Proceedings of ACM SIGGRAPH, 2005.
- [6] DESBRUN M.; GASCUEL M. P. Smoothed particles: A new paradigm for animating highly deformable bodies. In: Computer Animation and Simulation, 1996. Proceedings of EG Workshop on Animation and Simulation, p 61-76, 1996.
- [7] DUAN, R.-Q.; JIANG, S.-Y.; KOSHIZUKA, S.; OKA, Y.; YAMAGUCHI, A. Direct simulation of flashing jets using the MPS method (Technical Note). International Journal of Heat and Mass Transfer, v. 49, p. 402-405, 2006.

- [8] DUAN, R.-Q.; KOSHIZUKA, S.; OKA, Y. Two-dimensional simulation of drops deformation and breakup at around the critical Weber number. *Nuclear Engineering and Design*, v. 225, p. 37-48, 2003.
- [9] ELLERO, M.; SERRANO, M.; ESPANHOL, P. Incompressible smoothed particle hydrodynamics. *Journal of Computational Physics*, v. 226, p. 1731-1752, 2007.
- [10] FLUENT (2008). “Computational Fluid Dynamics (CFD) Preprocessor from Fluent” [Página da internet]. Fluent Inc. [acesso em 4 ago. 2008]. Disponível em: <<http://www.fluent.com/software/gambit/>>.
- [11] FOX, R. W.; MCDONALD, A. T. Introdução à Mecânica dos Fluidos. 5^a ed., LTC – Livros Técnicos e Científicos Editora S.A., Rio de Janeiro, 2001.
- [12] GAMBIT (2008). “CFD Flow Modeling Software & Solutions from Fluent” [Página da internet]. Fluent Inc. [acesso em 4 ago. 2008]. Disponível em: <<http://www.fluent.com/>>.
- [13] GINGOLD, R. A.; MONAGHAN, J. J. Smoothed Particle Hydrodynamics: Theory and Application to Non-spherical stars. *Monthly Notices of the Royal Astronomical Society*. v. 181, p. 375-389, 1977.
- [14] HEO, S.; KOSHIZUKA, S.; OKA, Y. Numerical Analysis of boiling on high heat-flux and high subcooling condition using MPS-MAFL. *International Journal of Heat and Mass Transfer*, v. 45, p. 2633-2642, 2002.
- [15] HIRSCH, C. Numerical Computation of Internal and External Flows. John Wiley & Sons, New York, 1988.
- [16] KERSHAW, D. S. The incomplete Cholesky-conjugate gradient method for the iterative solution of systems of linear equations. *Journal of Computational Physics*, v. 26, p. 43-65, 1978.

- [17] KOSHIZUKA, S.; IKEDA, H.; OKA, Y. Numerical analysis of fragmentation mechanisms in vapor explosions. *Nuclear Engineering and Design*, v. 189, p. 423-433, 1999.
- [18] KOSHIZUKA, S.; NOBE, A.; OKA, Y. Numerical analysis of breaking waves using the moving particle semi-implicit method. *International Journal for Numerical Methods in Fluids*, v. 25, p. 751-769, 1998a.
- [19] KOSHIZUKA, S.; OKAMOTO, K.; FURUTA, K. Development of computational techniques for nuclear engineering. *Progress in Nuclear Energy*, v. 32, n. 1/2, p. 209-222, 1998b.
- [20] KOSHIZUKA, S.; OKA, Y. Moving-particle semi-implicit method for fragmentation of incompressible fluid. *Nuclear Science and Engineering*, v. 123, p. 421-434, jul. 1996.
- [21] KOSHIZUKA, S.; TAMAKO, H.; OKA, Y. A particle method for incompressible viscous flow with fluid fragmentation. *Journal of Computational Fluid Dynamics*, v. 62, p. 29-46, 1995.
- [22] LIU, G. R.; LIU, M. B. *Smoothed Particle Hydrodynamics: a meshfree particle method*. World Scientific Publishing, 2003.
- [23] LIU, J.; KOSHIZUKA, S.; OKA, Y. A hybrid particle-mesh method for viscous, incompressible, multiphase flows. *Journal of Computational Physics*, v. 202, p. 65-93, 2005.
- [24] LATTANZIO, J. C.; MONAGHAN, J. J.; PONGRACIC, H.; SCHWARTZ, M. P. Controlling penetration. *SIAM Journal on Scientific and Statistical Computing*, v. 7, n. 2, p. 591-598, 1986.
- [25] LIU, M. B.; XIE, W. P.; LIU, G. R. Modeling incompressible flows using a finite particle method. *Applied Mathematical Modelling*, v. 29, p. 1252-1270, 2005.

- [26] LOBOVSKY, L.; VIMMER, J. Smoothed particle hydrodynamics and finite volume modeling of incompressible fluid flow. *Mathematics and Computers in Simulation*, v. 76, p. 124-131, 2007.
- [27] LUCY, L. B. Numerical approach to testing the fission hypothesis. *Astronomical Journal*, v. 82, p. 1013-1024, 1977.
- [28] MACÊDO, I. J. A. Jr. On the simulation of fluids for computer graphics. 2007. M.Sc. Thesis – IMPA, Rio de Janeiro, 2007.
- [29] MENDES, P. R. S.; DUTRA, E. S. S.; SIFFERT, J. R. R.; NACCACHE, M. F. Gas displacement of viscoplastic liquids in capillary tubes. *Journal of Non-Newtonian Fluid Mechanics*, v. 142, p. 1-11, 2007.
- [30] MONAGHAN, J. J. SPH without a tensile instability. *Journal of Computational Physics*, v. 159, p. 290-311, 2000.
- [31] MONAGHAN, J. J. Simulating free surface flows with SPH. *Journal of Computational Physics*, v. 110, p. 399-406, 1994.
- [32] MONAGHAN, J. J. Smoothed Particle Hydrodynamics. *Annual Review of Astronomical and Astrophysics*, v. 30, p. 543-574, 1992.
- [33] MONAGHAN, J. J. On the problem of penetration in particle methods. *Journal of Computational Physics*, v. 82, p. 1-15, 1989.
- [34] MONAGHAN, J. J. An introduction to SPH. *Computers Physics communications*, v. 48, p. 89-96, 1988.
- [35] MONAGHAN, J. J.; LATTANZIO, J. C. A refined particle method for astrophysical problems. *Astronomy and Astrophysics*, v. 149, p. 135-143, 1985.
- [36] MONAGHAN, J. J. Shock simulation by the particle method SPH. *Journal of Computational Physics*, v. 52, p. 374-389, 1983.

- [37] MORRIS, J. P.; FOX, P. J.; ZHU, Y. Modeling low Reynolds number incompressible flows using SPH. *Journal of Computational Physics*, v. 136, p. 214-226, 1997.
- [38] MPI (2008). THE MESSAGE PASSING INTERFACE (MPI) STANDARD. [Página da internet]. [acesso em 4 ago. 2008]. Disponível em: <<http://www-unix.mcs.anl.gov/mpi/>>.
- [39] MULLER, M.; SOLENTHALER, B.; KEISER, R.; GROSS, M. Particle based Fluid-Fluid Interaction. In: SIGGRAPH, 2005, Los Angeles. Proceedings of ACM SIGGRAPH, 2005.
- [40] MULLER, M.; CHARYPAR, D.; GROSS, M. Particle-based fluid simulation for interactive applications. In: SIGGRAPH, 2003, San Diego. Proceedings of ACM SIGGRAPH, p. 154-159, 2003.
- [41] NAKAMURA, F. I. Animação interativa de fluido baseada em partículas pelo método SPH. 2007. 64f. Dissertação (Mestrado em Informática) – Pontifícia Universidade Católica do Rio de Janeiro, Rio de Janeiro, 2007.
- [42] OPENGL (2008). “The Industry Standard for High Performance Graphics” [Página da internet]. OpenGL.org [acesso em 4 ago. 2008]. Disponível em: <<http://www.opengl.org/>>.
- [43] PAIVA, A. N. Uma abordagem lagrangeana para simulação de escoamentos de fluidos viscoplásticos e multifásicos. 2007. 91f. Tese (Doutorado em Matemática) – Pontifícia Universidade Católica do Rio de Janeiro, Rio de Janeiro, 2007.
- [44] PAIVA, A.; PETRONETTO, F.; LEWINER, T.; TAVARES, G. Particle-based non-Newtonian fluid animation for melting objects. In: SIBGRAPI, 2006, Manaus. Proceedings of SIBGRAPI, 2006.

- [45] PREMOZE, S.; TASDIZEN, T.; BIGLER, S.; LEFOHN, A.; WHITAKER R. T. Particle-based simulation of fluids. *Computer Graphics Forum* 22, n. 3, p. 401-410, 2003.
- [46] RAFIEE, A.; MANZARI, M. T.; HOSSEINI, M. An incompressible SPH method for simulation of unsteady viscoelastic free-surface flows. *International Journal of Non-Linear Mechanics*, v. 42, p. 1210-1223, 2007.
- [47] SHAO, S.; LO, E. Y. M. Incompressible SPH method for simulating Newtonian and non-Newtonian flows with a free surface. *Advances in Water Resources*, v. 26, p. 787-800, 2003.
- [48] SHIBATA, K.; KOSHIZUKA, S. Numerical analysis of shipping water impact on a deck using a particle method. *Ocean Engineering*, v. 34, p. 585-593, 2007.
- [49] SHIBATA, K.; KOSHIZUKA, S.; OKA, Y. Numerical analysis of jet breakup behavior using particle method. *Journal of Nuclear Science and Technology*, v. 41, n. 7, p. 715-722, jul. 2004.
- [50] SHIRAKAWA, N.; HORIE, H.; YAMAMOTO, Y.; OKANO, Y.; YAMAGUCHI, A. Analysis of jet flows with the two-fluid particle interaction method. *Journal of Nuclear Science and Technology*, v. 38, n. 9, p. 729-738, set. 2001.
- [51] SOD, G. A. A survey of several finite difference methods for systems of hyperbolic conservation laws. *Journal of Computational Physics*, v. 27, p. 1-31, 1978.
- [52] STAM, J. Stable fluids. In: *SIGGRAPH*, 1999, Los Angeles, CA. *Proceedings of ACM SIGGRAPH*, p. 121-128, 1999.

[53] SUZUKI, Y.; KOSHIZUKA, S.; OKA, Y. Hamiltonian moving-particle semi-implicit (HMPS) method for incompressible fluid flows. *Computer Methods in Applied Mechanics and Engineering*, v. 196, p. 2876-2894, 2007.

[54] TOVAR, J. H.; NISHIMOTO, K. Método de partículas para a modelagem de fluidos incompressíveis. In: *Congresso Nacional de Matemática Aplicada e Computacional*, 28., 2005, São Paulo. *Resumo estendido do Congresso Nacional de Matemática Aplicada e Computacional*, 2005.

[55] TSUKAMOTO, M. M. Desenvolvimento do método de partículas na representação de corpos flutuantes em ondas altamente não-lineares. 2006. 48f. *Dissertação (Mestrado em Engenharia Naval e Oceânica) – Escola Politécnica, Universidade de São Paulo, São Paulo*, 2006.

[56] XIE, H.; KOSHIZUKA, S.; OKA, Y. Numerical simulation of liquid drop deposition in annular-mist flow regime of boiling water reactor. *Journal of Nuclear Science and Technology*, v. 41, n. 5, p. 569-578, maio 2004.

[57] WAMIT (2008). “WAMIT, Inc.” [Página da internet]. WAMIT Inc. [acesso em 17 ago. 2008]. Disponível em: <<http://www.wamit.com>>.

[58] WANG, Q.; ZHENG, Y.; CHEN, C.; FUJIMOTO, T.; CHIBA, N. Efficient rendering of breaking waves using MPS method. *Journal of Zhejiang University SCIENCE A*, v. 7, n. 6, p. 1018-1025, 2006.