

## Referências Bibliográficas

ALVAREZ JAVIER, GARCIA DAVID e MUÑOS RAFAEL, (2003).

*Determinación de la Conductividad Hidráulica en Suelos Mediante un Permeâmetro de Carga Variable Automatizado.* Servicio de Investigación y Tecnología Agraria Junta de Castilla y León. España

ASTM D 4104 (2004). *Standard Test Method (Analytical Procedure) for Determining Transmissivity of Nonleaky Confined Aquifers by Overdamped Well Response to Instantaneous Changes in Head (Slug Test).* American Society for Testing and Materials. West Conshohocken, PA. USA.

ASTM D3441 (1986). *Standard Test Method for Mechanical Cone Penetration Test of Soil.* American Society for Testing and Materials. West Conshohocken, PA. USA.

ASTM TP 316 L (2000). *Seamless Stainless Steel Tube.* American Society for Testing and Materials. West Conshohocken, PA. USA.

ASTM 4719 (1987). *Pressuremeter Testing in Soils.* American Society for Testing and Materials. West Conshohocken, PA. USA.

BOUWER & RICE, (1967). *Slug Test Method Single Well Solution.* Vol.8 No. 2 The Monthly Newsletter of Groundwater.

BUTLER, J.J.Jr; (1998). *The Design, Performance, and Analysis of Slug Test.* Lewis Publishers, CRC Press LLC, Boca Raton, FL.

BUTLER, J.J.Jr; LANIER,A.A.; HEALY J.M.;SELLWOOD,S.M.;McCALL,W & GARNETT,E.,(2000). *Direct Push Hydraulic Profiling in an Unconsolidated Alluvial Aquifer, Kansas Geological Survey*. Open-file Report 2000-62.

BUTLER, J.J.Jr, GARNETT ELIZABETH J., HEALEY JOHN M., (2005). *Analysis of Slug Tests in Formations of High Hydraulic Conductivity*. Published Online 620-631 pp.

BUTLER JAMES Jr. DIETRICH PETER , VOLKER WITTING, AND TOM CHRISTY, (2007). *Characterizing Hydraulic Conductivity with the Direct Push Permeameter*. Journal GROUND WATER Vol. 45, No. 4, July–August 2007 409–419 pp.

CARRILLO, C.D. (2000), *Desenvolvimento de um equipamento para o estudo da permeabilidade efetiva em médios multifásicos*. Dissertação de mestrado Pontifícia Universidade Católica de Rio de Janeiro.

CAMPANELLA, R.G. & RESEARCH STUDENTS (1995): *Guidelines for Geotechnical Design Using the Cone Penetrometer Test and CPT with Pore Pressure Measurement*. Firth Edition, Civil Engineering Department, UBC, Vancouver/BC, Canada.

COOPER, H. H., Jr. D. BREDEHOEFT, and I. S. PAPADOPULOS, (1967). *Response of a Finite-Diameter Well to an Instantaneous Charge of Water*. Water Resource Research, Vol 3, number 1, pp.11-21.

CUSTODIO, E. (1983).-*Hidraulica de captaciones de agua subterranea*. In: *Hidrologia Subterranea*, pp. 614-1004. Custodio, E. y M.R. Llamas (Eds.). Omega, 2 tomos, 2350 pp.

DAVIS, M.P. & CAMPANELLA, R.G. (1995<sup>a</sup>): *Piezocene Technology: Downhole Geophysics for the Geoenvironmental Characterization of Soil. Proceedings of Stmposium on App. Of Geophysics to Engineering anda*

*Environmental Problems, Environmental and Engineering Geophysical Society.*  
*Orlando*, Florida, April, 11p.

DEVINCENZI MARCELO J. (2003). *Piezócono e instrumentación*. IGME, Madrid pp 185-197.

ELRICK, D.E.; REYNOLDS, W.D.; TAN, K. A. (1989). *Hydraulic conductivity measurements in the unsaturated zone using improved well analyses*. Ground Water Monit. Rev.,9: pp. 184-193.

FREEZE, R.A. & CHERRY, J.A. (1979): *Groundwater. Editora Prentice Hall, Inc. Englewood Cliffs, New Jersey, USA*. 555pp.

GAISHENG LIU, GEOFFREY C. BOHLING AND JAMES J. BUTLER,Jr.,(2008). *Simulation Assessment of the Direct-Push Permeameter for Characterizing Vertical Variations in Hydraulic Conductivity*. Kansas Geological Survey, University of Kansas, Lawrence, KS.

HEAD (1986), *Manual of Soil Laboratory Testing, vol 3*. Publisher: Whittles Publishing; 2 edition (September 19, 1986)

HVORSLEV, M.J. (1950).- *Time lag and soil permeability in ground water observations*. US Army Corps of Engineers Waterway Experimentation Station, Bull 36.

JIMENES SALAS, JUSTO J.A.; y. SERRANO A.A (1981).-*Geotecnia y Cimientos II: Mecánica del suelo y de las rocas*. Ed. Rueda, 1188 pp.

LOWRY, B.; DALVIT DUNN SANDRA, MASON NEVA, CHIPMAN VERAUN, SANTO JIM, KISIE KEN L, (1998). *Scale Characteristics of the Different Methods of Measuring Soil Permeability*. Science and Engineering Associates, Inc.

LUNNE T., ROBERTSON P.K AND JOWELL J.M., (1997). *Handbook of the Cone Penetration Testing in Geotechnical Practice.* Blackie academic & professional, New York., 312pp. 2-50

MARCHETTI SILVANO, (1997). *The Flat Dilatometer Design Applications.* Third Geotechnical Engineering Conference Cairo University, January 5-8.

MAYNE P.W., BROWN, D. VINSON J. SCHNEIDER, J. A. & FINKE, K.A (2000), *Site Characterization of Piedmont Residual Soils at the NGES, Opelika, Alabama.* GPS 93. ASCE. National Geotechnical Experimentation Sites, pp. 160-185.

MICHELE JAIME (2006). *Hydrologic Behaviour Properties of a Patterned Fen in Saskatchewan.* Degree of Master of Science in the division of Environmental Engineering University of Saskatchewan, Saskatoon.

MITCHELL, J.K., GARNER, W.S (1975). *In Situ Measurement of Volume Change Characteristics. Proc. ASCE Spec. Conf. G.E.D.* In Situ Measurement of Soil Properties, Raleigh, USA.

MITCHELL, J.K. (1976): *Fundamentals of Soil Behavior.* John Wiley & Sons, New York, EUA. 422p.

MONDELLI GIULLIANA, (2004), 391pp. *Investigação Geoambiental em Áreas de Disposição de Resíduos Sólidos Urbanos Utilizando a Tecnologia do Piezocone.* Dissertação de mestrado Escola Politécnica da Universidade de São Paulo.

NISHIYAMA LUIZ & MARIANO FELIPE, (2007). *Utilização do Permeâmetro de Guelph e Penetrometro de Impactos em Estudos de Uso e Ocupação dos Solos em Bacias Hidrográficas.* Caminhos de Geografia Uberlândia, Vol. 8, Numero 8, pp.131-143.

NAVFAC (1981).- *Soil Mechanic Design Manual 7.01. Naval Facilities Engineering Command. Alexandria*, Virgina, USA, 389 pp. En internet: [www.vulcanhammer.net/download/dm7.pdf](http://www.vulcanhammer.net/download/dm7.pdf) (sitio privado, no site oficial, [www.navfac.navy.mil](http://www.navfac.navy.mil), já não se encontra este documento)

NBR 13292 (1995) –Solo – *Determinação do coeficiente de permeabilidade de solos granulares a carga constante*- Método de ensaio. Associação Brasileira de Normas Técnicas.

NBR 14545 (2000).- Solo- *Determinação do coeficiente de permeabilidade de solos argilosos a carga variável*. Associação Brasileira de Normas Técnicas.

PUERTOS DEL ESTADO (1994).-ROM 0.5-94. *Recomendaciones geotécnicas para construcciones marítimas y portuarias*. Ministério de Obras Publicas, Madrid, 446 pp.

REYNOLDS, W.D., D.E. ELRICK, (1985). “*In situ measurement of field-saturated hydraulic conductivity, sorptivity, and the  $\alpha$ -parameter using the Guelph permeameter*”. Soil Sci. 140: 292-302.

REYNOLDS, W.D., D.E. ELRICK, (1986). A method for simultaneous in situ measurement in the vadose zone of field-saturated hydraulic conductivity, sorptivity, and the conductivity-pressure head relationship. Ground Water Monit. Rev. 6 : 84-95.

DE RUITER, J. (1982), “*The Static Cone Penetration Test-Stat of the Art Report*”. Proc. II European Sympowsium on Penetration Testing, Amsterdam, Vol.2, pp. 389-405.

SERTÃ, H.B.C.,(1986). 185p. *Aspectos geológicos e geotécnicos do solo residual do campo experimental II da PUC/RJ*. Dissertação de mestrado. DEC/PUC-Rio.



SOTO, M. A. A.. (1996). *Estudo da Condutividade Hidráulica em Solos não Saturados*. 136 p. Dissertação (Mestrado em Engenharia Civil) - Escola de Engenharia de São Carlos, Universidade de São Paulo, São Carlos.

TAVENAS, F., Jean, P., LEBLOND, P. and LEROUEIL, S., (1983). *The permeability of natural soft clays*. Part 2: Permeability characteristics. Can. Geotech. J. **20**, pp. 645–660.



TEH, C.I. & HOULSBY, G.T. (1991): *An Analytical Study of the Cone Penetration Test in Clay*. Geotechnique 41(1), pp. 17-34.



## Apêndice

### Plano 1:




### Plano 2:




**Plano 3:****Plano 4:**


**Plano 5:**



**Plano 6:**



**Plano 7:**  
**Desenho da Luva:**



**Plano 8:**  
**Desenho do Parafuso:**

