

- [1] Yuille, A. L., Hallinan, P. W., and Cohen, D. S. 1992. Feature extraction from faces using deformable templates. *Int. J. Comput. Vision* 8, 2 (Aug. 1992), 99-111. DOI= <http://dx.doi.org/10.1007/BF00127169>.
- [2] Asteriadis, S., Nikolaidis, N., and Pitas, I. 2009. Facial feature detection using distance vector fields. *Pattern Recogn.* 42, 7 (Jul. 2009), 1388-1398. DOI= <http://dx.doi.org/10.1016/j.patcog.2009.01.009>.
- [3] Wang, J. and Tan, T. 2000. A new face detection method based on shape information. *Pattern Recogn. Lett.* 21, 6-7 (Jun. 2000), 463-471. DOI= [http://dx.doi.org/10.1016/S0167-8655\(00\)00008-8](http://dx.doi.org/10.1016/S0167-8655(00)00008-8).
- [4] Jin, Z., Lou, Z., Yang, J., and Sun, Q. 2007. Face detection using template matching and skin-color information. *Neurocomput.* 70, 4-6 (Jan. 2007), 794-800. DOI= <http://dx.doi.org/10.1016/j.neucom.2006.10.043>.
- [5] Bagherian, E., Rahmat, Rahmita Wirza O.K. 2008. Facial feature extraction for face recognition: a review. *Information Technology, 2008. ITSIM 2008. International Symposium on Volume 2*, 26-28 Aug. 2008 Page(s):1 – 9. DOI 10.1109/ITSIM.2008.4631649.
- [6] Brunelli, R. and Poggio, T. 1993. Face Recognition: Features Versus Templates. *IEEE Trans. Pattern Anal. Mach. Intell.* 15, 10 (Oct. 1993), 1042-1052. DOI= <http://dx.doi.org/10.1109/34.254061>.
- [7] Alattar, A. M. and Rajala, S. A. 1999. Facial features localization in front view head and shoulders images. In *Proceedings of the Acoustics, Speech, and Signal Processing, 1999. on 1999 IEEE international Conference - Volume 06* (March 15 - 19, 1999). ICASSP. IEEE Computer Society, Washington, DC, 3557-3560. DOI= <http://dx.doi.org/10.1109/ICASSP.1999.757611>.
- [8] Yuen, C. T., Rizon, M., San, W. S., and Sugisaka, M. 2008. Automatic detection of face and facial features. In *Proceedings of the 7th WSEAS international Conference on Signal Processing, Robotics and Automation* (Cambridge, UK, February 20 - 22, 2008). L. Kazovsky, P. Borne, N.

- Mastorakis, A. Kuri-Morales, and I. Sakellaris, Eds. Mathematics And Computers In Science And Engineering. World Scientific and Engineering Academy and Society (WSEAS), Stevens Point, Wisconsin, 230-234.
- [9] Heiseley, B., Serre, T., Pontil, M., Poggio, T. 2001. Component-based Face Detection, *cvpr*, vol. 1, pp.657, 2001 IEEE Computer Society Conference on Computer Vision and Pattern Recognition (CVPR'01) - Volume 1, 2001.
- [10] Gunduz, A., Krim, H. Facial feature extraction using topological methods Image Processing, 2003. ICIP 2003. Proceedings. 2003 International Volume 1, 14-17 Sept. 2003 Page(s): I - 673-6 vol.1 DOI = 10.1109/ICIP.2003.1247051.
- [11] Liya Ding, Aleix M. Martinez, "Precise detailed detection of faces and facial features," *cvpr*, pp.1-7, 2008 IEEE Conference on Computer Vision and Pattern Recognition, 2008.
- [12] Zhihui Jiao, Weize Zhang, Ruofeng Tong, "A Method for Accurate Localization of Facial Features," *etc*s, vol. 3, pp.261-264, 2009 First International Workshop on Education Technology and Computer Science, 2009.
- [13] Automatic facial expression analysis: a survey. B. Fasel (a), Juergen Luetttin (b). (a) IDIAP – Dalle Molle Institute for Perceptual Artificial Intelligence, Switzerland. (b) Ascom SystecAG, Applicable Research and Technology, Switzerland. 2002.
- [14] Ref. Kela, N., Rattani, A., and Gupta, P. 2006. Illumination Invariant Elastic Bunch Graph Matching for Efficient Face Recognition. In *Proceedings of the 2006 Conference on Computer Vision and Pattern Recognition Workshop* (June 17 - 22, 2006). CVPRW. IEEE Computer Society, Washington, DC, 42. DOI= <http://dx.doi.org/10.1109/CVPRW.2006.97>
- [15] Tuytelaars, T. and Mikolajczyk, K. 2008. Local invariant feature detectors: a survey. *Found. Trends. Comput. Graph. Vis.* 3, 3 (Jan. 2008), 177-280. DOI= <http://dx.doi.org/10.1561/06000000017>.
- [16] V. Lepetit and P. Fua, "Towards Recognizing Feature Points Using Classification Trees," Technical Report IC/2004/74, EPFL, 2004.
- [17] V. Lepetit and P. Fua. Keypoint recognition using randomized trees. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, 28(9):1465–1479, Sept. 2006.

- [18] M. Ozuysal, P. Fua, and V. Lepetit. Fast Keypoint Recognition in Ten Lines of Code. In *Conference on Computer Vision and Pattern Recognition*, Minneapolis, MI, June 2007.
- [19] F. Zheng and G. Webb. A comparative study of seminaive bayes methods in classification learning. In *Proceedings of the Fourth Australasian DataMining Conference (AusDM05)*, pages 141–156, Sydney, 2005.
- [20] D. Lowe. Distinctive Image Features from scale-invariant keypoints. *International Journal of Computer Vision*, 20(2):91-110, 2004.
- [21] Kanade, T. 1977. Computer Recognition of Human Faces. *Interdisciplinary Systems Research*, Vol. 47 1977, Birkhauser Verlag, Basel, Switzerland.
- [22] H. Li, K.N. Ngan and Q. Liu. FaceSeg: Automatic Face Segmentation for Real-time Video. *IEEE Transactions on Multimedia*, U.S.A., vol. 11, no. 1, January 2009, pp. 77-88.
- [23] H. Bay, T. Tuytelaars, and L. J. V. Gool, \SURF: Speeded Up Robust Features. In ICCV (1), ser.Lecture Notes in Computer Science, A. Leonardis, H. Bischof, and A. Pinz, Eds., vol. 3951. Springer, 2006, pp. 404-417.