

## Referências bibliográficas

- Aceves, J.; Machne X.: The action of calcium and of local anesthetics on nerve cells, and their interaction during excitation, *J. Pharmacol. Exp. Ther.* **140**: 138, 1963.
- Barbato F., Martino G., Grumetto L. e Rotonda M. I., Retention of quinolones on human serum albumin and  $\alpha_1$ -acid glycoprotein HPLC columns: Relationships with different scales of lipophilicity, *European Journal of Pharmaceutical Sciences* **30**: 211-219, 2007.
- Barbosa J., Barrón D., Lozano E. Jiménez, Eletrophoretic behavior of quinolones in capillary electrophoresis. Effect of pH and evaluation of ionization constants, *Journal of Chromatography A* **839**: 183-192, 1999.
- Barriviera M. L. Fontes C. F. L., Voloch A. H., Louro S. R. W.: Influence of nitric oxide donors on the intrinsic fluorescence of Na<sup>+</sup>, K<sup>+</sup>-ATPase and effects on the membrane lipids, *Nitric Oxide Biology and Chemistry*, **13**, 10-20, 2005.
- Barron D., Lozano J. L., Barbosa A. I., Influence of pH and pKa values on electrophoretic behavior of quinolones in aqueous and hydro-organic media, *Journal of Chromatography A* **871**: 381-389, 2000.
- Baruah, Mukulesh; Qin Wenwu; Flors, Cristina; Hofkers, Johan; Vallée, Renaud A. L ; Beljonne D. ; Van der Auweraer, M.; De Borggraeve, Wim M.; Boens, Noël: Solvent and pH Dependent Fluorescent Properties of a Dimethylaminostyryl Borondipyrromethene Dye in Solution, *J. Phys. Chem. A* **2006**, *110*, 5998–6009.
- Bashford, C. Lindsay; Smith, Jerry C.: Appendix: The Determination of Oxonol-Membrane Binding Parameters by Spectroscopic Methods. *in:* Oxonol Dyes in Phospholipid Dispersions, *Biophysical Journal* **25**, 1979.
- Berg J. M., Tymoczko J. L., Stryer L.: BIOQUÍMICA, 5 edição, Editora Guanabara Koogan S. A., Rio de Janeiro, 2004.

Borrego M. C., Díaz M. C., Bernabé I. e Díaz D. C., Determination of norfloxacin by fluorescence in the presence of different antacids: quantification of analytical interferences, *Journal of Pharmaceutical and Biomedical Analysis* **41**: 977-982, 1996.

Cassuto J.; Sinclair R.; Bonderovic M.: Anti-inflammatory properties of local anesthetics and their present and potential clinical implications, *Acta Anaesthesiologica Scandinavica* **50**: 265-282, 2006.

Ciancio, S. G.; Bougault, P. C.: CLINICAL PHARMACOLOGY FOR DENTAL PROFESSIONALS, second edition. Littleton: PSG, 112-25, 1984.

Cortes V. F., Lopes F. E. V., Barrabin H., Ferreira M. A., Fontes C. F. L.: The  $\gamma$  subunit of  $\text{Na}^+$ ,  $\text{K}^+$ -ATPase: Role on ATPase activity and regulatory phosphorylation by PKA, *The international Journal of Biochemistry & Cell Biology* **38**: 1901-1913, 2006.

Covino, B. G.; Vassalo H. G.: ANESTÉSICOS LOCAIS - MECANISMOS DE AÇÃO E USO CLÍNICO. Rio de Janeiro: Colina Editora, 1985.

de Paula E.; Schreier, S.: Use of a novel method for determination of partition coefficients to compare the effect of local anesthetics on membrane structure, *Biochim. Biophys. Acta* **1240**: 25-33, 1995.

Drakopoulos A. I. and Ioannou P. C., Spectrofluorimetric study of the acid-base equilibria and complexation behavior of the fluoroquinolone antibiotics ofloxacin, norfloxacin, ciprofloxacin and pefloxacin in aqueous solution, *Analytica Chimica Acta* **354**: 197-204, 1997.

Escohotado, A.: HISTÓRIA GENERAL DE LAS DROGAS. Ed. Espasa, 1266-1274, 2005.

Fuchs F. D.; Wannmacher L (eds). FARMACOLOGIA CLÍNICA. FUNDAMENTOS DA TERAPÊUTICA NACIONAL. Rio de Janeiro: Guanabara Koogan, 15-64, 1998.

Franks N. P.; Lieb W. R.: Molecular mechanisms of general anaesthesia, *Nature* **300**: 487-493, 1982.

Gallová, J.; Balgavý P.: Interaction of local anesthetic heptacaine homologs with phosphatidylcholine bilayers - spin label ESR study, *Biochim. Biophys. Acta* **1325**: 189-96, 1997.

Goth, A.: MEDICAL PHARMACOLOGY – PRINCIPLES AND CONCEPTS, eighth edition. Saint Louis: The C. V. Mosby Company, 363, 1976.

Gupta S.P.: Quantitative structure-activity relationship studies on local anesthetics, *Chem. Rev.* **91**: 1109-1119, 1991.

Hutterer, R.; Krämer, K.; Schneider, F.W.; Hof, M.: The localization of the local anesthetic tracaine in phospholipid vesicles: A fluorescence quenching and resonance energy transfer study, *Chemistry and Physics of Lipids* **90**, 11-23, 1997.

Jensen, J., Norby, J. G. e Ottolengui, P.: Binding of sodium and potassium to the sodium pump of pig kidney evaluated from nucleotide-binding behavior, *Journal of Physiology* **346**: 219-241, 1984.

Jorgensen, P. L., Purification and characterization of (Na<sup>+</sup> plus K<sup>+</sup>)-ATPase. 3. Purification from the outer medulla of mammalian kidney after selective removal of membranes components by sodium dodecylsulphate, *Biochemistry Biophysics Acta* **356**: 36-52, 1974.

Johnaon A., Raff L., Walter R.: BIOLOGIA MOLECULAR DA CÉLULA, 4 edição, Artmed editora, Porto Alegre, 2004.

Kutchai H. and Geddis L. M., Inhibition of the Na,K-ATPASE of canine renal medulla by several local anesthetics, *Pharmacological Research*, **43 (4)**, 399-403, 2001.

Lachter, Daniela R.; Garcia, Luciene S.; Casarejos, Fabrício; Louro, Sonia Renaux W.; Teixeira, Letícia R.: Estudo do antibiótico norfloxacina e do seu complexo com ouro através da técnica de fluorescência estacionária e resolvida no tempo, *32ª Reunião Anual da Sociedade Brasileira de Química*: **458-1**, 2009.

Lachter, Daniela R.; Garcia, Luciene S.; San Gil, Rosane A. S.; Teixeira, Letícia R.: Complexos de Au(III) contendo fluorquinolonas: sínteses e estudos espectroscópicos, *32ª Reunião Anual da Sociedade Brasileira de Química*: **458-1**, 2009.

Ladokhin, Alexei S.; Jayasinghe, Sajith; White, Stephen: How to Measure and Analyze Tryptophan Fluorescence in Membranes Properly, and Why Bother?, *Analytical Biochemistry* **285**: 235-245, 2000.

Lakowicz, J. R.: PRINCIPLES OF FLUORESCENCE SPECTROSCOPY, third edition. Springer, 2006.

Lee, A. G., Model for action of local anaesthetics, *Nature* **262**: 545-548, 1976.

Lochynski, S.; Frackwiak B.; Librowski T.; Czarnecki R.; Grochowski J.; Serda P.; Pasenkiewicz-Gierula M.: Stereochemistry of terpene derivatives. Part 3: Hydrolytic kinetic resolution as a convenient approach to chiral aminohydroxyiminocaranes with local anaesthetic activity, *Tetrahedron* **13**: 873-878, 2002.

Louro S. R. W. ; O. R. Nascimento; M. Tabak: Depth profiling of dibucaine in sarcoplasmic reticulum vesicles by fluorescence quenching, *Biochimica et Biophysica Acta* **1189**: 243-246, 1994.

Louro, S. R. W., Nascimento, O. R., Tabak, M.: Charge and pH dependent binding site for dibucaine in ionic micelles: a fluorescence study, *Biochimica et Biophysica Acta* **1190**: 319-328, 1994.

Lu J. Q., Jin F., Sun T. Q. e Zhou X. W.: Multi-spectroscopic study on interaction of bovine serum albumin with lomefloxacin-copper (II) complex, *International Journal of Biological Macromolecules* **40**: 299-304, (2007).

Malheiros S. V. P., Pinto L. M. A., Gottardo L., Yokaichiya D. K., Fraceto L. F., Meirelles N. C., Paula E.: A new look at the hemolytic effect of local anesthetics, considering their real membrane/water partitioning at pH 7.4, *Biophysical Chemistry* **110**: 213-221, 2004.

Miller, M. C.: The pregnant dental patient, *California Dent. Assoc. J.* **23**: 63-70, 1995.

Mondal M., Chakrabarti A., Basak S.: Photophysical study of anesthetics in reverse micelles and water-ethanol mixtures, *Journal of Fluorescence* **13**: 307-314, 2003.

Mondal M., Chakrabarti A.: Effect of the glycosphingolipid, GM1 on localization of dibucaine in phospholipid vesicles: a fluorescence study, *Chemistry and Physics of Lipids* **130**: 175-184, 2004.

Morgan, G. E.; Mikhail, M. S.: CLINICAL ANESTHESIOLOGY, second edition. Stanford: Appleton & Lange, 193-200, 1996.

Ohki, Shinpei: Adsorption of Local Anesthetics on Phospholipid Membranes, *Biochimica et Biophysica Acta* **777**, 56-66, 1984.

Park H. R., Oh C. H., Lee H. C., Lee J. K., Yang K. e Bark k. M.: Spectroscopic properties of fluoroquinolone antibiotics in water-methanol and water-acetonitrile mixed solvents, *Photochemistry and Photobiology* **75** (3): 237-248, (2002).

Pistos, C.; Tsantili-Kakoulidou, A.; Koupparis, M.: Investigation of the retention/pH profile of zwitterionic fluoroquinolones in reversed-phase and ion-interaction high performance liquid chromatography, *Journal of Pharmaceutical and Biomedical Analysis* **39**, 438-443, 2005.

Popovic G., Milovanovic Lj. e Kapetanovic V.: Study of acid-base equilibria of fleroxacin, *Journal of Pharmaceutical and Biomedical Analysis* **18**: 859-863, 1998.

Ragsdale, D. S.; Mcphee, J. C.; Scheuer, T.; Catterall, W.A.: Molecular determinants of state dependent block of Na<sup>+</sup> channels by local anesthetics, *Science* **265**: 1724-1728, 1994.

Refat, M. S.: Synthesis and characterization of norfloxacin-transition metal complexes (group 11, IB): Spectroscopic, thermal, kinetic measurements and biological activity. *Spectrochimica Acta A* **68**: 1393–1405, 2007.

Sakaguchi M.; Kuroda Y.; Hirose M.: The antiproliferative effect of lidocaine on human tongue cancer cells with inhibition of the activity of epidermal growth factor receptor, *International Anesthesia Research Society* **102**: 1103-1107, 2006.

Seelig, A.: Local anesthetics and pressure - a comparison of dibucaine binding to lipid monolayers and bilayers, *Biochim Biophys Acta* **899**: 196-204, 1987.

Skou, J. C.: Local anaesthetics – The action of local anaesthetics on monomolecular layers of stearic acid, *Acta Pharmacol. Toxicol.* **10**: 317-24, 1954.

Smith, I.C; Auger, M.; Jarrell, H.C.: Molecular details on anesthetic-lipid interaction, *Ann. N.Y. Acad. Sci.* **625**: 668-684. 1991.

Song G., He Y. e Cai Z.: Studies on interation of norfloxacin, Cu<sup>2+</sup>, and DNA by Spectral Methods, *Journal of Fluorescence* **15** (5): 673-677, 2005.

Song G., He Y. e Cai Z., The interaction between levofloxacin hydrochloride and DNA mediated by Cu<sup>2+</sup>, *Journal of Fluorescence* **14** (6): 705-709, (2004).

Tortamano, N.; Soares, M. S.; Migliorati, C. A.: ANESTÉSICOS LOCAIS, TERAPÊUTICA E MEDICAMENTOS EM ODONTOLOGIA. São Paulo: Ed. Médica, 245-56, 1990.

Trudell, J. R.: A unitary theory of anesthesia based on lateral phase separations in nerve membranes, *Anesthesiology* **46**: 5-10, 1977.

Turel I. e Bukovec N., Complex formation between some metals and a quinolone family member (ciprofloxacin), *Polyhedron*, **15** (2), 269-275, 1995.

Vanderkooi, G.: Dibucaine Fluorescence and lifetime in aqueous media as a function of pH, *Photochemistry and Photobiology* **39** (6): 775-762, 1984.

Valeur B., MOLECULAR FLUORESCENCE: PRINCIPLES AND APPLICATIONS, Wiley VCH, USA, 2002.

Vilchez J. J., Ballesteros O., Taoufiki J., Palencia G. S. e Naválon A., Determination of the antibacterial norfloxacin in human urine and serum samples by solid-phase spectrofluorimetry, *Analytica Chimica Acta* **444**: 279-286, (2001).

Vieira L. M. M., Fontes A. P. S., Almeida M. V., Síntese e caracterização de complexos de paládio (II), platina (II), zinco (II) e cobre (II) com ligantes do grupo das fluoroquinolonas, Dissertação de mestrado, Universidade Federal de Juiz de Fora, Instituto de Ciências Exatas, Departamento de Química, 2007.

Wang J., Liu Z., Liu J., Liu S. e Shen W., Study on the interaction between fluoroquinolones and erythrosine by absorption, fluorescence and resonance Rayleigh scattering spectra and their application, *Spectrochimica Acta Part A* **69**: 956-963, (2008).

Yagiela, J. A.; Neidle E. A.; Dowd F. J.: LOCAL ANESTHETICS, EDITORIS. PHARMACOLOGY AND THERAPEUTICS FOR DENTISTRY, fourth edition. St. Louis: Mosby, 217-234, 1998.

Yegorova A. V., Scripinets Y. V., Duerkop A., Karasyov A. A., Antonovich V. P. e Wolfbeis O. S.: Sensitive luminescent determination of DNA using the terbinium (III)-difloxacin complex, *Analytica Chimica Acta* **584**: 260-267, 2007.

Zelent, B.; Vanderkooi, J. M.; Coleman, R. G.; Gryczynski, I.; Gryczynsky, Z.: Protonation of Excited State Pyrene-1-Carboxylate by Phosphate and Organic Acids in Aqueous Solution Studied by Fluorescence Spectroscopy, *Biophysical Journal* **91**, 3864-3871, 2006.

Zhang L. W., Wang K. e Zhang X. X.: Study of the interactions between fluoroquinolones and human serum albumin by affinity capillary electrophoresis and fluorescence method, *Analytica Chimica Acta* **603**: 102-120, (2007).