

Referências bibliográficas

1. ZILIO, E. L., PINTO, U. B., Identificação e distribuição dos principais grupos de compostos presentes nos petróleos brasileiros. *Boletim Técnico da Petrobras*, 45, 1 p. 21-25, 2002.
2. SCHMITTER, J. M. and ARPINO, P. J., Azaarenes in Fuels. *Mass Spectrometry Reviews*, 4, 1, p. 87-121, 1985.
3. BENEDIK, M. J., et al., Microbial denitrogenation of fossil fuels. *Trends in Biotechnology*, 16, 9, p. 390-395, 1998.
4. MOREIRA, E. M., PEREIRA, C. G., BORGES, M. B., Craqueamento catalítico fluido de GOP Cabiúnas desnitrificado: o impacto da redução de nitrogenados na carga no desempenho do FCC. *Boletim Técnico da Petrobras*, 45, 3/4, p. 274-283, 2006.
5. OLIVEIRA, E. C., et al., Ion-exchange resins in the isolation of nitrogen compounds from petroleum residues. *Journal of Chromatography A*, 1027, 1-2, p. 171-177, 2004.
6. PILLON, L. Z., Effect of clays and adsorbents on the nitrogen content and the stability of jet fuels. *Petroleum Science and Technology*, 19, 7-8, p. 961-970, 2001.
7. Organização Nacional da Indústria do Petróleo *Mini Glossário*, 2009. Disponível em: <http://www.onip.org.br/main.php?idmain=informacoes&mainpage=Mini_Glossario.htm>. Acessado em: 24/09/2009.
8. SPEIGHT, J. G. and *Handbook of Petroleum Analysis*. New York: John Wiley and Sons, 2001.
9. VON MUHLEN, C., et al., Applications of comprehensive two-dimensional gas chromatography to the characterization of petrochemical and related samples. *Journal of Chromatography A*, 1105, 1-2, p. 39-50, 2006.
10. ALVES, M. V., ROCHA, M. I., ZOTIN, F. M. Z., PINTO, R. R. C. , Estabilidade e filtrabilidade do óleo diesel. *Boletim Técnico da Petrobras*, 49, 1/3, p. 65-71, 2006.
11. PASSOS, C. N., KAZUSHI, J., KLEIN, S. L., CARVALHO, R. L., S. BOZZO, Processamento de querosene Basrah no tratamento Bender da Reduc. *Boletim Técnico da Petrobras*, 46, 3/4, p. 334-350, 2003.
12. SOCHOVA, I., HOFMAN, J., and HOLOUBEK, I., Effects of seven organic pollutants on soil nematode *Caenorhabditis elegans*. *Environment International*, 33, 6, p. 798-804, 2007.
13. BLEEKER, E. A. J., et al., Comparative ecotoxicity of NPAHs to larvae of the midge *Chironomus riparius*. *Aquatic Toxicology*, 41, 1-2, p. 51-62, 1998.
14. BLEEKER, E. A. J., et al., *Toxicity of azaarenes*, in *Reviews of Environmental Contamination and Toxicology*, Vol 173. 2002. p. 39-83.
15. KOBETICOVA, K., et al., Toxicity of four nitrogen-heterocyclic polyaromatic hydrocarbons (NPAHs) to soil organisms. *Ecotoxicology and Environmental Safety*, 71, 3, p. 650-660, 2008.
16. DIJKMAN, N. A., VANVLAARDINGEN, P. L. A., and ADMIRAAL, W. A., Biological variation in sensitivity to N-heterocyclic PAHs; Effects of

- acridine on seven species of micro-algae. *Environmental Pollution*, 95, 1, p. 121-126, 1997.
17. KRAAK, M. H. S., et al., Short-term and chronic exposure of the zebra mussel (*Dreissena polymorpha*) to acridine: Effects and metabolism. *Aquatic Toxicology*, 37, 1, p. 9-20, 1997.
18. YAN, X., Sulfur and nitrogen chemiluminescence detection in gas chromatographic analysis. *Journal of Chromatography A*, 976, 1-2, p. 3-10, 2002.
19. CARDOSO, C. E., *Utilização da fosforimetria na temperatura ambiente suportada em substrato sólido para a determinação seletiva de compostos policíclicos aromáticos nitrogenados e sulfurados em gasolina e em sedimento* 191f. Departamento de Química, Pontifícia Universidade Católica do Rio de Janeiro, Rio de Janeiro, 2007.
20. CHEN, H. Y. and PRESTON, M. R., Measurement of semi-volatile azaarenes in airborne particulate and vapor phases. *Analytica Chimica Acta*, 501, 1, p. 71-78, 2004.
21. CHEN, H. Y. and PRESTON, M. R., Dissolution of azaarenes from urban aerosols. *Atmospheric Environment*, 38, 7, p. 1023-1028, 2004.
22. CHEN, H. Y. and PRESTON, M. R., Azaarenes in the aerosol of an urban atmosphere. *Environmental Science & Technology*, 32, 5, p. 577-583, 1998.
23. OSBORNE, P. J., PRESTON, M. R., and CHEN, H. Y., Azaarenes in sediments, suspended particles and aerosol associated with the River Mersey estuary. *Marine Chemistry*, 58, 1-2, p. 73-83, 1997.
24. KOZIN, I. S., et al., Isomer-specific detection of azaarenes in environmental samples by Shpol'skii luminescence spectroscopy. *Analytica Chimica Acta*, 354, 1-3, p. 181-187, 1997.
25. MOTOHASHI, N., KAMATA, K., and MEYER, R., Chromatographic-Separation and Determination of Carcinogenic Benz[C]Acridines in Creosote Oils. *Environmental Science & Technology*, 25, 2, p. 342-346, 1991.
26. SAUVAIN, J. J., DUC, T. V., and HUYNH, C. K., Development of an analytical method for the simultaneous determination of 15 carcinogenic polycyclic aromatic hydrocarbons and polycyclic aromatic nitrogen heterocyclic compounds. Application to diesel particulates. *Fresenius Journal of Analytical Chemistry*, 371, 7, p. 966-974, 2001.
27. CARLSSON, H. and OSTMAN, C., Clean-up and analysis of carbazole and acridine type polycyclic aromatic nitrogen heterocyclics in complex sample matrices. *Journal of Chromatography A*, 790, 1-2, p. 73-82, 1997.
28. LINK, D. D., BALTRUS, J. P., and ZANDHUIS, P., Isolation and identification of nitrogen species in jet fuel and diesel fuel. *Energy & Fuels*, 21, 3, p. 1575-1581, 2007.
29. MAO, J., et al., Analysis of Benzoquinolines and Acridines in a Brazilian Diesel Oil by Particle-Beam LC/MS and HPLC/UV. *Journal of Liquid Chromatography*, 18, 5, p. 903-916, 1995.
30. VON MUHLEN, C., et al., Qualitative and quantitative study of nitrogen-containing compounds in heavy gas oil using comprehensive two-dimensional gas chromatography with nitrogen phosphorus detection. *Journal of Separation Science*, 30, 18, p. 3223-3232, 2007.
31. SVABENSKY, R., KOCI, K., and SIMEK, Z., The study of properties of HPLC determination of polycyclic aromatic nitrogen heterocycles. *International Journal of Environmental Analytical Chemistry*, 87, 5, p. 337-349, 2007.
32. TOLLBACK, P., CARLSSON, H., and OSTMAN, C., Coupled LC-GC-NPD for determination of carbazole-type PANH and its application to personal

- exposure measurement. *HRC-Journal of High Resolution Chromatography*, 23, 2, p. 131-137, 2000.
33. YAMAUCHI, T. and HANNA, T., Characterization of Aza Heterocyclic Hydrocarbons in Urban Atmospheric Particulate Matter. *Environmental Science & Technology*, 21, 12, p. 1177-1181, 1987.
34. WARZECHA, L., et al., Determination of polycyclic aromatic hydrocarbons, azaarenes, and aminoazaarenes in meat samples by solid-phase extraction (SPE) and HPLC. *Acta Chromatographica*, 12, 104-121, 2002.
35. WILHELM, M., MATUSCHEK, G., and KETTRUP, A., Determination of basic nitrogen-containing polynuclear aromatic hydrocarbons formed during thermal degradation of polymers by high-performance liquid chromatography-fluorescence detection. *Journal of Chromatography A*, 878, 2, p. 171-181, 2000.
36. RIVERA, L., et al., Solid-phase extraction for the selective isolation of polycyclic aromatic hydrocarbons, azaarenes and heterocyclic aromatic amines in charcoal-grilled meat. *Journal of Chromatography A*, 731, 1-2, p. 85-94, 1996.
37. BLASZCZYK, U. and JANOSZKA, B., Analysis of azaarenes in pan fried meat and its gravy by liquid chromatography with fluorescence detection. *Food Chemistry*, 109, 1, p. 235-242, 2008.
38. JANOSZKA, B., et al., Clean-up procedures for the analysis of heterocyclic aromatic amines (aminoazaarenes) from heat-treated meat samples. *Journal of Chromatography A*, 938, 1-2, p. 155-165, 2001.
39. BRIKER, Y., et al., Miniaturized method for separation and quantification of nitrogen species in petroleum distillates. *Fuel*, 82, 13, p. 1621-1631, 2003.
40. MA, Y. L. and HAYS, M. D., Thermal extraction-two-dimensional gas chromatography-mass spectrometry with heart-cutting for nitrogen heterocyclics in biomass burning aerosols. *Journal of Chromatography A*, 1200, 2, p. 228-234, 2008.
41. NAVAS, M. J. and JIMENEZ, A. M., Chemiluminescent methods in petroleum products analysis. *Critical Reviews in Analytical Chemistry*, 30, 2-3, p. 153-162, 2000.
42. WRIGHT, B. W., ROSS, G. A., and SMITH, R. D., Capillary Zone Electrophoresis of Fuel Materials. *Energy & Fuels*, 3, 3, p. 428-430, 1989.
43. SONG, L. G., et al., Determination of the Petroleum Tracers Nitrate and Thiocyanate in Subterranean Waters by Capillary Ion Electrophoresis. *Journal of Chromatography A*, 715, 2, p. 376-384, 1995.
44. ROBERT, J. M. and SPINKS, C. D., Separation of metallated porphyrin models using micellar electrokinetic capillary chromatography. *Journal of Liquid Chromatography & Related Technologies*, 20, 18, p. 2979-2995, 1997.
45. PRADO, M. S. A., et al., Comparison of capillary electrophoresis and reversed-phase liquid chromatography methodologies for determination of diazepam in pharmaceutical tablets. *Journal of Pharmaceutical and Biomedical Analysis*, 37, 2, p. 273-279, 2005.
46. ALTRIA, K. D., Overview of capillary electrophoresis and capillary electrochromatography. *Journal of Chromatography A*, 856, 1-2, p. 443-463, 1999.
47. VEUTHEY, J.-L., Capillary electrophoresis in pharmaceutical and biomedical analysis. *Analytical and Bioanalytical Chemistry*, 381, 1, p. 93-95, 2005.
48. BRAITHWAITE, A. and SMITH, F. J., *Chromatographic Methods*. Dordrecht / Boston / London: Kluwer Academic Publishers, 1999.

49. TONHI, E., et al., Fases estacionárias para cromatografia líquida de alta eficiência em fase reversa (CLAE-FR) baseadas em superfícies de óxidos inorgânicos funcionalizados. *Quimica Nova*, 25, 4, p. 616-623, 2002.
50. SCOTT, R. P. W., *Liquid Chromatographic Detectors*, in *Chrom-Ed Book Series*. 2003, Library4Science.
51. CAZES, J., *Encyclopedia of Chromatography*. New York: Taylor & Francis, 2001.
52. GONZALEZ, A. G. and HERRADOR, M. A., A practical guide to analytical method validation, including measurement uncertainty and accuracy profiles. *Trac-Trends in Analytical Chemistry*, 26, 3, p. 227-238, 2007.
53. ELLISON, S. L. R., ROSSLEIN, M., WILLIAMS, A., ed. *Quantifying Uncertainty in Analytical Measurement*. EURACHEM/CITAC Guide. 2000.
54. Orientação sobre validação de métodos de ensaios químicos. DOQ-CGCRE-008, Instituto Nacional de Metrologia, Normalização e Qualidade Industrial, Revisão 02 – JUNHO/2007.
55. TAVARES, M. F. M., et al., Applications of capillary electrophoresis to the analysis of compounds of clinical, forensic, cosmetological, environmental, nutritional and pharmaceutical importance. *Journal of the Brazilian Chemical Society*, 14, 2, p. 281-290, 2003.
56. HJERTEN, S., Free zone electrophoresis. *Chromatogr. Rev.*, 9, 122-219, 1967.
57. MIKKERS, F. E. P., EVERAERTS, F. M., and VERHEGGEN, T., High-Performance Zone Electrophoresis. *Journal of Chromatography*, 169, FEB, p. 11-20, 1979.
58. JORGENSON, J. W. and LUKACS, K. D., Zone Electrophoresis in Open-Tubular Glass-Capillaries. *Analytical Chemistry*, 53, 8, p. 1298-1302, 1981.
59. SANTOS, M. R., TAVARES, M. F. M., and RUBIM, J. C., Implementação de um sistema de eletroforese capilar com detecção de fluorescência induzida por laser. *Quimica Nova*, 23, 5, p. 585-589, 2000.
60. United States Pharmacopeia *Biotechnology Derived Articles - Capillary Electrophoresis*, 2009. Disponível em: <http://www.usp.org/USPNF/notices/capillaryElectrophoresis.html>. Acessado em: 18 de agosto de 2009.
61. FRAZIER, R. A., AMES, J.M., NURSTEN, H.E., *Capillary Electrophoresis for Food Analysis: Method Development*. Royal Society of Chemistry, 2000.
62. TAVARES, M. F. M., Eletroforese Capilar: Conceitos Básicos. *Quimica Nova*, 19, 2, p. 173-181, 1996.
63. DE SOUZA, C. F., *Desenvolvimento e aplicação de métodos analíticos para a determinação de picoxistrobina e piraclostrobina por cromatografia eletrocinética capilar micelar e de enrofloxacina por fosforimetria em temperatura ambiente*. 172f. Dissertação de Mestrado. Departamento de Química, PUC-Rio, Rio de Janeiro, 2008.
64. TAVARES, M. F. M., Mecanismos de Separação em Eletroforese Capilar. *Quimica Nova*, 20, 5, p. 493-511, 1997.
65. TERABE, S., et al., Electrokinetic Separations with Micellar Solutions and Open-Tubular Capillaries. *Analytical Chemistry*, 56, 1, p. 111-113, 1984.
66. PYELL, U., *Electrokinetic Chromatography - Theory, Instrumentation And Applications*. Chichester: John Wiley & Sons Ltd, 2006.
67. BECKERS, J. L. and BOCEK, P., Sample stacking in capillary zone electrophoresis: Principles, advantages and limitations. *Electrophoresis*, 21, 14, p. 2747-2767, 2000.
68. BLANCO, E., et al., Combination of off-line solid-phase extraction and on-column sample stacking for sensitive determination of parabens and p-

- hydroxybenzoic acid in waters by non-aqueous capillary electrophoresis. *Analytica Chimica Acta*, 647, 1, p. 104-111, 2009.
69. KARTSOVA, L. A. and BESSONOVA, E. A., Preconcentration techniques in capillary electrophoresis. *Journal of Analytical Chemistry*, 64, 4, p. 326-337, 2009.
70. LI, J. H. and CAI, Z. W., Stacking and separation of urinary porphyrins in capillary electrophoresis: Optimization of concentration efficiency and resolution. *Talanta*, 77, 1, p. 331-339, 2008.
71. QUIRINO, J. P. and TERABE, S., Sample stacking of cationic and anionic analytes in capillary electrophoresis. *Journal of Chromatography A*, 902, 1, p. 119-135, 2000.
72. QUIRINO, J. P. and TERABE, S., Large volume sample stacking of positively chargeable analytes in capillary zone electrophoresis without polarity switching: Use of low reversed electroosmotic flow induced by a cationic surfactant at acidic pH. *Electrophoresis*, 21, 2, p. 355-359, 2000.
73. SHIHABI, Z. K., Stacking in capillary zone electrophoresis. *Journal of Chromatography A*, 902, 1, p. 107-117, 2000.
74. DE MORAES, M. D. L., et al., Estratégias de pré-concentração em eletroforese capilar (CE): parte 1. Manipulação da velocidade eletroforética do analito. *Quimica Nova*, 32, 4, p. 1041-1046, 2009.
75. MIKKERS, F. E. P., EVERAERTS, F. M., and VERHEGGEN, T., Concentration Distributions in Free Zone Electrophoresis. *Journal of Chromatography*, 169, FEB, p. 1-10, 1979.
76. Agilent Technologies, Inc. *Diode-array detection in capillary electrophoresis using Agilent Extended Light Path capillaries*, 2009. Disponível em: <www.agilent.com/chem/ce>. Acessado em: 11 de agosto de 2009.
77. SHIHABI, Z. K., Organic solvent high-field amplified stacking for basic compounds in capillary electrophoresis. *Journal of Chromatography A*, 1066, 1-2, p. 205-210, 2005.
78. SHIHABI, Z. K., Stacking of weakly cationic compounds by acetonitrile for capillary electrophoresis. *Journal of Chromatography A*, 817, 1-2, p. 25-30, 1998.
79. DA LUZ, E. R., GONSALVES, T. F. M., and AUCELIO, R. Q., Determination of basic azaarenes in aviation kerosene by solid-phase extraction and HPLC-fluorescence detection. *Journal of Separation Science*, 32, 12, p. 2058-2065, 2009.
80. WEHRY, E. L., *Molecular Fluorescence and Phosphorescence Spectrometry*, in *Handbook of Instrumental Techniques for Analytical Chemistry*, F. Settle, Editor. 1997, Prentice-Hall, Inc.: New Jersey. p. 507-539.
81. Perkin Elmer, Inc. (User Assistance), *An Introduction to Phosphorescence Spectroscopy*, Beaconsfield, 2000. Disponível em: <<http://homepages.wmich.edu/~rsung/files/IntroPhosphor.pdf>>. Acessado em: 28 de maio de 2009.
82. FINETE, V. L. M., *Desenvolvimento de métodos espectrofluorimétricos para a determinação de eritromicina e canamicina e aplicabilidade na vacina contra a febre amarela*. 111f. Dissertação de Mestrado. Departamento de Química, PUC-Rio, Rio de Janeiro, 2005.
83. INGLE JR, J. D., CROUCH, S. R., *Spectrochemical Analysis*. Englewood Cliffs, New Jersey: Prentice Hall, 1988.
84. VO-DINH, T., FETZER, J., CAMPIGLIA, A. D., Monitoring and characterization of polyaromatic compounds in the environment. *Talanta*, 47, 1998.

85. MOULIN, C., DECAMBOX, P., and TRECANI, L., Direct and fast uranium determination in zirconium by time-resolved laser-induced fluorescence spectrometry. *Analytica Chimica Acta*, 321, 1, p. 121-126, 1996.
86. RICNY, J., SIMKOVA, L., and VINCENT, A., Determination of anti-acetylcholine receptor antibodies in myasthenic patients by use of time-resolved fluorescence. *Clinical Chemistry*, 48, 3, p. 549-554, 2002.
87. CANADA-CANADA, F., et al., Determination of danofloxacin in milk combining second-order calibration and standard addition method using excitation-emission fluorescence data. *Food Chemistry*, 113, 4, p. 1260-1265, 2009.
88. ZHU, S. H., et al., Determination of pesticides in honey using excitation-emission matrix fluorescence coupled with second-order calibration and second-order standard addition methods. *Analytica Chimica Acta*, 619, 2, p. 165-172, 2008.
89. KOZIN, I. S., GOOIJER, C., and VELTHORST, N. H., Direct Determination of Dibenzo[a,L]Pyrene in Crude Extracts of Environmental-Samples by Laser-Excited Shpol'skii Spectroscopy. *Analytical Chemistry*, 67, 9, p. 1623-1626, 1995.
90. CANTARELLI, M. A., et al., Simultaneous determination of aspartame and acesulfame-K by molecular absorption spectrophotometry using multivariate calibration and validation by high performance liquid chromatography. *Food Chemistry*, 115, 3, p. 1128-1132, 2009.
91. DA COSTA FILHO, P. A. and VOLERY, P., Broad-based versus specific NIRS calibration: Determination of total solids in fresh cheese. *Analytica Chimica Acta*, 544, 82-88, 2005.
92. RITTHIRUANGDEJ, P., et al., Determination of total nitrogen content, pH, density, refractive index, and brix in Thai fish sauces and their classification by near-infrared spectroscopy with searching combination moving window partial least squares. *Analyst*, 130, 10, p. 1439-1445, 2005.
93. OLIVEIRA, F. C. C., et al., Adulteration of diesel/biodiesel blends by vegetable oil as determined by Fourier transform (FT) near infrared spectrometry and FT-Raman spectroscopy. *Analytica Chimica Acta*, 587, 194-199, 2007.
94. ANDRADE, J. M., et al., Non-destructive and clean prediction of aviation fuel characteristics through Fourier transform-Raman spectroscopy and multivariate calibration. *Analytica Chimica Acta*, 482, 1, p. 115-128, 2003.
95. GOICOECHEA, H. C. and OLIVIERI, A. C., Chemometric assisted simultaneous spectrophotometric determination of four-component nasal solutions with a reduced number of calibration samples. *Analytica Chimica Acta*, 453, 289-300, 2002.
96. SENA, M. M., et al., Determinação espectrofotométrica simultânea de paracetamol e ibuprofeno em formulações farmacêuticas usando calibração multivariada. *Química Nova*, 30, 1, p. 75-79, 2007.
97. BRAGA, J. W. B. and POPPI, R. J., Validação de modelos de calibração multivariada: uma aplicação na determinação de pureza polimórfica de carbamazepina por espectroscopia no infravermelho próximo. *Química Nova*, 27, 6, p. 1004-1011, 2004.
98. RINNAN, R. and RINNAN, A., Application of near infrared reflectance (NIR) and fluorescence spectroscopy to analysis of microbiological and chemical properties of arctic soil. *Soil Biology & Biochemistry*, 39, 7, p. 1664-1673, 2007.
99. NIAZI, A., Spectrophotometric simultaneous determination of uranium and thorium using partial least squares regression and orthogonal signal

- correction. *Journal of the Brazilian Chemical Society*, 17, 5, p. 1020-1026, 2006.
100. WOLD, H., *Path models with latent variables: the NIPALS approach*, in *Quantitative Sociology: International Perspectives on Mathematical and Statistical Model Building*, H.M. Blalock, Editor. 1975, Academic Press: New York. p. 307-357.
101. WOLD, S., Personal memories of the early PLS development. *Chemometrics and Intelligent Laboratory Systems*, 58, 2, p. 83-84, 2001.
102. GELADI, P. and KOWALSKI, B. R., Partial Least-Squares Regression: A Tutorial. *Analytica Chimica Acta*, 185, 1-17, 1986.
103. WOLD, S., SJOSTROM, M., and ERIKSSON, L., PLS-regression: a basic tool of chemometrics. *Chemometrics and Intelligent Laboratory Systems*, 58, 2, p. 109-130, 2001.
104. DA LUZ, E. R., *Predição de propriedades de gasolinas usando espectroscopia FTIR e regressão por mínimos quadrados parciais*. 109f. Dissertação de Mestrado. Departamento de Química, Pontifícia Universidade Católica do Rio de Janeiro, Rio de Janeiro, 2003.
105. KRAMER, R., *Chemometric techniques for quantitative analysis*. New York: Marcel Dekker, Inc., 1998.
106. PRADO, P. I., LEWINSOHN, T. M., DO CARMO, R. L., HOGAN, D. J., Ordenação multivariada na ecologia e seu uso em ciências ambientais. *Ambiente & Sociedade*, 10, 69-83, 2002.
107. DA COSTA FILHO, P. A., *Algoritmo genético na seleção de variáveis em calibração multivariada de dados espectroscópicos*. 122f. Dissertação de Mestrado. Instituto de Química, Universidade Estadual de Campinas, Campinas, 1998.
108. MALINOWISK, E., R., *Factor Analysis in Chemistry*. New York: John Wiley & Sons, 1991.
109. FODOR, G. E., KOHL, K. B., and MASON, R. L., Analysis of gasolines by FT-IR spectroscopy. *Analytical Chemistry*, 68, 1, p. 23-30, 1996.
110. CAMO, S. A., *The Unscrambler*, Manual eletrônico. Trondheim, 1996.
111. BOOKSH, K. S. and KOWALSKI, B. R., Theory of Analytical-Chemistry. *Analytical Chemistry*, 66, 15, p. A782-A791, 1994.
112. LORBER, A., FABER, K., and KOWALSKI, B. R., Net analyte signal calculation in multivariate calibration. *Analytical Chemistry*, 69, 8, p. 1620-1626, 1997.
113. FABER, N. M., Efficient computation of net analyte signal vector in inverse multivariate calibration models. *Analytical Chemistry*, 70, 23, p. 5108-5110, 1998.
114. VALDERRAMA, P., *Avaliação de figuras de mérito em calibração multivariada na determinação de parâmetros de controle de qualidade em indústria alcooleira por espectroscopia no infravermelho próximo*. 128f. Dissertação de Mestrado. Instituto de Química, Universidade Estadual de Campinas, Campinas, 2005.
115. FERRE, J., BROWN, S. D., and RIUS, F. X., Improved calculation of the net analyte signal in inverse multivariate calibration. *Journal of Chemometrics*, 15, 6, p. 537-553, 2001.
116. BOQUE, R. and RIUS, F. X., Multivariate detection limits estimators. *Chemometrics and Intelligent Laboratory Systems*, 32, 1, p. 11-23, 1996.
117. FIGUEIREDO, O. H. S., *Comparação de técnicas multivariadas de regressão aplicadas à calibração multidimensional*. Instituto de Matemática, Universidade Federal do Rio de Janeiro, Rio de Janeiro, 1995.
118. ANDRADE, J. M., SANCHEZ, M. S., and SARABIA, L. A., Applicability of high-absorbance MIR spectroscopy in industrial quality control of

reformed gasolines. *Chemometrics and Intelligent Laboratory Systems*, 46, 1, p. 41-55, 1999.