

## REFERÊNCIAS

- 
- 1 R. Kotitz, H. Matz, L. Trahms, H. Koch, W. Weitschies, T. Rheinlander, W. Semmler e T. Bunte, "SQUID based remanence measurements for immunoassays", **IEEE Trans. Appl. Supercon.**, vol. 7, pag. 3678 (1997)
  - 2 K. Enpuku, K. Soejima, T. Nishimoto, H. Kuma, N. Hamasaki, A. Tsukamoto, K. Saitoh e A. Kandori, "Quantitative evaluation of magnetic immunoassay with remanence measurement", **Supercond. Sci. Technol.**, vol. 19, pag. S257 (2006).
  - 3 Y.R. Chemla, H.L. Grossman, Y. Poon, R. McDermott, R. Stevens, M.D. Alper e J. Clarke, "Ultrasensitive magnetic biosensor for homogeneous immunoassay", **Proc. Nat. Acad. Sci. USA**, vol. 97, pag. 14268 (2000).
  - 4 A. Haller, H. Martz, S. Hartwig, T. Kerberger, H. Atzpadim e L. Trahms, "Low Tc SQUID measurement system for magnetic relaxation immunoassays in unshielded environment", **IEEE Trans. Appl. Supercon.**, vol. 11, pag. 1371 (2001)
  - 5 E. R. Flynn e H. C. Bryant, "A biomagnetic system for in vivo cancer imaging", **Phys. Med. Biol.**, vol. 50, pag. 1273 (2005)
  - 6 S. Tanaka, H. Ota, Y. Kondo, Y. Tamaki, S. Kobayashi, e S. Noguchi, "Detection of magnetic nanoparticles in lymph nodes of rat by high Tc SQUID", **IEEE Trans. Appl. Supercon.**, vol. 13, pag. 377 (2003).
  - 7 K. Enpuku, D. Kuroda, T.Q. Yang, e K. Yoshinaga, "High Tc SQUID system and magnetic marker for biological immunoassays", **IEEE Trans. Appl. Supercon.**, vol. 13, pag. 371 (2003).

- 
- 8 H. R. Carvalho, A. C. Bruno, S. R. W. Louro e P. C. Ribeiro, "Application of an RF-SQUID to Detect Magnetic Particles Used in Immunoassays", **IEEE Trans. Appl. Supercon.**, vol. 17, pag. 820 (2007)
  - 9 A. C. Bruno e J. E. Zimmerman, "Construction and performance of wire-junction RF-SQUIDs", **Springer Proceedings in Physics**, vol. 64, pag. 240–242 (1992)
  - 10 Grover F.W., **Inductance Calculations**, Dover Phoenix Editions, (1945)
  - 11 <http://www.trankera.org/ferrofluid-sculptures-esculturas-em-ferrofluido/> (em 22-09-2010)
  - 12 V. K. Varadan, L. Chen, J. Xie, Nanomedicine: **Design and Applications of Magnetic Nanomaterials**, Nanosensors and Nanosystems. (2008). Pag.: 20-33
  - 13 Idem [12]. Pag.: 23-24
  - 14 Idem [12]. Pag.: 22
  - 15 <http://www.universia.com.br/materia/imprimir.jsp?id=5285> (em 22-09-2010)
  - 16 Christel Hempen e Uwe Karst, "Labeling strategies for bioassays", **Anal Bioanal Chem**, vol. 384, pag. 572 (2006)
  - 17 K. Enpuku, T. Minotani, M. Hotta e A. Nakahodo, "Application of high Tc SQUID magnetometer to biological immunoassays", **IEEE Trans. Appl. Supercon.**, vol. 11, pag. 661 (2001).
  - 18 K. Enpuku, K. Inoue, K. Yoshinaga, A. Tsukamoto, Z. Saitoh, K. Tsukada, A. Kandori, Y. Sugiura, S. Hamaoka, H. Morita, H. Kuma e N. Hamasaki, "Magnetic marker and high Tc superconducting quantum interference device for biological immunoassay", **IEICE Trans. Electron.**, vol. E88, pag. 158 (2005)

- 
- 19 E. C. Stoner e E. P. Wohlfarth, "A mechanism of magnetic hysteresis in heterogeneous alloys", **Philosophical Transactions of the Royal Society London**, vol. A240, pag. 599-642 (1948).
  - 20 P. Debye, Polar Molecules, **Chemical Catalog Company**, New York, (1929).
  - 21 L. Néel, "Some theoretical aspects of rock-magnetism", **Adv. Phys.** Vol. 4, 191-243 (1955).
  - 22 D. J. Dunlop and O. Ozdemir, **Rock Magnetism**. Cambridge: Cambridge University Press, 2001, ch. ch. 12.
  - 23 R. W. Chantrell, K. O'Grady, A. Bradbury, S. W. Charles e J. Popplewell, "The isothermal remanent magnetization of magnetic particles", **J. Phys. D: Appl. Phys.**, vol. 18, pag 2505 (1985).
  - 24 M. Knobel, W. C. Nunes, L. M. Socolovsky, E. De Biasi, J. M. Vargas e J. C. Denardin, "Superparamagnetism and Other Magnetic Features in Granular Materials: A Review on Ideal and Real Systems", **Journal of Nanoscience and Nanotechnology**, vol. 8, pag. 2836–2857 (2008)
  - 25 K. Enpuku, K. Soejima, T. Nishimoto, T. Matsuda, H. Tokumitsu, T. Tanaka, K. Yoshinaga, H. Kuma e N. Hamasaki, "Biological Immunoassays without Bound/Free Separation Utilizing Magnetic Marker and HTS SQUID", **IEEE Trans. Appl. Supercon.**, vol. 17, pag. 816 (2007).
  - 26 D. R. Baselt, G. U. Lee, M. Natesan, S. W. Metzger, P. E. Sheehan, e R. J. Colton, "A biosensor based on magnetoresistance technology", **Biosensors & Bioelectronics**, vol. 13, pag. 731–739 (1998)
  - 27 H. A. Ferreira, D. L. Graham, P. P. Freitas e J. M. S. Cabral, "Biodetection using magnetically labeled biomolecules and arrays of spin valve sensors", **J. Appl. Phys**, vol. 93, pag. 7281-7286 (2003).
  - 28 D. L. Graham, H. A. Ferreira e P. P. Freitas, "Magnetoresistive-based biosensors", **Trends in Biotechnology**, vol. 22, 455-462 (2004)

- 
- 29 P. A. Besse, G. Boero, M. Demierre, V. Pott e R. Popovic, "Detection of a single magnetic microbead using a miniaturized silicon Hall sensor", **Appl Phys Letters**, vol. 80, 4199-4201 (2002)
- 30 Kurlyandskaya G, Levit V., "Magnetic Dynabeads® detection by sensitive element based on giant magnetoimpedance", **Biosensors and Bioelectronics**, vol. 20, pag. 1611–1616 (2005)
- 31 F. Ludwig, E. Heim, S. Mäuselein, D. Eberbeck, M. Schilling, "Magnetorelaxometry of magnetic nanoparticles with fluxgate magnetometers for the analysis of biological targets", **Journal of Magnetism and Magnetic Materials**, vol. 293, pag. 690–695 (2005).
- 32 F. Ludwig, E. Heim, D. Menzel, M. Schilling, "Investigation of superparamagnetic  $\text{Fe}_3\text{O}_4$  nanoparticles by fluxgate magnetorelaxometry for use in magnetic relaxation immunoassays" **Journal of Applied Physics**, vol. 99, pag. 08P106 (2006)
- 33 SeungKyun Lee, W. R. Myers, H. L. Grossman, H. –M. Cho, Y. R. Chemla e J. Clarke, "Magnetic gradiometer based on a high-transition temperature superconducting quantum interference device for improved sensitivity of a biosensor", **Appl Phys Letters**, vol. 81, pag. 3094-3096 (2002)
- 34 K. Enpuku, S. Nabekura, Y. Tsuji, S. Okada, M. Matsuo, A. Tsukamoto, T. Mizoguchi e A. Kandori, "Detection of magnetic nanoparticles utilizing cooled normalpickup coil and high  $T_c$  SQUID", **Physica C**, vol. 469, pag. 1634 (2009)
- 35 R. Kleiner, D. Koelle, F. Ludwig, e J. Clarke, "Superconducting Quantum Interference Devices: State of Art and Application", **Proceedings of the IEEE**, vol. 92, no. 10, pag. 1534 (2004)
- 36 A. Barone, G. Peteronò, **Physics and Applications of the Josephson Effect**, John Wiley & Sons, Inc., (1982)

- 
- 37 J. E. Zimmerman, Paul Thiene e J. T. Harding, "Design and Operation of Stable rf-Biased Superconducting Point-Contact Quantum Devices, and a Note on the Properties of Perfectly Clean Metal Contacts", **J. Appl. Phys.**, vol. 41, pag. 1572 (1970)
  - 38 J. E. Zimmerman, "Sensitivity Enhancement of Superconducting Quantum Interference Devices through the Use of Fractional-Turn Loops", **J. Appl. Phys.**, vol. 42, pag. 4483 (1971)
  - 39 D. Duret e P. Karp, "Figure of merit and spatial resolution of superconducting flux transformers," **J. Appl. Phys.**, vol. 56, pag. 1763–1768 (1984).
  - 40 W. Ritz, "Ueber eine neue Methode zur Lösung gewisser Variationsprobleme der mathematischen Physik", **J. Reine Angew. Math.**, vol. 135, pag. 1–61 (1908).
  - 41 Baker A.J., Pepper, D.W., **Finite Elements 1-2-3**, McGraw Hill, New York, NY, (1991).
  - 42 <http://www.cryofab.com/html/cms60pg.htm> (em 15-03-2010)
  - 43 H. R. Carvalho, A. C. Bruno, S. R. W. Louro e P. C. Ribeiro, "Quantitative Magnetic Immunoassays With a SQUID by Means of Mutual Inductance Calculations", **IEEE Trans. on Magnetics**, vol. 44, pag. 4472 (2008)
  - 44 Merck KGaA, Frankfurter Str. 250, D-64293 Darmstadt, Germany
  - 45 O. Ozdemir, D. J. Dunlop, B. M. Moskowitz, and A. Kosterov, "Changes in remanence, coercivity and domain state at low temperature in magnetite", **Earth Planet. Sci. Lett.**, vol. 194, pag. 343–358 (2002).
  - 46 A. Kosterov, "Magnetic hysteresis of pseudo-single-domain and multidomain magnetite below the Verwey transition", **Earth Planet. Sci. Lett.**, vol. 186, pp. 245–253 (2001).
  - 47 G. R. Chase and D. G. Hoel, "Serial dilutions: Error effects and optimal designs", **Biometrika**, vol. 62, pag. 329–334 (1975).

- 
- 48 A. V. Smirnov and J. A. Tarduno, "Magnetic field control of the lowtemperature magnetic properties of stoichiometric and cation-deficient magnetite", **Earth Planet. Sci. Lett.**, vol. 194, pag. 359–368 (2002).
- 49 X. Y. Zhang, Y. J. Chen, L. N. Fan, and Z. Y. Li, "Enhancement of low-field magnetoresistance in  $\text{Fe}_3\text{O}_4$  particles induced by ball milling", **Solid State Commun.**, vol. 137, pag. 673–677 (2006).
- 50 Cryogenic Limited, Units 29/30, Acton Park, The Vale, London W3 7QE, UK.
- 51 [http://www.magneticmicrosphere.com/resources/Units\\_for\\_Magnetic\\_Properties.pdf](http://www.magneticmicrosphere.com/resources/Units_for_Magnetic_Properties.pdf) (em 28-02-2011)