

Referências Bibliográficas

Abrams, A. C.; **Farmacoterapia Clínica**. Editora Guanabara Koogan, 7ª edição (2006).

Albini, A.; Monti, S.; Photophysics and photochemistry of fluoroquinolones, **Chemical Society Reviews** **32**: 238-250, 2003.

Barbato F., Martino G., Grumetto L. e Rotonda M. I., Retention of quinolones on human serum albumin and α_1 -acid glycoprotein HPLC columns: Relationships with different scales of lipophilicity, **European Journal of Pharmaceutical Sciences** **30**: 211-219, 2007.

Barbosa J., Barrón D., Lozano E. Jiménez, Eletrophoretic behavior of quinolones in capillary electrophoresis. Effect of pH and evaluation of ionization constants, **Journal of Chromatography A** **839**: 183-192, 1999.

Barbosa J., Bergés R., Sanz-Nebot V., Solvatochromic parameter values and pH in aqueous-organic mixtures used in liquid chromatography prediction of retention of a series of quinolones, **Journal of Chromatography A** **719(1)**: 27-36, 1996.

Barbosa J., Fonrodona G., Marqués I., Sanz-Nebot V., Toro I., Solvent effects on protonation equilibria of peptides and quinolones by factor analysis applied to the correlation between dissociation constants and solvatochromic parameters in acetonitrile-water mixtures, **Analytica Chimica Acta** **351(1-3)**: 397-405, 1997.

Barron D., Lozano J. L., Barbosa A. I., Influence of pH and pKa values on electrophoretic behavior of quinolones in aqueous and hydro-organic media, **Journal of Chromatography A** **871**: 381-389, 2000.

Bilski P., Martinez L. J., Koker E. B., Chignell C. F., Photosensitization by Norfloxacin is a Function of pH, **Photochemistry and Photobiology** **64(3)**: 496-500, 1996.

Bilski P., Martinez L. J., Koker E. B., Chignell C. F., Influence of Solvent Polarity and Proticity on the Photochemical Properties of Norfloxacin, **Photochemistry and Photobiology** **68(1)**: 20-24, 1998.

Borrego M. C., Díaz M. C., Bernabé I. e Díaz D. C., Determination of norfloxacin by fluorescence in the P. presence of different antacids: quantification of analytical interferences, **Journal of Pharmaceutical and Biomedical Analysis** **41**: 977-982, 1996.

Cao L., Lin H., Mirsky V. M., Detection of antibiotics in food: Extraction of fluoroquinolones by DNA, **Analytical and Bioanalytical Chemistry** **388**: 253-258, 2007.

Chu, D. T. W. e Fernandes, P. B., Structure-Activity Relationships of the Fluorquinolones, **Antimicrobial Agents and Chemotherapy** **33**, nº2: 131-135, 1989.

Cuquerella M.C., Miranda M.A., Bosca F., Role of excited state intramolecular charge transfer in the photophysical properties of norfloxacin and its derivatives, **Journal of Physical Chemistry A** **110**, 2607-2612, 2006.

Drakopoulos A. I. and Ioannou P. C., Spectrofluorimetric study of the acid-base equilibria and complexation behavior of the fluoroquinolone antibiotics ofloxacin, norfloxacin, ciprofloxacin and pefloxacin in aqueous solution, **Analytica Chimica Acta** **354**: 197-204, 1997.

Fasani E., Profumo A., Albini A., Structure and Medium-Dependent Photodecomposition of Fluoroquinolone Antibiotics, **Photochemistry and Photobiology** **68(5)**: 666-674, 1998.

Finkelstein A., Ptitsyn O. **Protein physics: a course of lectures**. Academic Press Inc (2002).

Freifelder D. **Physical biochemistry**. Applications to Biochemistry and Molecular Biology. 2nd edition (1982).

Garcia C., Oyola R., Piñero L., Arce R., Silva J., Sánchez V. Substitution and solvent effects on the photophysics properties of several series of 10-alkylated phenothiazines derivatives. **Journal of Physical Chemistry A** **109**: 3360 – 3371 (2005).

Gilman, A. G.; Goodman, L. S. e Gilman, A. **The Pharmacological Basis of Therapeutics**. Macmillan publishing co., 6th edition, New York (1980).

Han F., Chi L., Wu W., Liang X., Fu M., Zhao J., Environment sensitive phenothiazine dyes strongly fluorescence in protic solvents, **Journal of Photochemistry and Photobiology A: Chemistry** **196**: 10–23, 2008.

Hollas J. M. **Modern Spectroscopy**. John Wiley and Sons Ltd. 4th edition (2004).

Israelachvili J. N. **Intermolecular and Surfaces Forces**. Academic Press. 2th edition (1998).

Kamat B. P., Study of the interaction between fluoroquinolones and bovine serum albumin, **Journal of Pharmaceutical and Biomedical Analysis** **39**: 1046–1050, 2005.

Kamlet M. J. and Taft R. W., The Solvatochromic Comparison Method. I. The β -Scale of Solvent Hydrogen-Bond Acceptor (HBA) Basicities, **Journal of the American Chemical Society** **98** n°2: 377-383, 1976.

Lachter, D. R.; Garcia, L. S.; Casarejos, F.; Louro, S. R. W.; Teixeira, L. R.: Estudo do antibiótico norfloxacin e do seu complexo com ouro através da técnica de fluorescência estacionária e resolvida no tempo, **32^a Reunião Anual da Sociedade Brasileira de Química**: **458-1**, 2009.

Lachter, D. R.; Garcia, L. S.; San Gil, R. A. S.; Teixeira, L. R.: Complexos de Au(III) contendo fluorquinolonas: sínteses e estudos espectroscópicos, **32^a Reunião Anual da Sociedade Brasileira de Química**: **458-1**, 2009.

Lakowicz J. R., **Principles of fluorescence spectroscopy**, 3rd Edition. Springer Science + Business Media (2006).

Lange's Handbook of Chemistry, 12th Edn., (1979).

Liming D., Qingqin X., Jianmei Y., Fluorescence spectroscopy determination of fluoroquinolones by charge-transfer reaction, **Journal of Pharmaceutical and Biomedical Analysis** **33**: 693-698, 2003.

Luiz F.C.L., **Estudos de fluorescência estacionária e resolvida no tempo de anestésicos locais de antibióticos da classe das fluoroquinolonas**, Tese de Doutorado, Departamento de Física, PUC-Rio (2009).

Mathews C. K., Van Holde, K. E. J. **Biochemistry**. The Benjamin / Cummings Publishing Company, Inc. (ed.), Menlo Park (California) (1990).

Mitscher L. A., Bacterial Topoisomerase Inhibitors: Quinolone and Pyridone Antibacterial Agents, **Chemical. Reviews** **105**: 559-592, 2005.

Musa K. A. K., Eriksson L. A., Theoretical Assessment of Norfloxacin Redox and Photochemistry, **J. Phys. Chem. A** **113**: 10803-10810, 2009.

Nenortas E., Burri C., Shapiro T.A., Antitrypanosomal Activity of Fluoroquinolones, **Antimicrobial Agents and Chemotherapy** **43**: 2066-2068, 1999.

Olea A. F., Worrall D. R., Wilkinson F., Variations in efficiencies of triplet state and exciplex formation following fluorescence quenching of 9,10-dicyanoanthracene due to charge transfer interactions, **Photochemical and Photobiological Sciences** **2**: 212-217, 2003.

Park H. R., Oh C. H., Lee H. C., Lee J. K., Yang K. e Bark k. M.: Spectroscopic properties of fluoroquinolone antibiotics in water-methanol and water-acetonitrile mixed solvents, **Photochemistry and Photobiology** **75** (3): 237-248, (2002).

Piotrowiak P.: Photoinduced electron transfer in molecular systems: recents developments, **Chemical Society Reviews** **28**: 143-150, 1999.

Pistos, C.; Tsantili-Kakoulidou, A.; Koupparis, M.: Investigation of the retention/pH profile of zwitterionic fluoroquinolones in reversed-phase and ion-interaction high performance liquid chromatography, **Journal of Pharmaceutical and Biomedical Analysis** **39**, 438-443, 2005.

Popovic G., Milovanovic Lj. e Kapetanovic V.: Study of acid-base equilibria of fleroxacin, **Journal of Pharmaceutical and Biomedical Analysis** **18**: 859-863, 1998.

Rang H. P., Dale M. M. e Ritter, J. M. Farmacologia. Editora Guabanara Koogan 4^a edição (2001).

Reichardt C., Solvatochromic Dyes as Solvent Polarity Indicators, **Chemical Reviews** **94** n°8: 2319-2358, 1994.

Reichardt C., **Solvents and Solvent Effects in Organic Chemistry**, Third Edition, WILEY-VCH Verlag GmbH & Co. KGaA, Weinheim (2003) .

Schellack, G. **Farmacologia**. Editora Fundamento (2006).

Song, G., Yan, Q. and He, Y., Studies on Interaction of Norfloxacin, Cu²⁺, and DNA by Spectral Methods, **Journal of Fluorescence** **15**, n° 5: 673-678, 2005.

Tavares W., **Manual de Antibióticos e Quimioterápicos Antiinfeciosos**. 2a ed. São Paulo: Atheneu; 1996.

Valeur B. **Molecular Fluorescence. Principles and Applications.** Wiley - VCH Verlag GmbH, USA, (2005).

Vieira L. M. M., **Síntese e caracterização de complexos de paládio (II), platina (II), zinco (II) e cobre (II) com ligantes do grupo das fluoroquinolonas,** Dissertação de mestrado, Universidade Federal de Juiz de Fora, Instituto de Ciências Exatas, Departamento de Química, 2007.

Vílchez J. J., Ballesteros O., Taoufiki J., Palencia G. S. e Naválon A., Determination of the antibacterial norfloxacin in human urine and serum samples by solid-phase spectrofluorimetry, **Analytica Chimica Acta 444:** 279-286, (2001).

Wang J., Liu Z., Liu J., Liu S. e Shen W., Study on the interaction between fluoroquinolones and erythrosine by absorption, fluorescence and resonance Rayleigh scattering spectra and their application, **Spectrochimica Acta Part A 69:** 956-963, (2008).

Yegorova, A. V.; Scripinets, Y. V.; Duerkop, A.; Karasyov, A. A.; Antonovich, V. P.; Wolfbeis, O. S., Sensitive luminescent determination of DNA using the terbium(III)-difloxacin complex, **Analytica Chimica Acta 584:** 260-267, 2007.

Zanini, A. C. e Oga, S. **Farmacologia Aplicada,** Editora Atheneu e Editora da Universidade de São Paulo (1979).

Zhang L. W., Wang K. e Zhang X. X.: Study of the interactions between fluoroquinolones and human serum albumin by affinity capillary electrophoresis and fluorescence method, **Analytica Chimica Acta 603:** 102-120, (2007).