

Referências Bibliográficas

ABAQUS. **ABAQUS User's Manual.** Dassault Systèmes, Simulia Corp. ABAQUS[®] vs. 6.10, Providence, Rhode Island, USA. 2010.

AL-BUSAIFI, B. **Incorporation of fault rock properties into production simulation models.** Ph.D. Thesis – University of Leeds, United Kingdom. 2005.

AL-BUSAIFI, B., FISHER, Q. J., HARRIS, S. D. **The importance of incorporating the multiphase flow properties of fault rocks into production simulation models.** Marine and Petroleum Geology, 22, 365-375. 2005a.

AL-BUSAIFI, B., VASZI, A. Z., FISHER, Q. J. e HARRIS, S. D. **Incorporating the multiphase flow properties of fault rocks into production simulation models using in-situ generated pseudofunctions.** EAGE 67th Conference and Exhibition. 2005b.

AL-HINAI, S. M., FISHER, Q., GRATTONI, C. A., HARRIS, S. D., AL-BUSAIFI, B. **Recent advances in the understanding and incorporation of the multiphase fluid flow properties of fault rocks into production simulation models.** Society of Petroleum Engineers, SPE 105375, 15th SPE Middle East Oil and Gas. 2007.

ANDERSON, E. M. **The dynamics of faulting and dyke formation with applications to Britain.** Oliver and Boyd, Edinburgh. 1951.

BARTON, C. A., ZOBACK, M. D., MOSS, D. **Fluid flow along potentially active faults in crystalline rock.** Geology, 23, 683–686. 1995.

BASSIOUNI, Z. **Theory, measurement and interpretation of well logs.** SPE Textbook Series, v.4. 1994.

BELYTSCHKO, T. B., LIU, W. K., KENNEDY, J. M. **Hourglass control for linear and nonlinear problems.** Computer Methods in Applied Mechanics, v. 43, p. 251-276. 1984.

BELYTSCHKO, T. B., GRACIE, R., VENTURA, G. **A Review of XFEM/GFEM for Material Modelling.** Modelling and Simulation in Materials Science and Engineering, v. 17, n. 4. 2009.

BERG, R. R. **Capillary pressure in stratigraphic traps.** American Association of Petroleum Geologists. Bulletin., Oklahoma, v. 59, p. 939-956. 1975.

BIOT, M. A. **General Theory of Three-Dimensional Consolidation.** Journal of Applied Physics, Vol. 12, 155-164, (1941).

BOLTON, A. J., CLENNELL, M. B., MALTAN, A. J. **Nonlinear stress dependence of permeability: A mechanism for episodic fluid flow in accretionary wedges.** Geology, v. 27, n. 3, p. 239–242. 1999.

BORBA, C., AGUIAR, L. A. M., MACIEL, W. B., ALMEIDA, M. S., DIAS FILHO, D. C., SOUZA, R. S. **Aspectos controladores do potencial selante de falhas: exemplo do Campo de Pilar, bacia de Segip-Alagoas, Brasil.** Boletim de Geociências da Petrobras, v. 12, n. 1, p. 103-123. 2004.

BOUTAREAUD, S., WIBBERLEY, C. A. J., FABBRI, O., SHIMAMOTO, T. **Permeability structure and co-seismic thermal pressurization on fault branches: insights from the Usukidani fault, Japan.** The Internal Structure of Fault Zones: Implications for Mechanical and Fluid-Flow Properties. Geological Society, London, Special Publications, 299, p. 341 – 361. 2008.

BOUVIER, J. D., KAARS-SIJPESTEIGEN, C. H., KLUESNER, D. F., ONYEJEKWE, C. C., VANDER PAL, R. C. **Three-dimensional seismic interpretation and fault sealing investigations.** Num River Field, Nigeria. American Association of Petroleum Geologists Bulletin, v. 73, p. 1397–1414. 1989.

BYERLEE, J. **Friction of rocks.** Pure Applied Geophysics, v. 116, p. 615–626. 1978.

CAINE, J. S., EVANS, J. P., FOSTER, C. G. **Fault zone architecture and permeability structures.** Geology, v. 24, n. 11, p. 1025–1028. 1996.

CAPPA, F. & RUTQVIST, J. **Modeling of coupled deformation and permeability evolution during fault reactivation induced by deep underground injection of CO₂.** International Journal of Greenhouse Gas Control, v. 5 p. 336–346. 2010.

CHIARAMONTE, L., ZOBACK, M. D., FRIEDMANN, J., STAMP, V. **CO₂ sequestration, fault stability and seal integrity at Teapot Dome, Wyoming.** In: 8th International conference on greenhouse gas control technologies, Trondheim, Noruega, June 19–22. 2006.

CHOU, P. C. & PAGANO, N. J. **Elasticity: tensor, dyadic, and engineering approaches.** Courier Dover Publications. 1992.

CLARO, G. K. S. **Um algoritmo para construção de superfícies de falha em sólidos tridimensionais.** Dissertação de Mestrado em Engenharia Mecânica. Unesp. 2011.

COOK, R. D., MALKUS, D. S., PLESHA, M. E. **Concepts and applications of finite element analysis.** 3º edition, John Wiley and Sons. 1989.

CUNDALL, P. A. & BOARD, M. **A microcomputer program for modelling large-strain plasticity problems.** In: Sixth International Conference on Numerical methods in Geomechanics: Numerical Methods in Geomechanics. vol. 6, p. 2101–2108. 1988.

DAVIS, G. H. & REYNOLDS, F. J. **Structural geology of rocks and regions.** New York, John Wiley & Sons, Inc. 2º Ed. 1996.

DAKE, L. P. **Fundamentals of Reservoir Engineering.** Englewood Cliffs, New Jersey, USA, Prentice-hall, Inc. 1978.

DEAN, R. H., GAI, X., STONE, C. M., AND MIKOFF, S. **A Comparison of Techniques for Coupling Porous Flow and Geomechanics**, Reservoir Simulation Symposium. SPE 79709. 2006.

DESAI, C. S. & SIRIWARDANE, H. J. **Constitutive laws for engineering materials with emphasis on geologic materials**. Prentice-Hall, New Jersey. 1984.

DETournay, E. & CHENG, A. H. D. **Fundamentals of poroelasticity, Chapter 5, Comprehensive Rock Engineering** vol. II, Pergamon Press, 113-169. 1993.

DETournay, C. & HART, R. **FLAC and numerical modeling in geomechanics**, In. International FLAC Symposium on Numerical Modeling in Geomechanics, Minneapolis, Rotterdam. 1999.

DEWHURST, D. N.; JONES, R. M. **Influence of physical and diagenetic processes on fault geomechanics and reactivation**. Journal of Geochemical Exploration, n. 78 – 79, p. 153 – 157. 2003.

DEWHURST, D. N.; BOULT, P. J.; JONES, R. M.; BARCLAY, S. A. **Fault healing and fault sealing in impure sandstones**. In: Evaluating fault and cap rock seals: American Association of Petroleum Geologists – Hedberg Series, no. 2, p. 37– 56. 2005.

DOYEN, P. **Seismic reservoir characterization: an Earth modelling perspective**. Education Tour Series, EAGE. 2007.

DU, J., WONG, R. C. K. **Application of strain-induced permeability model in a coupled geomechanics-reservoir simulator**. Journal of Canadian Petroleum Technology, v. 46, n. 12. 2007.

DUCELLIER, A., SEYEDI, D., FOERSTER, E. **A coupled hydromechanical fault model for the study of the integrity and safety of geological storage of CO₂**. Energy Procedia, n. 4, p. 5138–5145. 2011.

EVANS, J. P., FORSTER, C. B., GODDARD, J. V. **Permeability of fault-related rocks, and implications for hydraulic structure of fault zones.** Journal of Structural Geology, v. 19, p. 1393–1404. 1997.

ESHELBY, J. D. **The determination of the elastic field of an ellipsoidal inclusion and related problems.** Proceedings of the Royal Society of London. A241 (1226), 326–396. 1957.

ESHELBY, J. D.. **The elastic field outside an ellipsoidal inclusion.** Proceedings of the Royal Society of London. A252 (1271), 561–569. 1959.

FÆRSETH, R. B. **Shale smear along large faults: continuity of smear and the fault seal capacity.** Journal of the Geological Society, London, V. 163, p. 741–751. 2006.

FÆRSETH, R. B., JOHNSEN, E., SPERREVIK, S. **Methodology for risking fault seal capacity: implications of fault zone architecture.** American Association of Petroleum Geologists Bulletin, v. 91, n. 9, p. 1231 – 1246. 2007.

FAULKNER, D. R., MITCHELL, T. M., RUTTER, E. H. e CEMBRANO, J. **On the structure and mechanical properties of large strike- slip faults.** The Internal Structure of Fault Zones: Implications for Mechanical and Fluid-Flow Properties. Geological Society, London, Special Publications, 299, p. 139 – 150. 2008.

FISHER, Q. J. & KNIPE, R. J. **Fault sealing processes in siliciclastic sediments.** In: Faulting, Fault Sealing and Fluid Flow in Hydrocarbon Reservoirs. London: Geological Society, p. 117-134. (Geological Society of London. Special publications, 147). 1998.

FRISTARD, T., GROTH, G., YIELDING, G., FREEMAN, B.. **Quantitative fault seal prediction: a case study from Oseberg Syd.** In: Hidrocarbon seals: importance for exploration and production. Amsterdam: Elsevier Science, p. 107-124. (Norwegian Petroleum Society. Special Publications, 7). 1997.

GIBSON, R. G. **Fault zones seals in siliciclastic strata of the Columbus Basin, offshore Trinidad.** American Association of Petroleum Geologists. Bulletin, Oklahoma, v. 78, p. 1372-1385. 1994.

GOWD, T. N. & RUMMEL, F. **Effect of confining pressure on the fracture behavior of a porous rock.** International Journal of Rock Mechanics and Mining Science & Geomechanics. Vol. 17, p. 225 – 229. 1980.

GTEP. **Simulação e Gerenciamento de Reservatórios.** Relatório Técnico de P&D – Petrobras, Rio de Janeiro. 2011.

GUIMARÃES, L. J. N., GOMES, I. F., FERNANDES, J. P. V. **Influence of mechanical constitutive model on the coupled hydro-geomechanical analysis of fault reactivation.** Reservoir Simulation Symposium. Society of Petroleum Engineers, SPE 119168. 2009.

GUTIERREZ, M. & LEWIS , R. W. **The role of geomechanics in reservoir simulation.** Society of Petroleum Engineers, SPE 47392. 1998.

HANDIN J.; HAGER Jr. R. V.; FRIEDMAN, M., FEATHER, J. N. **Experimental deformation of sedimentary rocks under confining pressure: pore pressure tests.** Bulletin of American Association of Petroleum Geologists, v. 47, p. 717 – 55. 1963.

HARRIS, D., YIELDING, G., LEVINE, P., MAXWELL, G., ROSE, P. T., NELL, P. **Using shale gouge ratio (SGR) to model faults as transmissibility barriers in reservoirs: an example from the Strathspey Field, North Sea.** Petroleum Geoscience, v. 82, p. 167–176. 2002.

HAWKES, C. D., MCLELLAN P. J., ZIMMER U., BACHU S. **Geomechanical factors affecting geological storage of CO₂ in depleted oil and gas reservoirs: risks and mechanisms.** In: 6th North America Rock Mechanics Symposium (NARMS): Rock Mechanics across Borders and Disciplines. 2004.

HEGRE, T. M., DALEN, V., HENRIQUEZ, A. **Generalized transmissibility for distorted grids in reservoir simulation.** Society of Petroleum Engineers, SPE 15622. 1986.

INOUE, N. & FONTOURA, S. A. B. **Answers to some questions about the coupling between fluid flow and rock deformation in oil reservoirs.** In Reservoir Characterization and Simulation Conference. SPE 125760-MS. 2009.

INOUE, N., FONTOURA, S. A. B., RIGHETTO, G. L. e LAUTENSCHLÄGER, C. E. R., RIBEIRO, E. J. B., SOUZA, A. L. S. **Assessment of the geomechanical effects in a real reservoir.** American Rock Mechanics Association. In: 45th US Rock Mechanics / Geomechanics Symposium. 2011a.

INOUE, N., FONTOURA, S. A. B., RIGHETTO, G. L., LAUTENSCHLÄGER, C. E. R., RIBEIRO, E. J. B., SOUZA, A. L. S., BECHARA, G. M. **Assessment of different numerical methodologies applied to reservoir geomechanics.** 31th Iberian Latin American Congress on Computational Methods in Engineering (CILAMCE). 2011b.

ITASCA. **FLAC^{3D}: Fast Lagrangian Analysis of Continua in 3 dimensions user manual.** Version 3.1. Itasca Consulting Group, Inc., Minneapolis. 2005.

JAEGER, J. C. & COOK, N. G. W. **Fundamentals of Rock Mechanics.** Chapman and Hall, London. 1979.

JONES, R. & HILLIS, R. **An integrated, quantitative approach to assessing fault-seal risk.** American Association of Petroleum Geologists Bulletin, v. 87, n. 3, p. 507 – 524. 2003.

JOHNSON, J. P., RHETT, D. W., SIEMERS, W. T. **Rock mechanics of the Ekofisk reservoir in the evaluation of subsidence.** Journal of Petroleum Technology, july. p. 717–22. 1989.

KNAI, T. A. **Faults impact on fluid flow in the Heidrum Field.** In: Faulting, fault sealing and fluid flow in hydrocarbon reservoirs. University of Leeds, v.

75. 1996.

KRANTZ, R. **Measurements of friction coefficients and cohesion for faulting and fault reactivation in laboratory models using sand and sand mixtures.** *Tectonophysics*, n.188, p. 203 – 207. 1991.

LAUTENSCHLÄGER, C. E. R. **Modelagem numérica do comportamento de fundações profundas submetidas a carregamento lateral.** Dissertação de Mestrado em Engenharia Civil, UFRGS, Porto Alegre. 2010.

LAUTENSCHLÄGER, C. E. R., RIGHETTO, G. L. **Aspectos Fundamentais de Elasticidade, Plasticidade, Estado Crítico e Cam-Clay.** Apostila desenvolvida para a disciplina de Desenvolvimento de Modelos Constitutivos do Programa de Pós Graduação em Engenharia Civil da Universidade Federal do Rio Grande do Sul, Porto Alegre. 2010.

LINDSAY, N. G., MURPHY, F. C., WALSH, J. J. e WATTERSON, J. **Outcrop studies of shale smears on fault surfaces.** The Geological Modelling of Hydrocarbon Reservoirs Outcrops Analogues. Special Publication of the International Association of Sedimentologists, n. 15, p. 113 – 123. 1993.

LOCKZY, L. & LADEIRA, E. **Geologia estrutural e introdução a geotectônica.** São Paulo, Edgard Blucher Ltd; Rio de Janeiro, CNPq, 528 pgs. 1976.

MANZOCCHI, T., WALSH, J. J., NELL, P., YIELDING, G.. **Fault transmissibility multipliers for flow simulation models.** *Petroleum Geoscience*, v. 5, p. 53-63. 1999.

MANZOCCHI, T., HEATH, A. E., WALSH, J. J., CHILDS, C. **The representation of two-phase fault-rock properties in flow simulation models.** *Petroleum Geoscience*, v. 8, p. 119-132. 2002.

MILDREN, S. D., HILLIS, R. R., KALDI, J. **Calibrating predictions of fault seal reactivation in the Timor Sea.** *Australian Petroleum Production and Exploration Association Journal*, p. 187 – 202. 2002.

MORAES, A. **Comportamento mecânicos de zonas de falha.** Tese de Doutorado em Geologia, UFRJ, Rio de Janeiro. 2004.

MORRIS, A., FERRIL, D. A., HENDERSON, D. B. **Slip tendency analysis and fault reactivation.** Geology, v. 24, p.275–278. 1996.

PACIULLO, F. V. P. **Notas de aula de Geologia Estrutural.** Departamento de Geologia da UFRJ. 2009.

PASSCHIER, C. W. & TROUW, R. A. J. **Microtectonics.** Springer, Berlin. 1996.

RAMSAY, J. G. & HUBBER, M. I. **The techniques of modern structural geology**, vol. 2: Folds and Fractures. Academic Press. 1987.

ROMANEL, C. **Notas de aula da disciplina de Métodos Numéricos em Engenharia Civil.** Pós Graduação da PUC-Rio. 2011.

RUTQVIST, J., WU, Y. S., TSANG, C. F., BODVARSSON, G. **A modeling approach for analysis of coupled multiphase fluid flow, heat transfer, and deformation in fractured porous rock.** International Journal of Rock Mechanics and Mining Sciences, n. 39, p. 429-442. 2002.

RUISTEN, H., TEUFEL, L. W., RHETT, D. W. **Influence of reservoir stress path on deformation and permeability of weakly cemented sandstone reservoirs.** SPE Annual Technical Conference. 1996.

RUTQVIST, J., BIRKHOLZER, J. T., CAPPA, F., TSANG, C. F. **Estimating maximum sustainable injection pressure during geological sequestration of CO₂ using coupled fluid flow and geomechanical fault-slip analysis.** Energy Conversion and Management, n. 48, p.1798-1807. 2007.

RUTQVIST, J., BIRKHOLZER, J. T., TSANG, C. F. **Coupled reservoir-geomechanical analysis of the potential for tensile and shear failure associated with CO₂ injection in multilayered reservoir-caprock systems.** International Journal of Rock Mechanics and Mining Sciences, n. 45, p. 132-143. 2008.

SAUVÉ, R. G. & MORANDIN, G. D. **Simulation of contact in finite deformation problems – algorithm and modeling issues.** International Journal of Mechanics and Materials in Design, p. 287 – 316. 2004.

SCHLUMBERGER. **Eclipse Simulation Software Manuals.** 2009.

SECOR, D. T. **Role of Fluid Pressure in Jointing.** American Journal of Science, v. 263, p. 633 – 646. 1965.

SEGALL, P. & FITZGERALD, S. D. **A note on induced stress changes in hydrocarbon and geothermal reservoirs.** Tectonophysics, n. 289, p.117–128. 1998.

SETTARI, A. & MOURITS, M. **Coupling of geomechanics and reservoir simulation models.** In Computer Methods and Advances in Geomechanics, 2151–2158. 1994.

SHIMAMOTO, T. & LOGAN, J. M. **Effects of simulated clay gouges on the sliding behavior of Tennessee sandstone.** Tectonophysics, n. 75, p. 243–55. 1981.

SIBSON, R. H. **Fault rocks and fault mechanisms.** Journal of Geological Society of London, I33, p. 191 – 213. 1977.

SIBSON, R. H. **Fluid involvement in normal faulting.** Journal of Geodynamics, v. 29, p. 469 – 499. 2000.

SIBSON, R. H. **Brittle-failure controls on maximum sustainable overpressure in different tectonic regimes.** American Association of Petroleum Geologists Bulletin, v. 87, n. 6, p. 901 – 908. 2003.

SLUYS, L. J. **Discontinuous modeling of shear banding.** In Computational Plasticity – Fundamentals and applications. 1997.

SLUYS, L. J. & BERENDS, A. H. **Discontinuous failure analysis for mode-I and mode-II localization problems.** International Journal of Solids Structures, v.35, n. 31-32, p. 4257-4274. 1998.

SOLTANZADEH, H. & HAWKES, C. D. **Semi-analytical models for stress change and fault reactivation induced by reservoir production and injection.** Journal of Petroleum Science and Engineering, n. 60, p. 71-85. 2008.

STEEN, R. **Tyre/road friction modeling literature survey.** Dynamics and Control Group, Eindhoven University of Technology, Netherlands. 2007.

STREIT, J. E. & HILLIS, R. R. **Estimating fault stability and sustainable fluid pressures for underground storage of CO₂ in porous rock.** Energy, v. 29, p.1445–1456. 2004.

SUCKALE, J. **Moderate-to-large seismicity induced by hydrocarbon production.** The Leading Edge – special section: Microseismic. 2010.

SVERDRUP, E.; HELGESEN, J.; VOLD, J. **Sealing properties of faults and their influence on water-alternating-gas injection efficiency in the Snorre Field, Northern North Sea.** American Association of Petroleum Geologists. Bulletin. Oklahoma., v. 87, n. 9, p. 1437-1458. 2003.

TABOR, J. R.; BUSCH, J. P.; DULA, W. F.; NARUK, S. J. **Controls on gas distribution, offshore Netherlands, Southern North Sea: towards a unified theory of fault seal.** In: Eage Fault and Top Seals Conference. Abstracts. p. 19. 2003.

TEUFEL, L. W. **Permeability changes during shear deformation of fractured rock.** 28th United States Symposium on Rock Mechanics. 1987.

TERZAGHI, K. **The shear resistance of saturated soils.** Proceedings for the 1st International Conference on Soil Mechanics and Foundation Engineering. p. 54 - 56. 1936.

THOMAS, J. E. **Fundamentos de Engenharia de Petróleo**. Rio de Janeiro, Brasil. Interciênciac. 2001.

TORTIKE, W. S. & FAROUQ ALI, S. M. **Reservoir simulation integrated with geomechanics**. Journal of Canadian Petroleum Technology, v. 32, n. 5, p. 28–37. 1993.

TWISS, R. J. & MOORES E. M. **Structural Geology**, W.H. Freeman & Company. 1992.

UNIVERSIDADE DE BRASÍLIA. **Dicionário Geológico**. Acesso em 11 de julho de 2011. 2011.

VERMEER, P. A.; BORST, R. **Non-associated plasticity for soils, concrete and rock**. HERON, v. 29, n. 3. 1984.

WAN, R. G., CHAN, D. H., MORGESTERN, N. R. **A finite element method for the analysis of shear bands in geomaterials**. Finite Elements in Analysis and Design, v. 7, p. 129 – 143. 1990.

WATTS, N. L. **Theoretical aspects of cap-rock and fault seals for single- and two-phase hydrocarbon columns**. Marine and Petroleum Geology, v. 4, n. 4, p. 274 – 307. 1987.

WIBBERLEY, C. A. J., YIELDING, G. e DI TORO, G. **Recent advances in the understanding of fault zone internal structure: a review**. The Internal Structure of Fault Zones: Implications for Mechanical and Fluid-Flow Properties. Geological Society, London, Special Publications, 299, p. 5 – 33. 2008.

WONG, R. C. K. & LI, Y. **A deformation-dependent model for permeability changes in oil sand due to shear dilation**. Journal of Canadian Petroleum Technology, v. 40, n. 8, p. 37–44. 2001.

WONG, R. C. K. **A model for strain-induced permeability anisotropy in deformable granular media**. Canadian Geotechnical Journal, v. 40, p. 95–106. 2003.

WIPRUT, D. & ZOBACK, M. D. **Fault reactivation and fluid flow along a previously dormant normal fault in the northern North Sea.** Geology v. 28, p. 595–598. 2000.

YAQUETTO, N. P. R. **Avaliação de esquemas de acoplamento na simulação de reservatórios de petróleo.** Dissertação de Mestrado em Engenharia Civil, PUC-Rio, Rio de Janeiro. 2011.

YIELDING, G.; FREEMAN, B.; NEEDHAM, T. **Quantitative fault seal prediction.** American Association of Petroleum Geologists. Bulletin. v. 81, p. 897–917. 1997.

YIELDING, G., OVERLAND, J. A., BYBERG, G. **Characterization of faults zones for reservoir modeling: an example from the Gullfaks field, northern North Sea.** American Association of Petroleum Geologists. Bulletin. v. 83, p. 925– 951. 1999.

YIELDING, G. **Shale gouge ratio – calibration by geohistory.** In: Hidrocarbon seal quantification. Amsterdam, p. 1-15. (Special Publication, 11). 2002.

YU, H-S. **Plasticity and Geotechnics.** Springer, New York. 2006.

ZIENKIEWICZ, O. C., CHAN, A. H. C., PASTOR, M., SCHREFLER, B. A., SHIOMI, T. **Computational Geomechanics with Special Reference to Earthquake Engineering.** 1st ed. England: John Wiley & Sons. 1999.

ZHANG, S. & COX, S. F. **Enhancement of fluid permeability during shear deformation of a synthetic mud.** Journal of Structural Geology, v. 22, p. 1385–1393. 2000.

ZHANG, Y., SCHAUFS, P. M., ZHAO, C., ORD, A., HOBBS, B. E. e BARNICOAT, A. C. **Fault-related dilation, permeability enhancement, fluid flow and mineral precipitation patterns: numerical models.** The Internal Structure of Fault Zones: Implications for Mechanical and Fluid-Flow Properties. Geological Society, London, Special Publications, 299, p. 239 – 255. 2008.

ZHANG, Y., GARTRELL, A., UNDERSCHULTZ, J. R., DEWHURST, D. N. Numerical modeling of strain localization and fluid flow during extensional fault reactivation: Implications for hydrocarbon preservation. *Journal of Structural Geology*, v. 31, p. 315–327. 2009.

ZOBACK, M. D. & ZINKE, J. C. **Production-induced normal faulting in the Valhall and Ekofisk Oil fields.** *Pure Applied Geophysics*, v. 159, p. 403–20. 2002.

ZOBACK, M. D. **Reservoir Geomechanics.** Cambridge University Press, New York. 2007.