

6

Referências Bibliográfica

Arras, K. O., & Siegwart, R. Y. (1997). **Feature Extraction and Scene Interpretation for Map-Based Navigation and Map Building.** *Proceedings of SPIE*, 3210(1-2), 42-53. Spie. doi:10.1117/12.299565

Brooks, R. A. (1991). **Intelligence without representation.** (D. Kirsh, Ed.) *Artificial Intelligence*, 47(1811), 139-159. Elsevier. doi:10.1098/rsta.2003.1257

Crowley, J L. (1989). **World Modeling and Position Estimation for a Mobile Robot Using Ultrasonic Ranging.** *Robotics* (Vol. 3, pp. 674-680). IEEE Press. doi:10.1109/ROBOT.1989.100062

Crowley, James L. (1985). **Navigation for an Intelligent Mobile Robot.** *Robotics*, 1(1), 31-41. IEEE. Retrieved from http://ieeexplore.ieee.org/xpls/abs_all.jsp?arnumber=1087002

Elfes, A. (1989). **Using occupancy grids for mobile robot perception and navigation.** *Computer*, 22(6), 46-57. IEEE. doi:10.1109/2.30720

Elfes, A. (1991). **Occupancy Grids: A Stochastic Spatial Representation for Active Robot Perception.** In S. S. Iyengar & A. Elfes (Eds.), *Autonomous Mobile Robots* (pp. 60-70). IEEE Computer Society Press; . Los Alamitos, California.

Elfes, Alberto. (1992). **Dynamic Control of Robot Perception Using Multi-Property Inference Grids.** *Proceedings of the 1992 IEEE International Conference on Robotics and Automation ICRA 92.*

Ester, M., Xu, X., Kriegel, H.-peter, & Sander, J. (1996). **Density-based algorithm for discovering clusters in large spatial databases with noise.** In E. Simoudis, J. Han, & U. Fayyad (Eds.), *Proceedings Of The Acm Sigkdd International Conference On Knowledge Discovery And Data Mining* (Vol. pages, pp. 226-231). AAAI.

Graovac, D., Jurić-Kavelj, S., & Petrović, I. (2010). **Mobile robot pose tracking by correlation of laser range finder scans in Hough domain.** *Robotics in AlpeAdriaDanube Region RAAD 2010 IEEE 19th International Workshop on* (pp. 273-278). IEEE. doi:10.1109/RAAD.2010.5524574

Grosman, A. (2001). **Robust mobile robot localisation from sparse and noisy proximity readings using Hough transform and probability grids.** *Robotics and Autonomous Systems*, 37(1), 1-18. doi:10.1016/S0921-8890(01)00144-0

Hayashibe, M., & Poignet, P. (2011). **Joint Angle Estimation in Rehabilitation with Inertial Sensors and its Integration with Kinect.** *Conference Proceedings*

of the International Conference of IEEE Engineering in Medicine and Biology Society, 2011, 3479-3483. IEEE EMBS. doi:10.1109/IEMBS.2011.6090940

Ip, Y. L., & Rad, A. B. (2004). **Incorporation of Feature Tracking into Simultaneous Localization and Map Building via Sonar Data.** *Journal of Intelligent and Robotic Systems*, 39(2), 149-172. doi:10.1023/B:JINT.0000015402.60437.6a

Kalman, R. E. (1960). **A new approach to linear filtering and prediction problems.** (H. W. Sorenson, Ed.) *Journal Of Basic Engineering*, 82(Series D), 35-45. Citeseer. doi:10.1109/ICASSP.1982.1171734

Kang, J.-G., An, S.-Y., Kim, S., & Oh, S.-Y. (2010). **Sonar-Based Simultaneous Localization and Mapping Using a Neuro-Evolutionary Optimization.** *Advanced Robotics*, 24(8), 1257-1289. VSP, an imprint of Brill. doi:10.1163/016918610X501435

Khatib, O. (1986). **Real-Time Obstacle Avoidance for Manipulators and Mobile Robots.** (S. S. Iyengar & A. Elfes, Eds.) *The International Journal of Robotics Research*, 5(1), 90-98. Multimedia Archives. doi:10.1177/027836498600500106

Konolige, K. (1997). **Improved Occupancy Grids for Map Building.** *Artificial Intelligence*, 367(4), 351-367. Springer. Retrieved from <http://www.springerlink.com/index/P332PT22365844X5.pdf>

Lee, S.-jin, & Song, J.-bok. (2010). **A New Sonar Salient Feature Structure for EKF-Based SLAM.** *Robotics*, 5966-5971. IEEE. Retrieved from http://ieeexplore.ieee.org/xpls/abs_all.jsp?arnumber=5650169

Lego. (2005). Lego Mindstorms. *Education*, 7-9. Retrieved from <http://mindstorms.lego.com/en-us/default.aspx>

Lew, M. W., Horton, T. B., & Sherriff, M. S. (2010). **Using LEGO MINDSTORMS NXT and LEJOS in an Advanced Software Engineering Course.** *2010 23rd IEEE Conference on Software Engineering Education and Training*, 121-128. Ieee. doi:10.1109/CSEET.2010.31

Matthies, L., & Elfes, A. (1988). **Integration of Sonar and Stereo Range Data Using a Grid-Based Representation.** *Proceedings IEEE International Conference on Robotics Automation* (pp. 727-733). IEEE. doi:10.1109/ROBOT.1988.12145

Meng, Q.-hao, Sun, Y.-cai, & Cao, Z.-liang. (2000). **Adaptive extended Kalman filter (AEKF) -based mobile robot localization using sonar.** *Robotica*, 18, 459-473.

Meyer, Husbands, P., & Harvey, I. (1998). **Evolutionary robotics: A survey of applications and problems.** *Evolutionary Robotics*, 1468(1994), 1-21. Springer. doi:10.1007/3-540-64957-3_61

Moravec, H., & Elfes, A. (1985). **High resolution maps from wide angle sonar.** *Proceedings 1985 IEEE International Conference on Robotics and Automation* (Vol. 2, pp. 116–121). Institute of Electrical and Electronics Engineers. doi:10.1109/ROBOT.1985.1087316

Oliveira, G., Silva, R., Lira, T., & Reis, L. P. (2009). **Environment Mapping using the Lego Mindstorms NXT and leJOS NXJ.** *paginasfeuppt*. Retrieved from <http://paginas.fe.up.pt/~ei04085/psite/LejosPaper.pdf>

Sander, J., Ester, M., Kriegel, H.-peter, & Xu, X. (1998). **Density-based clustering in spatial databases: The algorithm gbscan and its applications.** *Data Mining and Knowledge Discovery*, 2(2), 169-194. Springer. doi:10.1023/A:1009745219419

Siegwart, R., & Nourbakhsh, I. R. (2004). **Introduction to autonomous mobile robots.** (R. C. Arkin, Ed.) (p. 321). The MIT Press. Retrieved from http://books.google.com/books?hl=en&lr=&id=gUbQ9_weg88C&pgis=1

Specifications, K. (2009). PING)))™ **Ultrasonic Distance Sensor (# 28015).** *Parallax*, (916), 1-12.

Thrun, S. (2005). **Probabilistic Robotics.** (S. Thrun, W. Burgard, & D. Fox, Eds.) *Communications of the ACM* (Vol. 45, pp. 1999-2000). MIT Press. doi:10.1145/504729.504754

Ulrich Nehmzow. (2003). **Mobile Robotics A Pratical Introdition** (2nd ed.). Springer.

Waibel, M. (2011). **Controlling a Quadrotor Using Kinect.** *Ieee Spectrum*. Retrieved from <http://spectrum.ieee.org/automaton/robotics/robotics-software/quadrotor-interaction>

Zhang, L., & Ghosh, B. K. (2000). **Line segment based map building and localization using 2D laser rangefinder.** *IEEE International Conference on Robotics and Automation* (Vol. 3, pp. 2538-2543). Ieee. doi:10.1109/ROBOT.2000.846410

Zhu, Q., Yan, Y., & Xing, Z. (2006). **Robot Path Planning Based on Artificial Potential Field Approach with Simulated Annealing.** *Sixth International Conference on Intelligent Systems Design and Applications*, 22(5), 622-627. IEEE. doi:10.1109/ISDA.2006.253908