

Bibliography

- Yasemin Altun, Ioannis Tsochantaridis, and Thomas Hofmann. Hidden Markov support vector machines. In *Proceedings of the International Conference on Machine Learning*, 2003.
- Yasemin Altun, Thomas Hofmann, and Ioannis Tsochantaridis. SVM learning for interdependent and structured output spaces. In *Machine Learning with Structured Outputs*, 2007.
- Sandra Aluísio, Jorge Pelizzoni, Ana R. Marchi, Lucélia de Oliveira, Regiana Manenti, and Vanessa Marquiafável. An account of the challenge of tagging a reference corpus for brazilian portuguese. In *Proceedings of the 6th international conference on Computational processing of the Portuguese language*, PROPOR'03, pages 110–117, Berlin, Heidelberg, 2003. Springer-Verlag. ISBN 3-540-40436-8. URL <http://dl.acm.org/citation.cfm?id=1758748.1758769>.
- Amit Bagga and Breck Baldwin. Algorithms for scoring coreference chains. In *In The First International Conference on Language Resources and Evaluation Workshop on Linguistics Coreference*, pages 563–566, 1998.
- Shane Bergsma and Dekang Lin. Bootstrapping path-based pronoun resolution. In *Proceedings of ACL2006*, ACL-44, pages 33–40, Stroudsburg, PA, USA, 2006. Association for Computational Linguistics.
- Anders Björkelund and Richárd Farkas. Data-driven multilingual coreference resolution using resolver stacking. In *Joint Conference on EMNLP and CoNLL - Shared Task*, pages 49–55, Jeju Island, Korea, July 2012. Association for Computational Linguistics. URL <http://www.aclweb.org/anthology/W12-4503>.
- Eric Brill. Transformation-based error-driven learning and natural language processing: a case study in part-of-speech tagging. *Comput. Linguist.*, 21: 543–565, December 1995. ISSN 0891-2017. URL <http://dl.acm.org/citation.cfm?id=218355.218367>.

- Sabine Buchholz and Erwin Marsi. CoNLL-X shared task on multilingual dependency parsing. In *Proceedings of the Tenth Conference on Natural Language Learning*, pages 149–164, 2006.
- Chen Chen and Vincent Ng. Combining the best of two worlds: A hybrid approach to multilingual coreference resolution. In *Joint Conference on EMNLP and CoNLL - Shared Task*, pages 56–63, Jeju Island, Korea, July 2012. Association for Computational Linguistics. URL <http://www.aclweb.org/anthology/W12-4504>.
- Y. J. Chu and T. H. Liu. On the shortest arborescence of a directed graph. *Science Sinica*, 14:1396–1400, 1965.
- Michael Collins. Ranking algorithms for named-entity extraction: Boosting and the voted perceptron. In *Proceedings of the Annual Meeting of the Association for Computational Linguistics*, 2002a.
- Michael Collins. Discriminative training methods for hidden Markov models: theory and experiments with perceptron algorithms. In *Proceedings of the ACL-02 Conference on Empirical Methods in Natural Language Processing*, pages 1–8, 2002b.
- Koby Crammer and Yoram Singer. On the algorithmic implementation of multi-class kernel-based vector machines. *Journal of Machine Learning Research*, 2:265–292, 2001.
- Koby Crammer and Yoram Singer. Ultraconservative online algorithms for multiclass problems. *Journal of Machine Learning Research*, 3:951–991, 2003.
- Thomas G. Dietterich. Machine learning for sequential data: A review. In *Proceedings of the Joint IAPR International Workshop on Structural, Syntactic, and Statistical Pattern Recognition*, 2002.
- Cícero N. dos Santos and Davi L. Carvalho. Rule and tree ensembles for unrestricted coreference resolution. In *Proceedings of the Fifteenth Conference on Computational Natural Language Learning: Shared Task*, pages 51–55, Portland, Oregon, USA, June 2011. Association for Computational Linguistics. URL <http://www.aclweb.org/anthology/W11-1906>.
- Cícero N. dos Santos and Ruy L. Milidiú. *Foundations of Computational Intelligence, Volume 1: Learning and Approximation*, volume 201 of *Studies*

- in Computational Intelligence*, chapter Entropy Guided Transformation Learning, pages 159–184. Springer, 2009a.
- Cícero N. dos Santos and Ruy L. Milidiú. Entropy guided transformation learning. In *Foundations of Computational Intelligence (1)*, pages 159–184. Springer, 2009b.
- Cícero N. dos Santos, Ruy L. Milidiú, Carlos E. M. Crestana, and Eraldo R. Fernandes. ETL ensembles for chunking, NER and SRL. In *11th International Conference on Computational Linguistics and Intelligent Text Processing, CICLing*, pages 100–112, 2010.
- Jack Edmonds. Optimum branchings. *Journal of Research of the National Bureau of Standards*, 71B:233–240, 1967.
- Eraldo R. Fernandes and Ulf Brefeld. Learning from partially annotated sequences. In *Proceedings of the European Conference on Machine Learning and Principles and Practice of Knowledge Discovery in Databases (ECML-PKDD)*, Athens, Greece, 2011.
- Eraldo R. Fernandes and Ruy L. Milidiú. Entropy-guided feature generation for structured learning of Portuguese dependency parsing. In *Proceedings of the Conference on Computational Processing of the Portuguese Language (PROPOR)*, volume 7243 of *Lecture Notes in Computer Science*, pages 146–156. Springer Berlin / Heidelberg, 2012.
- Eraldo R. Fernandes, Ruy L. Milidiú, and Cícero N. dos Santos. Portuguese language processing service. In *18th International World Wide Web Conference*, April 2009a. URL <http://www2009.eprints.org/208/>.
- Eraldo R. Fernandes, Bernardo A. Pires, Cícero N. dos Santos, and Ruy L. Milidiú. Clause identification using entropy guided transformation learning. In *Proceedings of the 2009 Seventh Brazilian Symposium in Information and Human Language Technology, STIL '09*, pages 117–124, Washington, DC, USA, 2009b. IEEE Computer Society. ISBN 978-0-7695-3945-4. doi: 10.1109/STIL.2009.10. URL <http://dx.doi.org/10.1109/STIL.2009.10>.
- Eraldo R. Fernandes, Carlos E. M. Crestana, and Ruy L. Milidiú. Hedge detection using the relhunter approach. In *Proceedings of the Fourteenth Conference on Computational Natural Language Learning — Shared Task, CoNLL '10: Shared Task*, pages 64–69, Stroudsburg, PA, USA, 2010a. Association for Computational Linguistics. ISBN 978-1-932432-84-8. URL <http://dl.acm.org/citation.cfm?id=1870535.1870544>.

- Eraldo R. Fernandes, Cícero N. dos Santos, and Ruy L. Milidiú. A machine learning approach to portuguese clause identification. In *Proceedings of the 9th international conference on Computational Processing of the Portuguese Language*, PROPOR'10, pages 55–64, Berlin, Heidelberg, 2010b. Springer-Verlag. ISBN 3-642-12319-8, 978-3-642-12319-1. doi: 10.1007/978-3-642-12320-7_8. URL http://dx.doi.org/10.1007/978-3-642-12320-7_8.
- Eraldo R. Fernandes, Ruy L. Milidiú, and Raúl P. Rentería. RelHunter: a machine learning method for relation extraction from text. *Journal of the Brazilian Computer Society*, 16:191–199, 2010c. ISSN 0104-6500. URL <http://dx.doi.org/10.1007/s13173-010-0018-y>.
- Eraldo R. Fernandes, Cícero dos Santos, and Ruy L. Milidiú. Latent structure perceptron with feature induction for unrestricted coreference resolution. In *Joint Conference on EMNLP and CoNLL - Shared Task*, pages 41–48, Jeju Island, Korea, July 2012a. Association for Computational Linguistics. URL <http://www.aclweb.org/anthology/W12-4502>.
- Eraldo R. Fernandes, Cícero N. dos Santos, and Ruy L. Milidiú. Latent structure perceptron with feature induction for unrestricted coreference resolution. In *Joint Conference on EMNLP and CoNLL - Shared Task*, pages 41–48, Jeju Island, Korea, July 2012b. Association for Computational Linguistics. URL <http://www.aclweb.org/anthology/W12-4502>.
- William P. D. Fernandes. Quotation extraction for portuguese. Master's thesis, PUC-Rio, Rio de Janeiro, 2012.
- Winthrop N. Francis and Henry Kučera. *Frequency analysis of english usage: Lexicon and grammar*. Houghton Mifflin, Boston, 1982.
- Cláudia Freitas, Paulo Rocha, and Eckhard Bick. Floresta Sintá(c)tica: Bigger, thicker and easier. In António Teixeira, Vera Lúcia Strube de Lima, Luís Caldas de Oliveira, and Paulo Quaresma, editors, *Computational Processing of the Portuguese Language*, volume 5190 of *Lecture Notes in Computer Science*, pages 216–219, 2008.
- Laurent Hyafil and Ronald L. Rivest. Constructing optimal binary decision trees is np-complete. *Information Processing Letters*, 5(1):15–17, 1976. ISSN 0020-0190. doi: 10.1016/0020-0190(76)90095-8.
- Thorsten Joachims. Learning to align sequences: A maximum-margin approach. Technical report, Cornell University, 2003.

- Terry Koo, Alexander M. Rush, Michael Collins, Tommi Jaakkola, and David Sontag. Dual decomposition for parsing with non-projective head automata. In *Proceedings of the 2010 Conference on Empirical Methods in Natural Language Processing, EMNLP '10*, pages 1288–1298, Stroudsburg, PA, USA, 2010. Association for Computational Linguistics. URL <http://dl.acm.org/citation.cfm?id=1870658.1870783>.
- Taku Kudo and Yuji Matsumoto. Chunking with support vector machines. In *Proceedings of the second meeting of the North American Chapter of the Association for Computational Linguistics on Language technologies, NAACL'01*, pages 1–8, Stroudsburg, PA, USA, 2001. Association for Computational Linguistics. doi: <http://dx.doi.org/10.3115/1073336.1073361>. URL <http://dx.doi.org/10.3115/1073336.1073361>.
- Heeyoung Lee, Yves Peirsman, Angel Chang, Nathanael Chambers, Mihai Surdeanu, and Dan Jurafsky. Stanford's multi-pass sieve coreference resolution system at the CoNLL-2011 shared task. In *Proceedings of the Fifteenth Conference on Computational Natural Language Learning: Shared Task, CoNLL Shared Task 2011*, pages 28–34, Stroudsburg, PA, USA, 2011. Association for Computational Linguistics. ISBN 9781937284084. URL <http://dl.acm.org/citation.cfm?id=2132936.2132938>.
- Xiaoqiang Luo. On coreference resolution performance metrics. In *In Proc. of HLT/EMNLP*, pages 25–32. URL, 2005.
- David McAllester, Tamir Hazan, and Joseph Keshet. Direct loss minimization for structured prediction. In *Advances in Neural Information Processing Systems*, 2011.
- Ryan McDonald and Fernando Pereira. Online learning of approximate dependency parsing algorithms. In *In Proc. of EACL*, pages 81–88, 2006.
- Ryan McDonald, Koby Crammer, and Fernando Pereira. Online large-margin training of dependency parsers. In *Proceedings of the 43rd Annual Meeting on Association for Computational Linguistics, ACL'05*, pages 91–98, 2005.
- Ryan McDonald, Kevin Lerman, and Fernando Pereira. Multilingual dependency analysis with a two-stage discriminative parser. In *Proceedings of the Conference on Computational Natural Language Learning (CoNLL)*, pages 216–220, 2006.
- Ruy L. Milidiú, Cícero N. dos Santos, and Julio C. Duarte. Phrase chunking using entropy guided transformation learning. In *Proceedings of ACL2008*, Columbus, Ohio, 2008.

- Ruy L. Milidiú, Carlos E. M. Crestana, and Cícero N. dos Santos. A token classification approach to dependency parsing. *Information and Human Language Technology, Brazilian Symposium in*, 0:80–88, 2009. doi: <http://doi.ieeecomputersociety.org/10.1109/STIL.2009.29>.
- Vincent Ng and Claire Cardie. Improving machine learning approaches to coreference resolution. In *Proceedings of the 40th Annual Meeting on Association for Computational Linguistics*, ACL '02, pages 104–111, Stroudsburg, PA, USA, 2002. Association for Computational Linguistics. doi: <http://dx.doi.org/10.3115/1073083.1073102>. URL <http://dx.doi.org/10.3115/1073083.1073102>.
- Joakim Nivre, Johan Hall, Jens Nilsson, Gülşen Eryiğit, and Svetoslav Marinov. Labeled pseudo-projective dependency parsing with support vector machines. In *Proceedings of the Tenth Conference on Computational Natural Language Learning*, CoNLL-X '06, pages 221–225, Stroudsburg, PA, USA, 2006. Association for Computational Linguistics. URL <http://dl.acm.org/citation.cfm?id=1596276.1596318>.
- Albert B. Novikoff. On convergence proofs on perceptrons. In *Proceedings of the Symposium on the Mathematical Theory of Automata*, 1962.
- Sameer Pradhan, Lance Ramshaw, Mitchell Marcus, Martha Palmer, Ralph Weischedel, and Nianwen Xue. Conll-2011 shared task: Modeling unrestricted coreference in ontonotes. In *Proceedings of the Fifteenth Conference on Computational Natural Language Learning Shared Task*, pages 1–27, Portland, USA, 2011. ACL.
- Sameer Pradhan, Alessandro Moschitti, Nianwen Xue, Olga Uryupina, and Yuchen Zhang. Conll-2012 shared task: Modeling multilingual unrestricted coreference in ontonotes. In *Joint Conference on EMNLP and CoNLL - Shared Task*, pages 1–40, Jeju Island, Korea, July 2012. Association for Computational Linguistics. URL <http://www.aclweb.org/anthology/W12-4501>.
- John R. Quinlan. *C4.5: Programs for Machine Learning (Morgan Kaufmann Series in Machine Learning)*. Morgan Kaufmann, 1 edition, 1992.
- Frank Rosenblatt. The Perceptron – a perceiving and recognizing automaton. Technical report, Cornell Aeronautical Laboratory, 1957. Report 85-460-1.
- Erik F. T. K. Sang and Sabine Buchholz. Introduction to the conll-2000 shared task: chunking. In *Proceedings of the 2nd workshop on Learning language in*

- logic and the 4th conference on Computational natural language learning - Volume 7, ConLL '00, pages 127–132, Stroudsburg, PA, USA, 2000. Association for Computational Linguistics. doi: <http://dx.doi.org/10.3115/1117601.1117631>. URL <http://dx.doi.org/10.3115/1117601.1117631>.
- Emili Sapena, Lluís Padró, and Jordi Turmo. Relaxcor: A global relaxation labeling approach to coreference resolution. In *Proceedings of the 5th International Workshop on Semantic Evaluation, SemEval '10*, pages 88–91, Stroudsburg, PA, USA, 2010. Association for Computational Linguistics.
- Temple F. Smith and Michael S. Waterman. Identification of common molecular subsequences. *Journal of Molecular Biology*, 147(1):195–197, 1981. URL [/brokenurl#http://publication.wilsonwong.me/load.php?id=233281657](http://publication.wilsonwong.me/load.php?id=233281657).
- Jiang Su and Harry Zhang. A fast decision tree learning algorithm. In *Proceedings of the 21st National Conference on Artificial intelligence*, pages 500–505, 2006.
- Robert E. Tarjan. Finding optimum branchings. *Networks*, 7:25–25, 1977.
- Ioannis Tsochantaridis, Thomas Hofmann, Thorsten Joachims, and Yasemin Altun. Support vector machine learning for interdependent and structured output spaces. In *Proceedings of the International Conference on Machine Learning*, 2004.
- Ioannis Tsochantaridis, Thorsten Joachims, Thomas Hofmann, and Yasemin Altun. Large margin methods for structured and interdependent output variables. *Journal of Machine Learning Research*, 6:1453–1484, 2005.
- Vladimir Vapnik. *Statistical Learning Theory*. Wiley, 1998.
- Marc Vilain, John Burger, John Aberdeen, Dennis Connolly, and Lynette Hirschman. A model-theoretic coreference scoring scheme. In *Proceedings of the 6th conference on Message understanding, MUC6 '95*, pages 45–52, Stroudsburg, PA, USA, 1995. Association for Computational Linguistics. ISBN 1-55860-402-2. doi: 10.3115/1072399.1072405. URL <http://dx.doi.org/10.3115/1072399.1072405>.
- Jason Weston and Chris Watkins. Multi-class support vector machines. *Pattern Recognition*, (CSD-TR-98-04), 1998. URL <http://citeseerx.ist.psu.edu/viewdoc/summary?doi=10.1.1.50.9594>.

Yu-Chieh Wu, Chia-Hui Chang, and Yue-Shi Lee. A general and multi-lingual phrase chunking model based on masking method. In Alexander Gelbukh, editor, *Computational Linguistics and Intelligent Text Processing*, volume 3878 of *Lecture Notes in Computer Science*, pages 144–155. Springer Berlin / Heidelberg, 2006. ISBN 978-3-540-32205-4.

Chun-Nam Yu and Thorsten Joachims. Learning structural SVMs with latent variables. In *Proceedings of the International Conference on Machine Learning (ICML)*, 2009.

Alan L. Yuille and Anand Rangarajan. The concave-convex procedure. *Neural Comput.*, 15(4):915–936, April 2003. ISSN 0899-7667. doi: 10.1162/08997660360581958. URL <http://dx.doi.org/10.1162/08997660360581958>.