

7

Referências Bibliográficas

- [1] C. TEH AND A. MOHAMED. Roles of titanium dioxide and ion-doped titanium dioxide on photocatalytic degradation of organic pollutants (phenolic compounds and dyes) in aqueous solutions: A review. **Journal of Alloys and Compounds**, v. 509, p. 1648-1660, 2011.
- [2] S. AHMED, M. RASUL, W. MARTENS, R. BROWN, M. HASHIB. Heterogeneous photocatalytic degradation of phenols in wastewater: A review on current status and developments. **Desalination**, v. 261, p. 3-18, 2010.
- [3] N. HABRAN, M. FERREIRA, J. VIOL, E. MORGADO, F. RIZZO, B. MARINKOVIC. Desenvolvimento de revestimentos fotocatalíticos à base de TiO₂ nanométrico pelo método de revestimento por imersão. **Cadernos UniFOA Especial**, p. 11-16, 2012.
- [4] F. TOMAS, G. BERTRAND, D. KLEIN, C. CODDET. Photocatalytic removal of nitrogen oxides via titanium dioxide. **Environmental Chemistry Letters**, v. 2, p. 117-121, 2004.
- [5] H. MOURÃO, V. DE MENDOÇA, A. MALAGUETTI AND C. RIBEIRO. Nanoestruturas em fotocatalise: uma revisão sobre estratégias de síntese de fotocatalisadores em escala nanométrica. **Química Nova**, v. 32, p. 2181-2190, 2009.
- [6] A. FUJISHIMA, T. RAO ANDO D. TRYK. Titanium dioxide photocatalysis. **Journal of Photochemistry and Photobiology C**, v. 2000, p. 1-21, 2000.
- [7] M. MIYAUCHI, A. NAKAJIMA, T. WATANABE AND K. HASHIMOTO. Photocatalysis and photoinduced hydrophilicity of various metal oxide thin films. **Chem. Mater**, v. 14, p. 2812-2816, 2002.
- [8] T. KASUGA, M. HIRAMATSU, A. HOSON, T. SEKINO, K. NIIHARA. Formation of Titanium Oxide Nanotube. **Langmuir**, v. 14, p. 3160-3163,

- 1998.
- [9] E. MORGADO, M. DE ABREU, G. MOURE, B. MARINKOVIC, P. JARDIM, A. ARAÚJO. Effects of thermal treatment of nanostructured trititanates on their crystallographic and textural properties. **Materials Research Bulletin**, v. 9, p. 1748-1760, 2007.
- [10] M. ABREU, E. MORGADO, P. JARDIM, B. MARINKOVIC. The effect of anatase crystal morphology on the photocatalytic conversion of NO by TiO₂-based nanomaterials. **Central European Journal of Chemistry**, v. 10, p. 1183-1198, 2012.
- [11] J. YU, H. YU, B. CHENG, C. TRAPALIS. Effects of calcination temperature on the microstructures and photocatalytic activity of titanate nanotubes. **Journal of Molecular Catalysis A: Chemical**, v. 249, p. 135-142, 2006.
- [12] E. MORGADO, M. A. DE ABREU, O. R. ORAVIA, B. A. MARINKOVIC, P. M. JARDIM, F. C. AND A. S. ARAÚJO. A study on the structure and thermal stability of titanate nanotubes as a function of sodium content. **Solid State Sciences**, v. 8, p. 888-900, 2006.
- [13] T. KASUGA, M. HIRAMATSU, A. HOSON, T. SEKINO AND K. NIIHARA. Titania Nanotubes Prepared by Chemical Processing. **Advanced Materials**, v. 567, p. 1307- 1311, 2000.
- [14] R. YOSHIDA, Y. SUZUKI, S. YOSHIKAWA. Effects of synthetic conditions and heat-treatment on the structure of partially ion-exchanged titanate nanotubes. **Materials Chemistry and Physics**, v. 91, p. 409-416, 2005.
- [15] E. MORGADO, P. JARDIM, B. MARINKOVIC, F. RIZZO, M. ABREU. J. ZOTIN AND A. ARAÚJO. Multistep structural transition of hydrogen trititanate nanotubes into TiO₂-B nanotubes: a comparison study between nanostructured and bulk materials. **Nanotechnology**, v. 18, p. 495710, 2007.
- [16] N. XIAO, Z. LI, J. LIU, Y. GAO. Effects of calcination temperature on the morphology, structure and photocatalytic activity of titanate nanotube thin films. **Thin Solid Films**, v. 519, p. 541-548, 2010.

- [17] A. RISS, J. ELSER, J. BERNARDI AND O. DIWALD. Stability and photoelectronic properties of layered titanate nanostructures. **Journal of the American Chemical Society**, v. 131, p. 6198-6206, 2009.
- [18] L. XIONG, J. LI, B. YANG AND Y. YU. Ti^{3+} in the Surface of Titanium Dioxide: Generation, Properties and Photocatalytic Application. **Journal of Nanomaterials**, v. 2012, p. 1-13, 2012.
- [19] T. BERGER, M. STERRER, O. DIWALD, E. KNOZINGER, D. PANAYOTOV, T. THOMPSON AND J. YATES. Light-induced charge separation in anatase TiO_2 particles. **The journal of physical chemistry. B**, v. 109, p. 6061-6068, 2005.
- [20] WATER Crisis. **World Water Council**, 2009. Disponível em: <<http://www.worldwatercouncil.org/index.php?id=25>>. Acesso em: 29 jul. 2013.
- [21] R. CHEN, C. CHU, J. TAN, J. CAO, W. SONG, X. XU, C. JIANG, W. MA, C. YANG, B. CHEN, Y. GUI, H. KAN. Ambient air pollution and hospital admission in Shanghai, China. **Journal of hazardous materials**, v. 181, p. 234-240, 2010.
- [22] BRUNEKREEF, B. Health effects of air pollution observed in cohort studies in Europe. **Journal of exposure science & environmental epidemiology**, p. s61- s65, 2007.
- [23] C. POPE, D. DOCKERY. Health Effects of Fine Particulate Air Pollution: Lines that Connect. **Journal of the Air & Waste Management Association**, v. 56, p. 709- 742, 2006.
- [24] M. LUCAS, J. PERES. Decolorization of the azo dye Reactive Black 5 by Fenton and photo-Fenton oxidation. **Dyes and Pigments**, v. 71, p. 236-244, 2006.
- [25] H. TSE AND M. TAMRS. Vapor-Phase Charge-Transfer Complexes. IO. Iodine Complexes of Methanol, Ethanol, and Diethyl Ether. **J. Phys. Chem**, v. 81, p. 1977-1982, 1977.
- [26] X. CHEN AND S. MAO. Titanium dioxide nanomaterials: synthesis, properties, modifications, and applications. **Chemical reviews**, v. 107, p. 2891-959, 2007.

- [27] R. DOONG AND I. KAO. Fabrication and characterization of nanostructured titanate materials by the hydrothermal treatment method. **Recent patents on nanotechnology**, v. 2, p. 84-102, 2008.
- [28] M. BEHNAJADY, N. MODIRSHAHLA, M. MIRZAMOHAMMADY. Increasing photoactivity of titanium dioxide immobilized on glass plate with optimization of heat attachment method parameters. **Journal of hazardous materials**, v. 160, p. 508-513, 2008.
- [29] D. JIN, S. HONG. S. HOON, E. JUNG. Influence of calcination temperature on structural and optical properties of TiO₂ thin films prepared by sol – gel dip coating. **Materials Letters**, v. 57, p. 355-360, 2002.
- [30] H. MANSILLA, A. MORA, C. PINCHEIRA, M. MONDACA, P. MARCATO, N. DURAN, J. FREER. New photocatalytic reactor with TiO₂ coating on sintered glass cylinders. **Applied Catalysis B: Environmental**, v. 76, p. 57-63, 2007.
- [31] N. NEIGISHI, K. TAKEUCHI. Structural changes of transparent TiO₂ thin films with heat treatment. **Materials Letters**, v. 38, p. 150-153, 1999.
- [32] S. ŠEGOTA, L. ČURKOVIĆ, D. LJUBAS, V. SVETLIČIĆ, I. FIAMENGO, N. TOMAŠIĆ. Synthesis, characterization and photocatalytic properties of sol-gel TiO₂ films. **Ceramics International**, v. 37, p. 1153-1160, 2011.
- [33] C. BRINKER, G. FRYE, A. HURD AND C. ASHLEY. Fundamentals of Sol-Gel dip coating. **Thin solid films**, v. 201, p. 97-108, 1991.
- [34] C. BRINKER, G. SCHERER. **Sol-Gel Science: The physics and chemistry of sol-gel processing**. United States of America: Academic Press Limited, 1990.
- [35] S. ATTIA, J. WANG, G. WU, J. SHEN AND J. MA. Review on Sol-Gel Derived Coatings: Process, Techniques and Optical Applications. **J. Mater. Sci. Technol**, v. 18, p. 211-218, 2002.
- [36] C. BRINKER, A. HURD, P. SCHUNK, G. FRYE AND C. ASHLEY. Review of sol-gel thin film formation. **Non-Crystalline solids**, v. 148, p. 424-436, 1992.
- [37] Y. PAZ, Z. LUO, L. REBENBERG, A. HALLER. Photooxidative self-cleaning transparent titanium dioxide films on glass. **Journal of Materials**

- Research**, v. 10, p. 2842-2848, 2011.
- [38] H. YU, J. YU, B. CHENG. Facile preparation of Na-free anatase TiO₂ film with highly photocatalytic activity on soda-lime glass. **Catalysis Communications**, v. 7, p. 1000-1004, 2006.
- [39] T. WATANABE, S. FUKAYAMA, A. FUJISHIMA, K. HASHIMOTO. Photocatalytic activity and photo-induced wettability conversion of TiO₂ thin film prepared by sol-gel process on a soda-lime glass. **Journal of Sol-Gel Science and Technology**, v. 19, p. 71-76, 2000.
- [40] A. FUJISHIMA AND X. ZHANG. Titanium dioxide photocatalysis: present situation and future approaches. **Comptes Rendus Chimie**, v. 9, p. 750-760, 2006.
- [41] R. WANG, K. HASHIMOTO, A. FUJISHIMA, M. CHIKUNI, E. KOJIMA, A. KITAMURA, M. SHIMOHIGOSHI AND T. WATANABE. Light- Induced amphiphilic surfaces. **Nature**, p. 431-432, 1997.
- [42] K. HASHIMOTO, H. IRIE, A. FUJISHIMA. TiO₂ Photocatalysis: A Historical Overview and Future Prospects. **Japanese Journal of Applied Physics**, v. 44, p. 8269-8285, 2005.
- [43] D. LEE, M. RUBNER AND R. COCHEN. All-nanoparticle thin-film coatings. **Nano letters**, v. 6, p. 2305-2312, 2006.
- [44] X. LIU AND J. HE. Superhydrophilic and Antireflective Properties of Silica Nanoparticle Coatings Fabricated via Layer-by-Layer Assembly and Postcalcination. **The Journal of Physical Chemistry C**, v. 113, p. 148-152, 2009.
- [45] J. WANG, D. WANG, J. WANG, W. ZHAO AND C. WANG. High transmittance and superhydrophilicity of porous TiO₂/SiO₂ bi-layer films without UV irradiation. **Surface & Coatings Technology**, v. 205, p. 3596-3599, 2011.
- [46] R. N. WENZEL. RESISTANCE OF SOLID SURFACES. **Ind. Eng. Chem**, v. 28, p. 988-994, 1936.
- [47] H. MAN, Z. CUI, X. YANG. Analysis of laser gas nitrided titanium by X-ray photoelectron spectroscopy. **Applied Surface Science**, v. 199, p. 293-302, 2002.

- [48] WEBBOOK.NIST. **NIST National Institute of Standards and Technology**. Disponível em: <http://webbook.nist.gov/cgi/cbook.cgi?Formula=+C28H31N2O3Cl&NoIon=on&Units=SI>. Acesso em: 25 jul. 2013.
- [49] D3359, ASTM. Measuring Adhesion by Tape Test. **ASTM, Philadelphia, USA**, 1983.
- [50] D. CUNNINGHAM, S. TSUBOTA, N. KAMIJO AND M. HARUTA. Preparation and Catalytic Behaviour of Sub-Nanometer Gold Deposited On TiO₂ By Vacuum Calcination. **Research on Chemical Intermediates**, v. 19, p. 1-13, 1993.
- [51] N. MANDZY, E. GRULKE, T. DRUFFEL. Breakage of TiO₂ agglomerates in electrostatically stabilized aqueous dispersions. **Powder Technology**, v. 160, p. 121-126, 2005.
- [52] KOSMULSKI, M. The significance of the difference in the point of zero charge between rutile and anatase. **Advances in Colloid and Interface Science**, v. 99, p. 255-264, 2002.
- [53] L. PEI-SHENG, C. WEI-PING, W. LI-XI, S. MING-DA, L. XIANG-DONG, J. WEI-PING. Fabrication and characteristics of rutile TiO₂ nanoparticles induced by laser ablation. **Transactions of nonferrous metals society of china**, v. 19, p. s743-s747, 2009.
- [54] M. CASALETTO, G. INGO, S. KACIULIS, G. MATTOGNO, L. PANDOLFI, G. SCAVIA. Surface studies of in vitro biocompatibility of titanium oxide coatings. **Applied surface science**, v. 172, p. 167-177, 2001.
- [55] J. LI, P. LOMMENS, E. BRUNEEL, I. V. DRIESSCHE. Improved photocatalytic activity of polymer-modified TiO₂ films obtained by a wet chemical route. **Journal of Materials Science**, v. 47, p. 6366-6374, 2012.
- [56] J. PAN, X. WU, L. WANG, G. LIU, G. QING AND H. CHENG. Synthesis of anatase TiO₂ rods with dominant reactive
- [57] C. PEÑA, J. TORRES. Calculation of optical constants in porous silicon thin films using difussed and specular reflectance measurement. **Surface review letters**, v. 9, p. 1821-1825, 2002.