

Referências Bibliográficas

- ABAQUS. (2011). *ABAQUS DOCUMENTATION*. Dessault Systèmes.
- Ahmed, A. (2009). *eXtended Finite Element Method (XFEM): Modeling arbitrary discontinuities and Failure analysis*. Master Degree Dissertation, Earthquake Engineering, Istituto Universitario di Studi Superiori di Pavia, Italia.
- Aliabadi, M. H. (1997a). Boundary Elements Formulation in Fracture Mechanics. *Applied Mechanics Reviews*, vol. 50, pp. 83-96.
- Aliabadi, M. H. (1997b). A New Generation of Boundary Element Methods in Fracture Mechanics. *International Journal of Fracture*, vol. 86, pp. 91-125.
- Anderson, T. L. (2005). *Fracture Mechanics: Fundamentals and Applications*. Boca Raton: CRC Press.
- Araújo, T. D. (1999). *Análise Elasto-Plástica Adaptativa de Estruturas com Trincas*. Tese de Doutorado, Departamento de Engenharia Civil, Pontifícia Universidade Católica do Rio de Janeiro, Brasil.
- Araújo, T. D., Bittencourt, T. N., Roehl, D., & Martha, L. F. (2000). Numerical Estimation of Fracture Parameters in Elastic and Elastic-Plastic Analysis. *European Congress on Computational Methods in Applied Sciences and Engineering*. Barcelona.
- Barboza, L. A., & Roehl, D. M. (2014). Aplicação de Modelos de Fratura Coesiva à Representação de Modos de Falha de Estruturas de Concreto Reforçados com Fibras de Aço. *XXXIV Iberian Latin-American Congress on Computational Methods in Engineering*. Fortaleza: ABMEC.
- Barenblatt, G. I. (1962). The Mathematical Theory of Equilibrium Cracks in Brittle Fracture. *Advances in Applied Mechanics*, vol. VII, Academic Press, pp. 55-129.
- Barsoum, R. S. (1976). On the Use of Isoparametric Finite Elements in Linear Fracture Mechanics. *International Journal for Numerical Methods in Engineering*, vol. 10, pp. 25-37.

- Belytschko, T., & Black, T. (1999). Elastic Crack Growth in Finite Elements with Minimal Remeshing. *International Journal for Numerical Methods in Engineering*, vol. 45, pp. 601-620.
- Belytschko, T., Gu, L., & Lu, Y. Y. (1994). Fracture and Crack Growth by Element Free Galerkin Method. *Modelling and Simulation in Materials Science and Engineering*, vol. 2, pp. 519-534.
- Bendezu, M. A., Carvalho, E. C., Roehl, D., & Romanel, C. (2013a). Finite Element Modeling of The Hydraulic Fracture Problem in Impermeable Media Using A Cohesive Zone Model. *XXXIV Iberian Latin-American Congress on Computational Methods in Engineering*. Pirenópolis: ABMEC.
- Bendezu, M. A., Romanel, C., & Roehl, D. M. (2013b). Fraturamento Dinâmico de Rochas por Explosão pelo Método dos Elementos Finitos Estendidos (XFEM). *XXXIV Iberian Latin-American Congress on Computational Methods in Engineering*. Pirenópolis: ABMEC.
- Carvalho, C. V., Araújo, T. D., Cavalcante, J. B., Martha, L. F., & Bittencourt, T. N. (1999). Automatic Fatigue Crack Propagation Using a Self-Adaptative Strategy. *PACAM VI—Sixth Pan-American Congress of Applied Mechanics*, vol. 6, pp. 377-380.
- Castro, J. T., & Meggiolaro, M. A. (2009). *Fadiga. Técnicas e Práticas de Dimensionamento Estrutural sob Cargas Reais de Serviço. Volume II: Propagação de Trincas, Efeitos Térmicos e Estocásticos*.
- Chen, Z. (2012). Finite Element Modelling of Viscosity-Dominated Hydraulic Fractures. *Journal of Petroleum Science and Engineering*, pp. 136-144.
- Chen, Z. (2013). Implementation of the XFEM for Hydraulic Fracture Problems. *13th International Conference on Fracture*. Beijing.
- Di Leonardo, G. (1979). Fracture Toughness Characterization of Materials Under Multiaxial Loading. *International Journal of Fracture*, vol. 15, pp. 537-552.
- Dugdale, D. S. (1960). Yielding in Steel Sheets Containing Slits. *Journal of the Mechanics and Physics of Solids*, vol. 8, pp. 100-104.
- Economides, M. J., & Nolte, K. G. (2000). *Reservoir Stimulation*. 3rd Edition. Wiley.
- Erdogan, F., & Sih, G. C. (1963). On the Crack Extension in Plates Under Plane Loading and Transverse Shear. *Journal of Basic Engineering*, vol. 85, pp. 519-527.
- Fjaer, E., Holt, R. M., Horsrud, P., Raaen, M. A., & Risnes, R. (2008). *Petroleum Related Rock Mechanics*. 2nd Edition. Elsevier.

- Gálvez, J. C., Cendón, D. A., & Planas, J. (2002). Influence of Shear Parameters on Mixed-Mode Fracture of Concrete. *International Journal of Fracture*, vol. 118, pp. 163-189.
- Gálvez, J. C., Cendón, D. A., Planas, J., Guinea, G. V., & Elices, M. (1998). Fracture of Concrete Under Mixed Loading. Experimental Results and Numerical Predictions. *FRAMCOS-3* (pp. 729-738). Freiburg: AEDIFICATIO.
- Giner, E., Sukumar, N., Tarancón, J. E., & Fuenmayor, F. J. (2009). An Abaqus Implementation of the Extended Finite Element Method. *Engineering Fracture Mechanics*, vol. 76, pp. 347-368.
- Griffith, A. A. (1920). The Phenomena of Rupture and Flow in Solids. *Philosophical Transactions of the Royal Society of London, Series A*, vol. 221, pp. 163-198.
- Henshell, R. D., & Shaw, K. G. (1975). Crack tip Finite Elements are Unnecessary. *International Journal for Numerical Methods in Engineering*, vol. 9, pp. 495-507.
- Hillerborg, A., Modéer, M., & Petersson, P.-E. (1976). Analysis of Crack Formation and Crack Growth in Concrete by Means of Fracture Mechanics and Finite Elements. *Cement and Concrete Research*, vol. 6, pp. 773-782.
- Huang, R., Sukumar, N., & Prévost, J.-H. (2003). Modeling Quasi-Static Crack Growth with the Extended Finite Element Method. Part II: Numerical Applications. *International Journal of Solids and Structures*, vol. 40, pp. 7539-7552.
- Inglis, C. E. (1913). Stresses in a Plate Due to the Presence of Cracks and Sharp Corners. *Transactions of the Institute of Naval Architects*, vol. 55, pp. 219-241.
- Irwin, G. R. (1956). Onset of Fast Crack Propagation in High Strength Steel and Aluminum Alloys. *Sagamore Research Conference Proceedings*, vol. 2, pp. 289-305.
- Irwin, G. R. (1957). Analysis of Stresses and Strains Near the End of a Crack Transversing a Plate. *Journal of Applied Mechanics*, vol. 24, pp. 361-370.
- Jirásek, M. (2000). Comparative Study on Finite Elements with Embedded Discontinuities. *Computer Methods in Applied Mechanics and Engineering*, vol. 188, pp. 307-330.
- Lima, A. D. (2001). *Análise Numérica do Fraturamento Dinâmico de Rochas por Explosão*. Tese de Doutorado, Departamento de Engenharia Civil, Pontifícia Universidade Católica do Rio de Janeiro, Brasil.

- Lopes, A. A. (1998). *Aplicação do Método Híbrido dos Elementos de Contorno a Problemas de Mecânica Linear de Fratura*. Dissertação de Mestrado, Departamento de Engenharia Civil, Pontifícia Universidade Católica do Rio de Janeiro, Brasil.
- Lopes, A. A. (2002). *Determinação de Fatores de Intensidade de Tensão com o Método Híbrido dos Elementos de Contorno*. Tese de Doutorado, Departamento de Engenharia Civil, Pontifícia Universidade Católica do Rio de Janeiro, Brasil.
- Machado, A. (2007). *Uso do Método das Interfaces Coesivas na Simulação do Processo de Propagação de Trincas por Fadiga*. Dissertação de Mestrado, Programa de Pós-Graduação em Engenharia Civil, Universidade Federal do Rio Grande do Sul, Brasil.
- Marangon, E. (2011). *Caracterização Material e Estrutural de Concretos Autoadensáveis Reforçados com Fibras de Aço*. Tese de Doutorado, COPPE/Universidade Federal do Rio de Janeiro, Brasil.
- Melenk, J. M., & Babuska, I. (1996). The Partition of Unity Finite Element Method: Basic Theory and Applications. *Computer Methods in Applied Mechanics and Engineering*, vol. 139, pp. 289-314.
- Mier, J. G. (1997). *Fracture Process of Concrete: Assesment of Material Parameters for Fracture Models*. CRC PRes.
- Miranda, A. C. (2003). *Propagação de Trincas por Fadiga em Geometrias 2D Complexas sob Cargas Cíclicas Variáveis*. Tese de Doutorado, Departamento de Engenharia Civil, Pontifícia Universidade Católica do Rio de Janeiro, Brasil.
- Miranda, A. C., Meggiolaro, M. A., Castro, J. T., Martha, L. F., & Bittencourt, T. N. (2002). Fatigue Crack Propagation Under Complex Loading in Arbitrary 2D Geometries. *A.A. Braun, P.C. McKeighan, R.D. Lohr (Eds.), Applications of Automation Technology in Fatigue and Fracture Testing and Analysis*, vol. 4, ASTM STP 1411, pp. 120-146.
- Miranda, A. C., Meggiolaro, M. A., Castro, J. T., Martha, L. F., & Bittencourt, T. N. (2003). Fatigue Life and Crack Path Predictions in Generic 2D Structural Components. *Engineering Fracture Mechanics*, vol. 70, pp. 1259-1279.
- Miranda, A. C., Meggiolaro, M. A., Martha, L. F., & Castro, J. T. (2012). Stress Intensity Factor Predictions: Comparison and Round-off error. *Computational Materials Science*, vol. 53, pp. 354-358.

- Moes, N., Dolbow, J., & Belytschko, T. (1999). A Finite Element Method for Crack Growth Without Remeshing. *International Journal for Numerical Methods in Engineering*, vol. 46, pp. 131-150.
- Montenegro, F. C. (2014). *Fraturamento Coesivo de Materiais Quase-Frágéis Usando Elementos de Interface*. Dissertação de Mestrado, Programa de Pós-Graduação em Engenharia Civil, Universidade Federal do Ceará, Brasil.
- Needleman, A. (1987). A Continuum Model for Void Nucleation by Inclusion Debonding. *Journal of Applied Mechanics*, vol.54, pp. 525-531.
- Oliver, J. (1996). Modelling Strong Discontinuities in Solid Mechanics via Strain Softening Constitutive Equations. Part 1: Fundamentals. *International Journal for Numerical Methods in Engineering*, vol. 39, pp. 3575-3600.
- Oliver, J., Huespe, A. E., & Sánchez, P. J. (2006). A Comparative Study on Finite Elements for Capturing Strong Discontinuities: E-FEM vs X-FEM. *Computer Methods in Applied Mechanics and Engineering*, vol. 195, pp. 4732-4752.
- QingWen, R., YuWen, D., & TianTang, Y. (2009). Numerical Modeling of Concrete Hydraulic Fracturing with Extended Finite Element Method. *Science in China Series E: Technological Sciences*, vol. 52, pp. 559-565.
- Rice. (1968). A Path Independent Integral and the Approximate Analysis of Strain Concentration by Notches and Cracks. *Journal of Applied Mechanics*, vol. 35, pp. 379-386.
- Rots, J. G. (1988). *Computational Modeling of Concrete Fracture*. Tese de Doutorado, Delft University of Technology, The Netherlands.
- Santana, W. C. (2004). *Um Método Robusto de Elementos Finitos Generalizados Aplicado à Mecânica da Fratura*. Tese de Doutorado, Departamento de Engenharia Civil, Pontifícia Universidade Católica do Rio de Janeiro, Brasil.
- Selvadurai, A. P., & Mahyari, A. T. (1998). Computational Modelling of Steady Crack Extension in Poroelastic Media. *International Journal of Solids and Structures*, vol. 35, pp. 4869-4885.
- Shih, C. F., & Asaro, R. J. (1988). Elastic-Plastic Analysis of Cracks on Bimaterial Interfaces: Part I - Small Scale Yielding. *Journal of Applied Mechanics*, vol. 55, pp. 299-316.
- Song, J.-H., Areias, P. M., & Belytschko, T. (2006). A Method for Dynamic Crack and Shear Band Propagation with Phantom Nodes. *International Journal for Numerical Methods in Engineering*, vol. 67, pp. 868-893.

- Sousa, R. A. (2011). *Estimativas de Zonas Plásticas à Frente de Ponta de Trincas*. Tese de Doutorado, Departamento de Engenharia Civil, Pontifícia Universidade Católica do Rio de Janeiro, Brasil.
- Stapór, P. (2011). Application of XFEM with Shifted-Basis Approximation to Computation of Stress Intensity Factors. *The Archive of Mechanical Engineering*, vol. LVIII, pp. 447-483.
- Stolarska, M., Chopp, D. L., Moës, N., & Belytschko, T. (2001). Modelling Crack Growth by Level Sets in the Extended Finite Element Method. *International Journal for Numerical Methods in Engineering*, vol. 51, pp. 943-960.
- Sukumar, N., & Prévost, J. H. (2003). Modeling Quasi-Static Crack Growth with the Extended Finite Element Method. Part I: Computer Implementation. *International Journal of Solids and Structures*, vol. 40, pp. 7513-7537.
- Swenson, D. V., & Ingraffea, A. R. (1988). Modeling Mixed-Mode Dynamic Crack Propagation Using Finite Elements: Theory and Applications. *Computational Mechanics*, vol. 8, pp. 381-397.
- RILEM TCS. (1985). Determination of the Fracture Energy of Mortar and Concrete by Means of Three-Point Bend Tests on Notched Beams. *Materials and Structures*, vol. 18 (106), pp. 285-290.
- Turon, A., Camanho, P. P., Costa, J., & Renart, J. (2010). Accurate Simulation of Delamination Growth Under Mixed-Mode Loading Using Cohesive Elements: Definition of Interlaminar Strengths and Elastic Stiffness. *Composite Structures*, vol. 92, pp. 1857-1864.
- Williams, M. L. (1957). On the Stress Distribution at the Base of a Stationary Crack. *Journal of Applied Mechanics*, pp. 109-114.
- Yau, J. F., Wang, S. S., & Corten, H. T. (1980). A Mixed-Mode Crack Analysis of Isotropic Solids Using Conservation Laws of Elasticity. *Journal of Applied Mechanics*, vol. 47, pp. 335-341.
- Zi, G., & Belytschko, T. (2003). New Crack-Tip Elements for XFEM and Applications to Cohesive Cracks. *International Journal for Numerical Methods in Engineering*, vol. 57, pp. 2221-2240.