

## 7.

### Referências bibliográficas

AGENCY FOR TOXIC SUBSTANCES AND DISEASE REGISTRY (ATSDR), **Toxicological profile for antimony**. TP-91/02, Public health service, U.S. department of health and human services, 1992.

ANDREAE M., ADMODE F., FOSTER P., V'ANT L., **Determination of antimony (III), antimony (V), and methylantimony species in natural waters by atomic absorption spectrometry with hydride generation**. Anal Chem., v. 53, p. 1766-1771, 1981.

ANUP J., BORA, SWEETY, GOGOI, GAUTAM, RARUAH, ROBIN, **Utilization of Co-existing Iron in Arsenic Removal from Groundwater by Oxidation-coagulation at Optimized pH**, Environ. Chem. Eng, v. 16, p. 1-34, 2016.

ATSDR Agency for Toxic Substances and Disease Registry. 2007. **Toxicological profile for arsenic**. Draft for Public Comment. Atlanta: US Department of Health and Human Services. Available at URL:

[http://www.atsdr.cdc.gov/es/csem/arsenic/docs/Arsenic\\_CSEM\\_Spanish.pdf](http://www.atsdr.cdc.gov/es/csem/arsenic/docs/Arsenic_CSEM_Spanish.pdf)

BARCELOUX D., **Selenium**. J Toxicol Clin Toxicol v. 37, p. 145-172, 1999.

BASKAN M., PALA A., **A statistical experiment design approach for arsenic removal by coagulation process using aluminum sulfate**, Desalin., v. 254, p. 42–48, 2010.

BELZILE N., CHEN Y., WANG Z., **Oxidation of antimony III/ by amorphous iron and manganese oxyhydroxides**, Chem. Geology, v. 174, p. 379-387, 2001.

BODEK, W.J. LYMAN, W.F. REEHL, D.H. ROSENBLATT, **Properties, Processes and Estimation Methods**, Environ Inorg Chem., USA, 1998.

BHOWMICK S., S. CHAKRABORTY, P. MONDAL, W. VAN RENTERGHEM, S. BERGHE, G. ROMAN-ROSS, D. CHATTERJEE, M. IGLESIAS, **Montmorillonite-supported nanoscale zero-valent iron for removal of arsenic from aqueous solution: Kinetics and mechanism**, Chem Eng, v. 243, p. 14-23, 2014.

BRIEGER, H., SEMISCH, C.W. III, STASNY, J. AND PIATNEK, D.A. **Industrial antimony poisoning**. Ind. Med. Surg., v. 23, p. 521-523, 1954.

BROOKINS D., **Stability of stibnite, metastibnite and some probable dissolved antimony species at 298.15K and 1 atm.** Econ. Geol., v.67, p. 369-372, 1972.

BHOWMICK S., S. CHAKRABORTY, P. MONDAL, W. RENTERGHEM, S. BERGHE, G. ROMAN-ROSS, D. CHATTERJEE, M. IGLESIAS, **Montmorillonite-supported nanoscale zero-valent iron for removal of arsenic from aqueous solution: Kinetics and mechanism,** Chem Eng, v. 243, p. 14-23, 2014.

BULUT G., U. YENIAL, EMIROGLU E., A. SIRKECI, **Arsenic removal from aqueous solution using pyrite,** Clean Prod, p. 1-7, 2013.

CARVALHO K. M. *et al.*, **Remediation of selenium contamination by plants and microbes: an annotated bibliography.**

([www.cas.usf.edu/chemistry/info\\_research\\_resources/ies/bioremed\\_selenium.htm](http://www.cas.usf.edu/chemistry/info_research_resources/ies/bioremed_selenium.htm); sit e acessado em 10/04/2014), 2004.

CASTRO M., **Removal of arsenic from drinking water and soil bioremediation,** International Congress, Mexico City, Natural Arsenic in Groundwaters of Latin America, 2006.

CEC (Council of the European Communities), **Council Directive Relating to the Quality of Water Intended for Human Consumption.** 80/778/EEC, 1980.

CHAMMUI Y., P. SOOKSAMITI, W. NAKSATA, S. THIANSEM, O. ARQUEROPANYO, **Removal of arsenic from aqueous solution by adsorption on Leonardite,** Chem Eng., V. 240, P. 202-210, 2014.

CHANGUL C., C. SUTTHIRAT, G. PADMANAHBAN, C. TONGCUMPOU, **Chemical characteristics and acid drainage assessment of mine tailings from Akara Gold mine in Thailand,** Environ. Earth Sci. 60 (2010) 1583-1595.

CHENG Z., FU F., DIONYSIOU D., TANG B., **Adsorption, oxidation, and reduction behavior of arsenic in the removal of aqueous As(III) by mesoporous Fe/Al bimetallic particles,** Water Res., v. 96, p. 22-31, 2016.

CHELLAN S. e CLIFFORD D., **Physical-chemical treatment of groundwater contaminated by leachate from surface disposal of uranium tailings.** Environ Eng., v. 128, p. 942-952, 2002.

CUI J., YAGUANG D., HONGXIA X., QIUSHI Y., DONGYUN D., **A new process of continuous three-stage co-precipitation of arsenic with ferrous iron and lime,** Hydrom., V. 146, P. 169-174, 2014.

DAENZER R., XU L., DOERFELT C., JIA Y., DEMOPOULOS G., **Precipitation behaviour of As(V) during neutralization of acidic Fe(II)-As(V) solutions in batch and continuous modes**, Hydrom., v. 146, p. 40–47, 2014.

DAHLGREN, E., TWIDWELL L. G., MCGRATH S., “**Removal of Selenium from mine and waste waters**”, Proceedings 1st International Conference Advances in Mineral Resources Management and Environmental Geotechnology, MJMP&EP, Chania, Crete, Greece, Helio topos Conferences, Athens, Greece (ISBN:960-88153-0-4), p. 536-42, 2004.

DE BRÄTTER NEGRETTI, V.; BRÄTTER, P.; REINICKE, A.; SCHULZE, G.; ALVAREZ, W.L.; ALVAREZ, N., Anal Atom Spect, v. 10, p.487 – 491, 1995.

DE BOEK M., KIRSCH-VOLDERS M., LISON D., **Cobalt and antimony: genotoxicity and carcinogenicity**, Mutat Res., v. 14;548(1-2):127-8, 2004.

DE KLERK R., Y. JIA, R. DAENZER, M. GOMEZ, G. DEMOPOULOS, **Continuous circuit coprecipitation of arsenic(V) with ferric iron by lime neutralization: Process parameter effects on arsenic removal and precipitate quality**, Hydrom., v. 111-112, p. 65–72, 2012.

DE LIMA A., *et al.*, **Processos biológicos de remoção de selênio de efluentes**, CETEM, v. 42, p. 7-46, 2007.

DODBIBA GJERGJ, TEIJI NUKAYA, YOUSUKE KAMIOKA, YUJI TANIMURA, TOYOHISA FUJITA, **Removal of arsenic from wastewater using iron compound: Comparing two different types of adsorbents in the context of LCA**, Resources, Conserv and Recyc., v. 53, p. 688-697, 2009.

DODD, M., GRUNDY, S.L., REIMER, K.J., CULLEN, W.R., **Methylated antimony (V) compounds: synthesis, hydride generation properties and implications for aquatic speciation**. App Org Chem., v 6, p. 207–211, 1992.

DONG H., CHEN Y., SHENG G., LI J., CAO J., LI Z., LI Y., **The roles of a pillared bentonite on enhancing Se(VI) removal by ZVI and the influence of co-existing solutes in groundwater**. Hazar Mater., v. 304, p. 306–312, 2016.

DORJEE P., AMARASIRIWARDENA D., XING B., **Antimony adsorption by zero-valent iron nanoparticles (nZVI): Ion chromatography–inductively coupled plasma mass spectrometry (IC–ICP–MS) study**, Microchem., v. 116, p. 15–23, 2014.

DU X., QU F., LIANG H., LI K., YU H., BAI L., LI G., **Removal of antimony (III) from polluted surface water using a hybrid coagulation-flocculation-ultrafiltration (CF-UF) process**, Chem Eng., v. 254, p. 293-301, 2014.

EL-SHAHAWI M., HAMZA A., AL-SIBAAI A., AL-SAIDI H., **Fast and selective removal of trace concentrations of bismuth (III) from water onto procaine hydrochloride loaded polyurethane foams sorbent: Kinetics and thermodynamics of bismuth (III) study**, Chem Eng., v 173, p. 29-35, 2011.

EL-SHAFFEY E., **Sorption of Cd(II) and Se(IV) from aqueous solution using modified rice husk**, J. Hazard. Mater., v. 147 (1-2), p. 546-555, 2007.

ELZINGA, E.J., TANG, Y., MCDONALD, J., DESISTO, S., REEDER, R.J., **Macroscopic and spectroscopic characterization of selenate, selenite, and chromate adsorption at the solid-water interface of gamma-Al<sub>2</sub>O<sub>3</sub>**. J. Colloid Interf. Sci., v. 340 (2), p. 153-159, 2009.

ENVIRONMENTAL PROTECTION AGENCY, EPA/600/7-79/129, **Antimony removal technology for mining industry wastewater**, document report, publicado o 05/21/2002, revisado o 04/16/2004.

FAN C., TSENG S., LI K., HOU C., **Electro-removal of arsenic(III) and arsenic(V) from aqueous solutions by capacitive deionization**, Hazar Mater, v. 312, p. 208–215, 2016.

FARIA J., SHASHI B., LALVANI P., **Selenium removal from agricultural drainage water: lab scale studies**, Departament of water resources, agreement number 4600001985, 2004.

FRANKENBERGER *et al.*, **Advanced treatment technologies in the remediation of seleniferous drainage waters and sediments**, Earth Science Reviews., v. 18, p. 19-41, 2004.

FILELLA M., BELZILE, Y.W., **Antimony in the environment: a review focused on natural waters I: Occurrence**, Earth Science Reviews, v. 57, p. 125–176, 2002.

FILELLA M., BELZILE, Y.W., **Antimony in the environment: a review focused on natural waters II. Relevant solution chemistry**, Earth Sci Rev., v.59, p 265–285, 2002a.

FLORES O., NAVA J., CARREÑO G., ELORZA E., MARTINEZ F., **Arsenic removal from groundwater by electrocoagulation in a pre-pilot-scale continuous filter press reactor**, Chem Eng., v. 97, p. 1–6, 2013.

GEBEL T., **Arsenic and antimony: comparative approach on mechanistic toxicology.** Chem bio inter., v. 107, p. 131-144, 1997.

GEOFFROY N., DEMOPOULOS G.P., **The elimination of selenium(IV) from aqueous solution by precipitation with sodium sulfide,** Hazard Mater, v. 185, p. 148-154, 2011.

GEOFFROY N., DEMOPOULOS G.P., **Reductive Precipitation of Elemental Selenium from Selenious Acidic Solutions Using Sodium Dithionite,** Eng Chem Res., v. 48 (23), p. 10240-10246, 2009.

GEOFFROY N., DEMOPOULOS G.P., **The elimination of selenium(IV) from aqueous solution by precipitation with sodium sulfide,** Hazard Mater., v. 185, p. 148–154, 2011.

GILL C., **Non-ferrous extractive metallurgy,** Krieger pub Co, p. 346. March 1988.

GLOCHEUX Y., ALBADARIN A., MANGWANDI C., STEWART E., **Production of porous aluminium and iron sulphated oxyhydroxides using industrial grade coagulants for optimised arsenic removal from groundwater,** Ind and Eng Chem., v. 25, p. 56–66, 2015.

GOLDER ASSOCIATES Inc., **Literature Review of Treatment Technologies to Remove Selenium from Mining Influenced Water;** Technical Bulletin No. 08-1421-0034 Rev. 2; Tech Coal Limited, Office: Lakewood, CO, 2009.

GODFREY, S.M., MCAULIFFE, C.A., MACKIE, A.G., PRITCHARD, R.G., **Coordination chemistry and solution chemistry.** In: Norman, N.C. (Ed.), **Chemistry of Arsenic, Antimony and Bismuth.** Chapman and Hall, London. Chapter 4. 1998.

GREENWOOD N.N., A. EARNSHAW, **Chemistry of Elements,** Pergamon Press, Oxford, 1984 (Chapter 13).

GUO X., WU Z., HE M., **Removal of antimony(V) and antimony(III) from drinking water by coagulation–flocculation–sedimentation (CFS),** Water Res., v. 43, p. 4327 – 4335, 2009.

GUO X., WU Z., HE M., MENG X., JIN X., **Adsorption of antimony onto iron oxyhydroxides: Adsorptionbehavior and surface structure,** Hazar Mater., v. 276, p. 339–345, 2014.

GURNANI N., SHARMA A., TULUKDER G., **Effects of antimony on cellular systems in animals: a review.** Nucleus, v. 37, p. 71-96, 1994.

GHURYE, G., CLIFFORD, D., **Laboratory Study on the Oxidation of Arsenic III to Arsenic V.** USEPA, Cincinnati, 2001.

HANSEN D. *et al.*, **Selenium removal by constructed “wetland”: role of biological volatilization.** Environ. Sci. Technol., v. 32(5), p. 591-597, 1998.

HARRIS B., **The removal and stabilization of As from aqueous process solutions: Past, present, future,** Minor Elements 2000, Processing and Env. Aspects of As, Sb, Se, Te, and Bi, ed., C. Young, (Littleton, CO: Society of Mining, Metallurgy, and Exploration, Inc., SME), p. 3-21, 2000.

HARRIS B., **The removal of arsenic from process solutions: theory and industrial practice,** Hydrom., v. 2, p. 1889-1902, 2003.

HE, M., YANG, J., **Effects of different forms of antimony on rice during the period of germination and growth and antimony concentration in rice tissue.** The Science of the Total Environment, v. 243, p. 149–155, 1999.

HEIDARI, M., MOATTAR, F., NASERI, S., SAMADI, M. T. AND KHORASANI, N., **Evaluation of Aluminum-Coated Pumice as a Potential Arsenic(V) Adsorbent from Water Resources,** Int. J. Environ. Res., v. 5(2, p. 447-456, 2011.

HSDB, Hazardous Substances Database. Micromedex. Vol 29, 1996-1997.  
<http://toxnet.nlm.nih.gov/cgi-bin/sis/search> (acessado em 16/04/2014)

HU C., CHEN Q., CHEN G., LIU H., QU J., **Removal of Se(IV) and Se(VI) from drinking water by coagulation,** Separ and Purif Techn., v. 142, p. 65-70, 2015.

IBERHAN L., M. WIS'NIEWSKI, **Extraction of arsenic(III) and arsenic(V) with Cyanex 925, Cyanex 301 and their mixtures,** Hydrom., v. 63, p. 23-30, 2002.

JANKONG P., P. VISOOTTIVISETH, S. KHOKIATTIWONG, **Enhanced phytoremediation of arsenic contaminated land,** Chemosp., v. 68, p. 1906-1912, 2007.

JEGADEESAN, G., MONDAL, K., LALVANI, S.B., Comparative study of selenite adsorption on carbon based adsorbents and activated alumina. Environ. Technol., v. 24 (8), p. 1049-1059, 2003.

JIA Y., GEORGE P. DEMOPOULOS, Coprecipitation of arsenate with iron(III) in aqueous sulfate media: Effect of time, lime as base and co-ions on arsenic retention, Water res., v. 42, p. 661 – 668, 2008.

JOHNSON M., LORENZ B., Antimony remediation using ferrate (VI), Sep. Sci. Technol., v. 50, p. 1611-1615, 2015.

JOHNSON C., MOENCH H., WERSIN P., KUGLER P., WENGER C., Solubility of antimony and other elements in samples taken from shooting ranges. Environ. Qual., v. 34, p. 248-254, 2005.

JONES, R.D., Survey of antimony workers: mortality 1961-1992. Occupation. Environ. Med. v. 51, p. 772-776, 1994.

KALDERIS D., TSOLAKI E., ANTONIOU C., DIAMADOPoulos E., Characterization and treatment of wastewater produced during the hydro-metallurgical extraction of germanium from fly ash, Desalin., v. 230, p. 162-174, 2008.

KAMEDA T., SUZUKI Y., YOSHIOKA T., Removal of arsenic from an aqueous solution by coprecipitation with manganese oxide, Environ Chem Eng., v. 2, p. 2045–2049, 2014.

KASHIWA M., S. NISHIMOTO, K. TAKAHASHI, M. IKE, M. FUJITA, Factors affecting soluble selenium removal by a selenate reducing bacterium *Bacillus* sp. SF-1, J. Biosci. Bioeng., v. 89 (6), p. 528-533, 2000.

KAMEDA T., SUZUKI Y., YOSHIOKA T., Removal of arsenic from an aqueous solution by coprecipitation with manganese oxide, Environ Chem Eng., v. 2, p. 2045–2049, 2014.

KANG M., KAMEI T., MAGARA Y., Comparing polyaluminum chloride and ferric chloride for antimony removal, Water Res., v. 37, p. 4171–4179, 2013.

KLAASEN, C. D., Casarett and Doull's Toxicology—The Basic Science of Poisons. McGraw-Hill: New York, 2001.

KLANING, U.K., Selenium (V). A plus radiolysis study. J. Phys. Chem., v. 90, p. 5460–5464, 1986.

KHOE, G. H., EMMETT, M. T., ZAW. M. AND PRASAD, P., **Removal of Arsenic Using Advanced Oxidation Processes.** In: Minor Metals 2000. Ed. C. A. Young. SME, Littleton CO. p. 31-38, 2000.

KHOE, G.H., HUANG, J.C.Y. AND ROBINS R.G. **Precipitation Chemistry of the Aqueous Ferrous Arsenate System.** In: EPD Congress '91. Ed. D. R. Faskell. TMS, Warrendale PA, p 103-105, 1991.

KOBYA M., DEMIRBAS E., ULU F., **Evaluation of operating parameters with respect to charge loading on the removal efficiency of arsenic from potable water by electrocoagulation,** Environ Chem Eng., v. 4, p. 1484–1494, 2016.

KOPPEL C, *et al.*, **Fatal poisoning with selenium dioxide.** J Toxicol Clin Toxicol v.24, p.21-35, 1986.

KOREN *et al.*, **Se removal from waste water.** In: **Waste Processing and Recycling in Min. and Met. Industries.** CIM, Edmonton, Alberta, Canada, 1992.

KOYAMA, K., KOBAYASHI, M., TSUNASHIMA, A., **Removal of selenate in effluents of metal refineries by chemical reduction using solid iron.** Minor Elements Processing and Environmental Aspects of As, Sb, Se, Te and Bi. Environ Chem Eng., v 2, p. 363, 2000.

KRAGTEN, J., DECNOP-WEEVER, L.G. **Mixed hydroxide complex formation and solubility of bismuth in nitrate and perchlorate medium.** Talanta, v.40, p. 485–490, 1993.

KUAN W., S. LO, M. WANG, C. LIN, **Removal of Se(IV) and Se(VI) from water by aluminum-oxide coated sand,** Water Res., v. 32 (3) , p. 915-923, 1998.

KWON JANG-SOON, SEONG-TAEK YUN, JONG-HWA LEE, SOON-OH KIM, HO YOUNG JO, **Removal of divalent heavy metals (Cd, Cu, Pb, and Zn) and arsenic(III) from aqueous solutions using scoria: Kinetics and equilibria of sorption,** Hazard Mater., v. 174, p. 307-313, 2010.

KYLE J.H., P.L. BREUER, K.G. BUNNEY, R. PLEYSIER, MAY P.M. **Review of trace toxic elements (Pb, Cd, Hg, As, Sb, Bi, Se, Te) and their deportment in gold processing. Part I: Miner,** Chem and Toxic., v. 107, p. 91-100, 2011.

KYLE J.H., P.L. BREUER, K.G. BUNNEY, R. PLEYSIER, **Review of trace toxic elements (Pb, Cd, Hg, As, Sb, Bi, Se, Te) and their deportment in gold processing. Part II: Deportment in gold ore processing by cyanidation.** Hydrom., v. 111-112, p. 10-21, 2012.

LACASA E., CAÑIZARES P., SÁEZ C., FERNANDEZ F., RODRIGO M., **Removal of arsenic by iron and aluminium electrochemically assisted coagulation**, Separat and Purif Techn., v. 79, p. 15–19, 2011.

LALVANI, **Selenium removal from agricultural drainage water: Lab Scale Studies. Final report to the department of natural resources sacramento, CA.** agreement number: 4600001985, 2004.

LAN B., WANG Y., ZHOU X., KANG Y., LI L., **Aqueous arsenic (As) and antimony (Sb) removal by potassium ferrate**, Chem Eng., v. 292, p. 389-397, 2016.

LAWSON S., MACY J., **Bioremediation of selenite in oil refinery wastewater**, Appl. Microbiol. Biotechnol., v. 43 (4), p. 762-765, 1995.

LENG Y., GUO W., SU S., YI C., XING L., **Removal of antimony (III) from aqueous solution by grapheme as an adsorbent**, Chem Eng., v. 211-212, p. 406-411, 2012.

LENOBLE V., C. LACLAUTRE, B. SERPAUD, D. V'ERONIQUE, J.-C. BOLLINGER, **As(V) retention and As(III) simultaneous oxidation and removal on a MnO<sub>2</sub>-loaded polystyrene resin**, Sci. Total Environ., v. 326 (1–3), p. 197–207, 2004.

LI X., DOU X., LI J., **Antimony(V) removal from water by iron-zirconium bimetal oxide: Performance and mechanism**, Environ Sci., v. 24(7), p. 1197-1203, 2012.

LI Y., CHENG W., SHENG G., LI J., DONG H., **Synergetic effect of a pillared bentonite support on SE(VI) removal by nanoscale zero valent iron**, App. Catal B: Environ., v. 174–175, p.329–335, 2015.

LIU Y., ZHENG J., WU M., JIANG B., **Utilization of spent aluminum for p-arsanilic acid degradation and arsenic immobilization mediated by Fe(II) under aerobic condition**, Chem Eng., v. 297, p. 45-54, 2016.

MCCLOSKEY J., TWIDWELL L., LEE J., **Removal of hazardous constituents from wastewater, Mineral Processing Plant Design, Control and Practice**, Vol. 2, eds., A. Mular *et al.*, (Littleton, CO: Society of Mining, Metallurgy, and Exploration, Inc., SME), p. 1847-1865, 2002

MANE C. P., ANUSE M. A., **Studies on liquid –liquid extraction and recovery of Bi(III) from succinate media using 2- octylaminopyridine in chloroform**, J. Chin. Chem. Soc., v. 55, p. 807-817, 2008.

MATOS REYES M., **Determinação de elementos traço em alimentos por SS-GFAAS e HG AFS**, dissertação de doutorado em química, PUC-RIO, 2007.

MENG X., BANG S., KORFIATIS G.P., Water Res., v. 36, p. 3867–3873, 2002.

MERCK Index: **An Encyclopedia of Chemicals, Drugs, and Biologicals**, 12th ed. Merck, Whitehouse Station, NJ, 1996.

MERRILL *et al.*, **Field evaluation of arsenic and selenium removal by Iron coprecipitation**. Water Pol Cont Fed., v. 58, p. 1:18-26, 1986.

MILICA V., BILJANA S., WIDGOOSE G., COMPTON R., **Adsorption of bismuth ions on graphite chemically modified with gallic acid**, Phys. Chem., v. 14, p. 10027-10031, 2012.

IMITSUNOBU S., TAKAHASHI Y., TERADA Y., SAKATA M., **Antimony (V) incorporation into synthetic ferrihydrite, goethite, and natural iron oxyhydroxides**. Environ Sci., v. 44(10), p. 3712-3718, 2010.

MOHAN D., PITTMAN CU. **Arsenic removal from water/wastewater using adsorbents-a critical review**. Hazard Mater., v. 142, p.1–53, 2007.

MOHAMMAD M., WASSINK B., DREISINGER D., **Kinetics study of selenium removal from copper sulfate-sulfuric acid solution**, Hydrom., v. 139, p. 13-25, 2013.

MONDAL K., G. JEGADEESAN, SH.B. LALVANI, **Removal of selenate by Fe and NiFe nanosized particles**, Ind. Eng. Chem. Res. v. 43, p. 4922-4934, 2004.

MONTGOMERY J., **Water Treatment Principles & Design**, Consulting Engineers Inc., John Wiley & Sons, New York, 1985.

MOORE L., MAHMOUDKHANI A., **Methods for removing selenium from aqueous systems**, Kemira oil and Minind, Atlanta, USA, 2011.

MORILLO D., PEREZ G., VALIENTE M., **Efficient arsenic(V) and arsenic(III) removal from acidic solutions with Novel Forager Sponge-loaded superparamagnetic iron oxide nanoparticles**, Col and Interf Sci., v. 453, p. 132-141, 2015.

MSE, Technology Applications, Inc. (MSE). 2001. Final report – **Selenium treatment/removal alternatives demonstration project. Mine Waste Technology Program Activity III**, Project 20. Report prepared for U.S. Environmental Protection Agency, National Energy Technology Laboratory, Office of Research and Development, Cincinnati, OH and U.S. Department of Energy, Federal Energy Technology Center, Pittsburgh, PA, USA. Available online at, <http://www.epa.gov/ORD/NRMRL/pubs/> accesado 04/05/2014

MOORE L., AMIR MAHMOUDKHANI, **Methods for Removing Selenium from Aqueous Systems**, Min Waste., v. 142, p. 23-39. 2011.

NATIONAL INSTITUTE FOR OCCUPATIONAL SAFETY AND HEALTH (NIOSH), **Occupational health guideline for selenium and its inorganic compounds (as selenium)**, 2014, <http://www.cdc.gov/niosh/docs/81-123/pdfs/0550.pdf> accesado 12/05/2014.

NAVARRO P., F.J. ALGUACIL, **Adsorption of antimony and arsenic from a copper electrorefining solution onto activated carbon.**, Hydrom., v. 66, p. 101-105, 2002.

NISHIMURA T. e HASHIMOTO H., **Removal of selenium(VI) from aqueous solution with polyamine-type weakly basic ion exchange resin.** Separ Sci and Techn., v. 42, p. 3155–3167, 2007.

NISHIMURA, T. TOZAWA, K. AND ROBINS, R. G. **The Calcium- Arsenic-Water System**, Proceedings MMJ /Aus. IMM Joint Symposium, Sendai, Japan. Paper JD-2-1, pp. 105-120, 1983.

NISHIMURA, T. AND TOZAWA, K., **On the Solubility Products of Ferric, Calcium and Magnesium Arsenates.** Bull. Res. Inst. Min. Dress. Metall. Tohoku Univ., 34 (1), pp.19-26, 1978.

NISHIMURA T., Y. UMETSU, **Oxidative precipitation of arsenic(III) with manganese(II) and iron (II) in dilute acidic solution by ozone**, Hydrom., v. 62, p. 83–92, 2001.

NUTTALL L, ALLEN FS. **Kinetics of the reaction between hydrogen selenide ion and oxygen.** Inorg Chim Acta, v. 91, p. 243-246, 1984.

NUTTALL L. Kern, **Evaluating Selenium Poisoning**, Annals of clinical & laboratory Science, v. 36, p. 409-419, 2006.

OLYAEI E., BANEJAD H., AFKHAMI A., RAHMANI A., KHODAVEISI J., **Development of a cost-effective technique to remove the arsenic contamination from aqueous solutions by calcium peroxide nanoparticles**, Separ and Purif Techn., v. 95, p. 10-15, 2012.

OORTS, K., SMOLDERS, E., DEGRYSE, F., BUEKERS, J., CASCO G., CORNELIS, G., MERTENS, J., **Solubility and toxicity of antimony trioxide (Sb<sub>2</sub>O<sub>3</sub>) in soil**. Environ. Sci. Technol., v. 42 (12), p. 4378–4383, 2008.

PEAK D., **Adsorption mechanisms of selenium oxyanions at the aluminum oxide/water interface**, Col and Interf Sci., v. 303, p. 337–345, 2006.

PORTELA J., **Remoção de arsênio por compostos de ferro e por ferro nanoparticulado**, dissertação de mestrado da faculdade de engenharia, Universidade do Porto, 2013.

POTKONJAK V., PAVLOVICH, M., **Antimôniosis: a particular form of pneumoconiosis. I. Etiology, clinical and x-ray findings**. Int. Arch Occup. Environ. Health, v. 51, p.199-207, 1983.

QIU, S.R., LAI, H.F., ROBERSON, M.J., HUNT, M.L., AMRHEIN, C., GIANCARLO, L.C., FLYNN, G.W., YARMOFF, J.A., **Removal of contaminants from aqueous solution by reaction with iron surface**, v.16, p. 2230–2236, 2000a.

QIU, S.R., LAI, H.F., THAN, H.T., AMRHEIN, C., YARMOFF, J.A., **Reaction of SeF<sub>6</sub> with iron and iron oxide surfaces: a model for selenate reduction**. Surf. Sci., v. 468, p. 17–26, 2000b.

RAKSHIT S., SARKAR D., PUNAMIYA P., DATTA R., **Antimony sorption at gibbsite-water interface**. Chemosphere, v. 84(4), p.480-483, 2011.

RAGAINI R.C., RALSTON H.R., ROBERTS N., **Environmental trace metal contamination in Kellogg, Idaho, near a lead smelting complex**. Environ Sci and Techn., v. 11, p. 773–781, 1977.

RAVEN P., JAIN A., LOEPPERT R., Environ. Sci. Technol., v. 32 p. 344, 1998.

REYES J., M.P. GONZALEZ, R. NAVARRO, T.I. SAUCEDO, M. AVILA-RODRIGUEZ, **Supported liquid membranes (SLM) for recovery of bismuth from aqueous solution**, J. Membr. Sci. v. 310, p. 13–19, 2008.

RIVEROS P., DUTRIZAC J., SPENCER P., **As disposal practices in the metallurgical industry**, Can. Met. Quart., v. 40(4), p. 395-420, 2001

RINGBOM A., **Complexation in Analytical Chemistry**, Interscience-Wiley, New York, 1963.

ROBINS, ROBERT G. **Some Chemical Aspects Relating To Arsenic Remedial Technologies**. Proceedings of the U.S. EPA Workshop on Managing Arsenic Risks to the Environment. Denver, Colorado. May 1-3, 2001.

ROBINS, R.G and Khoe, G.H., **The Complexation of Iron(III) with Sulphate, Phosphate or Arsenate**, J. Chem. Soc., Dalton Trans., 1988, pp. 2015-2021, 1988.

SARI A., SAHINOGLU G., TUZEN M., **Antimony(III) Adsorption from Aqueous Solution Using Raw Perlite and Mn-Modified Perlite: Equilibrium, Thermodynamic, and Kinetic Studies**, Eng. Chem. Res., v. 51, p. 6877-6886, 2012.

SARTAPE A. MANDHARE A., SALVI P., PAWAR D., RAUT P., ANUSE M., LOLEKAR S., **Removal of Bi (III) with Adsorption Technique Using Coconut Shell Activated Carbon**, Chinese journal of chemical engineering., v. 20(4), p. 1-8, 2012.

SCHNORR, T.M. STEENLAND, K., THUN, M.J. AND RINSKY, R. **Mortality in a cohort of antimony smelter workers**. Am. J. Ind. Med. v.27(5), p. 759-70, 1995.

SHARMA VK, SOHN M. **Aquatic arsenic: toxicity, speciation, transformations, and remediation**. Environ Int 2009;35:743–59.

SHARRAD M., H. LIU, M. FAN, **Evaluation of FeOOH performance on selenium reduction**, Sep. Purif. Technol., v. 84, p. 29-34, 2012.

SHAMAS J. C. *et al.*, **Technologies and Strategies for the Treatment of Selenium as a Microconstituent in Industrial Wastewater**. WEF Microconst & Industrial Water Quality Specialty Conference, Baltimore, MD, 2009.

SHEHA R., SHAZLY E., **Kinetics and equilibrium modeling of Se(IV) removal from aqueous solutions using metal oxides**, Chem Eng., v. 160, p. 63–71, 2010.

SHEN J., SUN J., TI J., MA W., **Study on Floatation Separation of Bi(III) from Zr(IV), Ce(III), U(VI) and Mg(II) with Tetrabutyl Ammonium Bromide-KI-Water System**, Spectro Lab., 2010.

SMICHOWSKI P., MADRID Y., C'AMARA C., **Analytical methods for antimony speciation in waters at trace and ultratrace levels. A review**, Fresenius, Anal Chem., v. 360, no. 6, p. 623-629, 1998.

SMITH K., LAU A., VANCE F., **Evaluation of treatment techniques for selenium removal**, IWC 09-05, p. 75-92, 2005.

SMITH, J., **Arsenic, antimony and bismuth**. In: Bailar, J.C., Emeléus, H.J., Nyholm, R., Trotman-Dickenson, A.F. (Eds.), Inor Chem., Vol. 2. Pergamon Press, Oxford. Chapter 21, 1973.

SOBOLEWSKI A., **Evaluation of Treatment Options to Reduce Water-Borne Selenium at Coal Mines in West-Central Alberta**. Report prepared for Alberta Environ Water Res., Pub - no. T/860, 2005.

SONG S., A. LOPEZ-VALDIVIESO, D.J. HERNANDEZ-CAMPOS, C. PENG, M.G. MONROY-FERNANDEZ, I. RAZO-SOTO, **Arsenic removal from high-arsenic water by enhanced coagulation with ferric ions and coarse calcite**, Water Res., v. 40, p. 364-372, 2006.

STUMM W., **Chemistry of the Solid-Water Interface: Processes at the Mineral Water and Particle-Water Interface in Natural Systems**, Wiley-Interscience, New York, NY, 1992p. 43.

TAN T., D. BEYDOUN, R. AMAL, **Effects of organic hole scavengers on the photocatalytic reduction of selenium anions**, J. Photochem. Photobiol. A: Chem., v. 159, p. 273-280, 2003.

TARGAN S., NUKET V., AKKUS B., **Removal of antimony (III) from aqueous solution by using grey and red Erzurum clay and application to the gediz river sample**. Anal Chem., v. 10, p. 1-8, 2013.

TELFORD K., MAHER W., KRIKOWA F., FOSTER S., ELLWOOD M.J., ASHLEY P.M., LOCKWOOD P.V., WILSON S.C.; **Bioaccumulation of antimony and arsenic in a highly contaminated stream adjacent to the Hillgrove Mine, NSW**, Australia. Environ Chem., v. 6, p. 133–143, 2009.

TWIDWELL L. *et al.*, **Potential technologies for removing selenium from process and mine wastewater**, in: C. Young (Ed.), Minor Elements, Society for Mining Metallurgy & Exploration, Littleton, CO, 2000, p. 53-66, 1999.

TWIDWELL, L.G., *et al.* **Technologies and Potential Technologies for Removing Arsenic from Process and Mine Wastewater.** Presented at "REWAS '99." San Sebastian, Spain. September 1999.

<http://www.mtech.edu/metallurgy/arsenic/REWASAS%20for%20proceedings99%20in%20word.pdf>

TWIDWELL L., ROBINS R., HOHN J., **The removal of arsenic from aqueous solution by coprecipitation with Iron (III).** Arsenic Metallurgy: fundamentals and applications edited by R.G. Reddy and V. Ramachandran TMS (The Minerals, Metals & Materials Society), 2005

TWIDWELL L., **The Removal of arsenic, selenium and metals from aqueous solution by iron precipitation and reduction techniques,** Conference: Aseic metallurgy: Fundamentals and applications, TMS annual meeting, 2011

TOKMAN N., **Analytical. Chemical,** v. 519, p. 87–91, 2004.

TURK T., ALP L., **Arsenic removal from aqueous solutions with Fe-hydrotalcite supported magnetite nanoparticle,** Eng Chem., v. 20, p. 732–738, 2014.

U.S. Geological Survey, 2009. **Mineral Commodity Summaries 2009.** U.S. Geological Survey, Washington.

USEPA(2002). **National Primary Drinking Water Regulations. Arsenic.** Office of ground water and drinking water. U.S. Environmental Protection Agency. August, 2002. EPA-816-R-02-008A.

USEPA(1995). **National Primary Drinking Water Regulations. Antimony.** Office of Water. U.S. Environmental Protection Agency. October 1995. EPA 811-F-95-002j-T.

USEPA (1992a). **Antimony. Drinking Water Health Advisory.** Office of Water. U.S. Environmental Protection Agency. April 1992.

USEPA (1992b). **Drinking Water Criteria Document for Antimony.** (Final Report) U.S. Environmental Protection Agency. January 1992. PB92-173293.

USEPA, 1984. **Antimony: an Environmental and Health Effects Assessment.** US Environmental Protection Agency, Office of drinking water, Washington, DC.

USEPA, 1979. **Water Related Fate of the 129 Priority Pollutants,** vol. 1. USEPA, Washington, DC. Doc. 745-R-00-007.

USEPA. **Treatment Technologies for Site Cleanup:** Annual Status Report (Tenth Edition). Office of Solid Waste and Emergency Response. EPA-542-R-01-004. February 2001.

<http://www.epa.gov/ncepi/Catalog/EPA542R01004.html>

USEPA Office of Research and Development. **Arsenic Removal from Drinking Water by Coagulation/Filtration and Lime Softening Plants.** EPA/600/R-00/063. June, 2000. <http://www.epa.gov/ncepi/Catalog/EPA600R00063.html>

USEPA Office of Research and Development. **Contaminants and Remedial Options at Selected Metal-Contaminated Sites.** EPA/540/R-95/512. July, 1995. <http://search.epa.gov/s97is.vts>

USEPA. **Final Best Demonstrated Available Technology (BDAT) Background Document for K031, K084, K101, K102, Characteristic Arsenic Wastes (D004), Characteristic Selenium Wastes (D010), and P and U Wastes Containing Arsenic and Selenium Listing Constituents.** Office of Solid Waste. May 1990.

USEPA. **Best Demonstrated Available Technology (BDAT) Background Document for Wood Preserving Wastes: F032, F034, and F035;** Final. April, 1996. [http://www.epa.gov/epaoswer/hazwaste/ldr/wood/bdat\\_bd.pdf](http://www.epa.gov/epaoswer/hazwaste/ldr/wood/bdat_bd.pdf)

USBR, **United States Department of Interior, Bureau of Reclamation,** Imperial Valley, 2002, Drainwater Reclamation and Reuse Study. Available online at: [www.usbr.gov/lc/region/g2000/publications/Imperial.pdf](http://www.usbr.gov/lc/region/g2000/publications/Imperial.pdf)

U.S. Geological Survey (USGS), 2010. **Antimony Statistics and Information.** <http://minerals.usgs.gov/minerals/pubs/commodity/antimony> (Last accessed 20 January, 2014).

VANCOUVER BC., **Proceeding tailing and Mine waste 2011**, November 6 to 9

WANG, S.J., **Impurity control and removal in copper tank house operations.** JOM, v. 56 (7), p. 34-37, 2004.

WANG H., CHEN F., MU S., ZHANG D., PAN X., LEE D., CHANG J., **removal of antimony (V) from Sb mine drainage: biological sulfate reduction and sulfide oxidation-precipitation,** Bioresour Technol., v. 146, p. 799-802, 2013.

WANG H., GONG W., LIU R., LIU H., QU J., **Treatment of high arsenic content wastewater by a combined physical- chemical process,** Col and surf., v. 379, p. 116-120, 2011.

WANG X., HE M., XI J., LU X., **Antimony distribution and mobility in rivers around the world's largest antimony mine of Xikuangshan, Hunan Province**, Microchem., v. 97(1), p. 4–11, 2011.

WANG X., CHEN Q., YIN Z., WANG M., XIAO B., ZHANG F., **Homogeneous precipitation of As, Sb and Bi impurities in copper electrolyte during electrorefining**, Hydromet., v. 105, p. 355–358, 2011.

WATT, W.D., **Chronic inhalation toxicity of antimony trioxide: validation of the threshold limit value**. Dissertation, as cited in USEPA (1982 a ,b), ATSDR (1992), 1983.

WEISENBERG J., BAKSHI P., VERVAERT A., **Arsenic distribution and control in copper smelters**, JOM, v. 31, p. 38-44, 1979.

WHO, **Health criteria and other supporting information. In: Guidelines for Drinking-water Quality**, second ed., v. 2 p. 940–949, 1996.

WHO. **United Nations Synthesis Report on Arsenic in DrinkingWater**, Available from internet: <http://www.who.int/mediacentre/factsheets/fs372/en/>; 2001.

WILSON S., *et al.*, **The chemistry and behaviour of antimony in the soil environment with comparisons to arsenic: A critical review**, Environ Pol., v. 158, p. 1169-1181, 2010

WILSON, N.J., CRAW D., HUNTER K., **Antimony distribution and environmental mobility at an historic antimony smelter site**, New Zealand. Environ Pol., v. 129, p. 257–266, 2004.

WHO, **The World Health Organization, Guidelines for Drinking Water Quality**, vol. 1, Geneva, 2008.

WU Z., HE M., GUO X., ZHOU R., **Removal of antimony (III) and antimony (V) from drinking water by ferric chloride coagulation: Competing ion effect and the mechanism analysis**, Separ and Purif Techn., v. 76, p 184–190, 2010.

XI J., HE M., LIN CH., **Adsorption of antimony(III) and antimony(V) on bentonite: Kinetics, thermodynamics and anion competition**, Microchem., v. 97, p. 85–91, 2011.

XIAO F., MAO J., CAO D., SHEN X., REN F., **Formation of antimonite in co-precipitation reaction of As, Sb e Bi in copper electrolytes.**, Miner Eng., v. 35, p. 9-15, 2012.

XU W., WANG H., LIU R., ZHAO X., QU J., **The mechanism of antimony(III) removal and its reactions on the surfaces of Fe-Mn Binary Oxide**, Col and Interf., v. 363, p. 320-326, 2011.

YAMANI J., LOUNSBURY A., ZIMMERMAN J., **Adsorption of selenite and selenate by nanocrystalline aluminum oxide, neat and impregnated in chitosan beads**, Water rRs., v. 50, p. 373-381, 2014.

YANG Jian-guang, YANG Jian-ying, TANG M., TANG Ch., LIU W., **The solvent extraction separation of bismuth and molybdenum from a low grade bismuth glance flotation concentrate**, Hydrom., v. 96, p. 342-348, 2009.

YANG T., LAI Q., TANG J., CHU G., **Precipitation of antimony from the solution of sodium thioantimonite by air oxidation in the presence of catalytic agents**, J.Cent. South uni. Technol., v. 9 (2), p. 107-111, 2002.

YE, Z. H., LIN, Z. -Q., WHITING, S. N., DE SOUZA, M. P. E TERRY, N. **Possible use of constructed wetland to remove selenocyanate, arsenic, and boron from electric utility wastewater**. Chemosp., v. 52, p. 1571-1579, 2003.

YOON I., KIM K., BANG S., KIM M., **Reduction and adsorption mechanisms of selenate by zero-valent iron and related iron corrosion**, App Catalys B: Environ., v. 104, p. 185–192, 2011.

YUNSHENG, R., LIANDENG, L., HUIHUANG, Z. **Gold deposits rich in bismuth minerals: an important type of gold deposits**. In: Mao, J., Bierlein, F.P. (Eds.), Meeting the Global Challenge. Proceedings Eighth Biennial SGA Meeting Beijing, China. Springer, Berlin, p. 581–583, 2005.

ZELMANOV G., SEMIAT R., **Selenium removal from water and its recovery using iron ( $Fe^{3+}$ ) oxide/hydroxide-based nanoparticles sol (NanoFe) as an adsorbent**, Separat and purif techn., v. 103, p. 167-172, 2013.

ZHANG Y., CH. AMRHEIN, W.T. FRANKENBERGER, **Effect of arsenate and molybdate on removal of selenate from an aqueous solution by zero-valent iron**, Sci. Total Environ., v. 350, p. 1-11, 2005.

ZHANG Y. *et al.*, **Removal of selenate from water by zero valent iron**. J. Environ. Qual. 34, 487–495, 2005.

ZHANG Y., XIU F., **Arsenic (V) removal from aqueous system using adsorbent developed from a high iron-containing fly ash**, Sci Environ., v. 407, p. 5780–5786, 2009.