

Referências Bibliográficas

- [Baczynski, 2000] BACZYNSKI, N. R. P.. Stepsim4 "step path" method for slope risks. International Conference on Geotechnical and Geological Engineering - Australia, 2:86–92, 2000. 1.1, 3.4
- [Bobet & Einstein, 1998] BOBET, A.; EINSTEIN, H. H.. Numerical modeling of fracture coalescence in a model rock material. International Journal of Fracture, 92:221–252, 1998. 3.3
- [Brady, 1993] BRADY, B.; BROWN, E.. Rock Mechanics for Underground Mining. Kluwer Academic Publishers, New York, 2005. 2.2.1, 2.2.1
- [De Vallejo *et al*, 2004] DE VALLEJO, L. G.; FERRER, M.; ORTUNO, L. ; OTEO, C.. Ingeniería Geológica. Pearson Education S.A., Madri, Espanha, 2004. (document), 2.2, 2.6
- [Deere, 1964] DEERE, D. U.. Technical description of rock cores for engineering purposes. Rock Mechanics and Rock Engineering, Volume 1, 17-22, 1964. 2.1.2
- [Eberhardt *et al*, 2004] EBERHARDT, E.; STEAD, D.; KARAMI, A. ; COGGAN, J.. Numerical analysis of brittle fracture propagation and step-path failure in massive rock slopes. 57th Canadian Geotechnical Conference, 5th Joint Conference, CGS/IAH-CNC, 2004. (document), 3.4, 3.14
- [Einstein, 1993] EINSTEIN, H. H.. Modern Developments in Discontinuity Analysis - The Persistence - Connectivity Problem. em: Comprehensive rock engineering : principles, practice & projects / editor in chief : John A. Hudson. Pergamon Press, Oxford, OX3 0BW, England, 1993. 5.5.3, 6.1
- [El Comercio, 2009] COMERCIO, E.. El Comercio Peru - Especiales Multimedia - Cerro de Pasco, el éxodo. Disponível em: <<http://elcomercio.pe/ediciononline/especiales/cerrodepasco/index.html>>, 2009. 1.1

- [Goodman, 1989] GOODMAN, R. E.. **Introduction to Rock Mechanics.** John Wiley & Sons, New York, 1989. 5.5.1
- [Hoek & Marinos, 2002] HOEK, E.; MARINOS, P.. **Predicting tunnel squeezing problems in weak heterogeneous rock masses.** Disponível em <<http://www.rockscience.com/hoek/references/H2000d.pdf>>. (document), 2.2.1, 2.2.4, 2.11
- [Hoek et al, 2002] HOEK, E.; CARRANZA-TORRES, C. ; CORKUM, B.. **Hoek & brown failure criterion - 2002 edition.** Proc. NARMS-TAC Conference, Toronto, 1:267–273. 2.2.1, 2.2.4
- [Hoek & Brown, 1980] HOEK, E.; BROWN, E.. **Underground Excavations in Rock.** The Institution of Mining and Metallurgy, 44 Portland Place, London W1, England, 1980. 2.2.1, 2.2.1
- [Hoek et al, 1995] HOEK, E.; KAISER, P. ; BAWDEN, W.. **Support of Underground Excavations in Hard Rock.** Funding by Mining Research Directorate and Universities Research Incentive Fund, 1995. 2.2.4
- [Hoek & Bray, 1996] HOEK, E.; BRAY, J.. **Rock Slope Engineering.** E and FN Spon, 2-6 Boundary Row, London SE1 8HN, UK, 1996. 2.3.1, 2.3.2, 2.3.3
- [Hoek & Diederichs, 2006] HOEK, E.; DIEDERICHS, M.. **Empirical estimation of rock mass modulus.** International Journal of Rock Mechanics & Mining Sciences, 43:203 – 215, 2006. 2.2.4
- [Hoek, 2007] HOEK, E.. **Practical Rock Engineering.** Disponível em: <http://www.rockscience.com/hoek/pdf/Practical_Rock_Engineering.pdf>, 2007. (document), 2.2.1, 2.2.2, 2.8, 2.9
- [Hudson & Harrison, 1997] HUDSON, J. A.; HARRISON, J. P.. **Engineering Rock Mechanics - An Introduction to the Principles.** Elsevier Science Publishers, Kidlington, Oxford OX5 1GB, UK, 1997. (document), 2, 2.1.1, 2.1, 2.2
- [Inglis, 1913] INGLIS, C. E.. **Stresses in a plate due to the presence of cracks and sharp corners.** Institution Naval Architects, 55:219–230, 1913. 3
- [Itasca, 1999a] ITASCA. **Theory and Background.** Itasca Consulting Group, Minneapolis, Minnesota 55401 USA, first edition, November 1999. (document), 4.1, 4.2, 4.3, 4.3, 4.3.5, 4.5, 4.6, 4.7

- [Itasca, 1999b] ITASCA. Fish in PFC3D. Itasca Consulting Group, Minneapolis, Minnesota 55401 USA, first edition, November 1999. 4.4
- [Jaeger & Cook, 1968] JAEGER, J.; COOK, N.. Fundamentals of Rock Mechanics. Methuen & Co Ltd., 11 New Fetter Lane, London, 1968. 5.4
- [Jennings, 1970] JENNINGS, J.. A mathematical theory for the calculation of the stability of slopes in open cast mine. Open Pit Mining Symposium, Planing Open Pit Mines, 1970. (document), 1.1, 1.2, 3.4, 3.10, 3.4, 3.11, 3.12, 5, 6.1
- [Li, 2009] LI, L.; TANG, C.; ZHU, W. ; LIANG, Z.. Numerical analysis of slope stability based on the gravity increase method. Computers and Geotechnics, 36:1246–1258, 2009. 5.5.3
- [Mellado, 2005] MELLADO, J. C.. Aplicación del método de los elementos discretos a problemas de desgaste. Master's thesis, Universitat Politècnica de Catalunya, Catalunya, Espanha, 2005. 4.1
- [Miller *et al*, 2004] MILLER, S. M.; WHYATT, J. K. ; MCHUGH, E. L.. Applications of the point estimation method for stochastic rock slope engineering. Gulf Rocks 2004: Proceedings, Rock Mechanics Across Borders and Disciplines, 6th North American Rock Mechanics Conference, Houston, Texas., ARMA/NARMS 04-517, 2004. (document), 1.1, 3.4, 3.13
- [Mughieda & Karasneh, 2006] MUGHIEDA, O.; KARASNEH, I.. Coalescence of offset rock joints under biaxial loading. Geotechnical and Geological Engineering, 24:985 – 999, 2006. 3.3, 3.4
- [Mughieda & Omar, 2008] MUGHIEDA, O.; OMAR, M. T.. Stress analysis for rock mass failure with offset joint. Geotechnical and Geological Engineering, 26:543 – 552, 2008. (document), 3.3, 3.9
- [Palmstrom, 2005] PALMSTROM, A.. Measurements of and correlations between block size and rock quality designation (RQD). Tunnelling and Underground Space Technology, Volume 20, Issue 4, 2005. (document), 2.4, 2.1.2, 2.5
- [Park & Bobet, 2009] PARK, C.; BOBET, A.. Crack coalescence in specimens with open and closed: A comparison. International Journal of Rock Mechanics & Mining Sciences, 46, Issue 5:819–829, 2009. (document), 3.3, 3.4, 3.3, 3.3, 3.3, 3.7, 5.3, 5.7, 5.3, 5.3, 6.1

- [Potyondy & Cundall, 2003] POTYONDY, D.; CUNDALL, P.. A bonded-particle model for rock. International Journal of Rock Mechanics & Mining Sciences, 41:1329–1364, 2004. 4.4, 4.4, 5.3, 6.1
- [Priest & Hudson, 1976] PRIEST, S. D.; HUDSON, J. A.. Discontinuity spacing in rock. International Journal od Rock Mechanics and Mining Science and Geomechanics, Volume 13, Issue 5:135–148, 1976. 5.6.2
- [Priest, 1993] PRIEST, S. D.. **Discontinuity Analysis For Rock Engineering**. Chapman & Hall, 2-6 Boundary Row, London SE1 8HN, UK, 1993. 2.1.1, 2.1.1
- [Pusch, 1995] PUSCH, R.. **Rock Mechanics on a Geological Base**. Elsevier Science B.V., P.O. Box 211, 1000 AE Amsterbam, The Netherlands, 1995. 5.6.2
- [Sjöberg, 1996] SJÖBERG, J.. **Large Scale Slope Stability in Open Pit Mining-A Review**. Tekniska Högskolan i Lulea, Sweden, 1996. (document), 1.1, 1.2, 2.2.4, 2.3, 2.3.1, 2.3.2, 2.3.2, 2.3.3, 2.14
- [Stead *et al*, 2003] D. STEAD, E. EBERHARDT, J. C.. Developments in the characterization of complex rock slope deformation and failure using numerical modelling techniques. Engineering Geology, 83:217–235, 2006. 3.4
- [Telles, 2005] TELLES, I.; VARGAS, E.; LIRA, W. ; MARTHA, L.. **Uma Ferramenta Computacional para a Geração de Sistemas de Fraturas em Meios Rochosos**. Disponível em: <<http://www.tecgraf.puc-rio.br/fm/papers/TellesINFOGEO2005.pdf>>, 2005. 5.6.2
- [Ulusay & Hudson, 2007] ULUSAY, R.; HUDSON, J.. Suggested Method for Determining Mode I Fracture Toughness Using Cracked Chevron Notched Brazilian Disc (CCNBD) Specimens. em: The Complete ISRM Suggested Methods for Rock Characterization, Testing and Monitoring:1974-2006, Ankara, Turkey, 2007. 3.2
- [Vásárhelyi & Bobet, 2000] VÁSÁRHELYI, B.; BOBET, A.. Modeling of crack initiation, propagation and coalescence in uniaxial compression. Rock Mechanics and Rock Engineering, 33:119–139, 2000. (document), 3.3, 3.3, 3.8
- [Vyazmensky *et al*, 2005] VYAZMENSKY, A.; ELMO, D.; STEAD, D. ; RANCE, J.. Numerical Analysis of the Influence of Ge-

ological Structures on the Development of Surface Subsidence Associated with Block Caving Mining. Disponível em: <<http://sites.google.com/site/alexvyazmensky/research/Subsidence-Analysis.pdf?attredirects=0>>, 2008. 1.1

[Wang *et al*, 2003] WANG, C.; TANNANT, D. ; LILLY, P.. Numerical analysis of the stability of heavily jointed rock slope using pfc2d. International Journal of Rock Mechanics & Mining Sciences, 40:415–424, 2003. (document), 1.1, 3.4, 3.15, 5.5.1, 5.4

[Whittaker *et al*, 1992] WHITTAKER, B.; SINGH, R. ; SUN, G.. **Rock Fracture Mechanics - Principles, Design and Applications.** Elsevier Science Publishers, P.O. Box 211, 1000 AE Amsterdam, The Netherlands, 1992. (document), 3.1, 3, 3.2, 3.2, 3.3, 3.2, 3.3, 3.5, 3.3, 3.6, 5.3

[Wikipédia, 2009] WIKIPÉDIA. Wikipédia a enciclopédia livre - Chuquicamata. Disponível em: <<http://pt.wikipedia.org/wiki/Chuquicamata>>, 2009. 1.1

[Wong & Einstein, 2009] WONG, L.; EINSTEIN, H.. Crack coalescence in molded gypsum and carrara marble: Part 1. macroscopic observations and interpretation. Rock Mechanics and Rock Engineering, 42, Number 3:475 – 511, 2009. 3.3

[Wyllie & Mah, 2005] WYLLIE, D. C.; MAH, C. W.. **Rock Slope Engineering–Civil and Mining.** Taylor and Francis e-Library, 270 Madison Avenue, New York, NY 10016, 2005. (document), 1.1, 2.1, 2.3, 2.10, 2.2.3

[Zoback *et al*, 1994] ZOBACK, M.; BARTON, C.; BRUDY, M.; CASTILLO, D.; FINKBEINERB, T.; GROLLIMUND, B.; MOOS, D.; PESKA, P.; WARDB, C. ; WIPRUTB, D.. Determination of stress orientation and magnitude in deep wells. International Journal of Rock Mechanics and Mining Sciences & Geomechanics Abstracts, Volume 40:1049–1076, 2003. 2.1