

6. Referências Bibliográficas

Alvarado, V.; Manrique, E. Enhanced Oil Recovery: Field Planning and Development Strategies, volumen 1.vol. Elsevier, Burlington, MA, U.S.A., 1.ed edition, 2010.

Alvarado, D. A., & Marsden, S. S. (1979). Flow of Oil-in-Water Emulsions Through Tubes and Porous Media. *Society of Petroleum Engineers Journal*, 19(06), 369 – 377.

Bonnet, M.; Cansell, M.; Placin, F.; Anton, M. e Leal Calderon, F. (2010a). Impact of sodium caseinate concentration and location on magnesium release from multiple W/O/W emulsions, *Langmuir*, 26, 9250-60.

Bonnet, M.; Cansell, M.; Placin, F.; David Briand, E.; Anton, M. e Leal Calderon, F. (2010b). Influence of ionic complexation on release rate profiles from multiple water in oil in water (W/O/W), *Langmuir*, 58, 7762-9.

Bonnet, M.; Cansell, M.; Placin, F.; Monteil, J.; Anton, M. e Leal Calderon, F. (2010c). Influence of the oil globule fraction on the release rate profiles from multiples W/O/W emulsions, *Colloids Surf. B Biointerfaces*, 78, 44-52.

Cartmill, J. C., & Dickey, P. A. (1969). Flow Of A Disperse Emulsion Of Crude Oil In Water In Porous Media. In *Fall Meeting of the Society of Petroleum Engineers of AIME* (pp. 1–7). Denver, USA: Society of Petroleum Engineers.

Chang, L.-C., Tsai, J.-P., Shan, H.-Y., & Chen, H.-H. (2009). Experimental study on imbibition displacement mechanisms of two-phase fluid using micro model. *Environmental Earth Sciences*, 59(4), 901–911. doi:10.1007/s12665-009-0085-6.

Chatenever, A. and Calhoun Jr., J.C. (1952), Visual examinations of fluid behavior in porous media: Part 1, *Petroleum Transactions, AIME* **195**, pp. 149–156.

Chatzis, I. (2011). 2011: Mobilization of Residual Oil Mechanisms Seen in Micromodels. In *International Symposium of Core Analysis* (pp. 2–9). Austin, USA.

Chen, D., L. J. Pyrak-Nolte, J. Griffin, and N. J. Giordano (2007), Measurement of interfacial area per volume for drainage and imbibition, *Water Resour. Res.*, **43**, W12504, doi:10.1029/2007WR006021.

Cheng, J.-T., L. J. Pyrak-Nolte, D. D. Nolte, and N. J. Giordano (2004), Linking pressure and saturation through interfacial areas in porous media, *Geophys. Res. Lett.*, **31**, L08502, doi:10.1029/2003GL019282.

Cobos, S., Carvalho, M. S., & Alvarado, V. (2009). Flow of oil–water emulsions through a constricted capillary. *International Journal of Multiphase Flow*, **35**(6), 507–515. doi:10.1016/j.ijmultiphaseflow.2009.02.018.

Corapcioglu, M.Y., and P. Fedirchuk (1999), Glass bead micro-model study of solute transport, *J. Contam. Hydrol.*, **36**, pp. 209–230.

Corapcioglu, M.Y., Chowdhury, S. and Roosevelt, S.E. (1997), Micro-model visualization and quantification of solute transport in porous media, *Water Resources Research*, **33**, 11, pp. 2547–2558.

Corapcioglu, M. Y., Yoon, S., and Chowdhury, S. (2009), Pore-Scale Analysis of NAPL Blob Dissolution and Mobilization in Porous Media, *Transport in Porous Media*, **79**(3), pp. 419–442, doi: 10.1007/s11242-008-9331-8.

Giordano, N., and J.-T. Cheng (2001), Microfluid mechanics: progress and opportunities, *J. Phys.: Condens. Matter*, **13**, R271, doi: 10.1088/0953-8984/13/15/201.

Gardescu II. 1930. Behavior of gas bubbles in capillary spaces. *Transactions of the American Institute of Mining, Metallurgical and Petroleum Engineers, Incorporated* **86**: 351–370.

Gomes, D. A. A.; Nóbrega, G. A.S.; Pegado, R.M.; Barros Neto, E.L.; Dantas Neto, A.A.; Castro Dantas. T. N. Formulação de gel de faturamento utilizando tensoativos não-iônicos. VI Congresso Brasileiro de Engenharia Química em Iniciação Científica (COBEQ), Campinas 2005.

Guillen, V. R., Carvalho, M. S., & Alvarado, V. (2012). Pore Scale and Macroscopic Displacement Mechanisms in Emulsion Flooding. *Transport in Porous Media*, **94**(1), 197–206. doi:10.1007/s11242-012-9997-9.

Guillen, V. R., Romero, M. I., Carvalho, M. D. S., & Alvarado, V. (2012). Capillary-driven mobility control in macro emulsion flow in porous media. *International Journal of Multiphase Flow*, **43**, 62–65. doi:10.1016/j.ijmultiphaseflow.2012.03.001.

Jamin, J. Memoire sur l'équilibre et le mouvement des liquides dans les corps poreux. *Comptes Rendus Academie de Sciences de France* v. 50, p. 172, 1860.

Javadpour, F., & Fisher, D. (2008). Nanotechnology-Based Micromodels and New Image Analysis to Study Transport in Porous Media. *Journal of Canadian Petroleum Technology*, **47**(2), 30–37. doi:10.2118/08-02-30.

Jillavenkatesa A.; Lum_Dapkunas S. 2001. *Particle size characterization*. Special Publication 960-1, NIST, Washington, USA, 165 pp.

Johnston, W.G. (1962), Dislocation etch pits in non-metallic crystals with bibliography, *Progress in ceramic science*, vol 2, Burke JE (ed), pp 1-75. Pergamon Press, New York.

Khambharatana, F.; Thomas, S. ; Farouq-ali, S. M.. Numerical simulation and experimental verification of oil recovery by macroemulsion. Society of Petroleum Engineers, 39033, 1997.

Lenormand, R., Schlumberger, D., & Zarcone, C. (1988). Physics of Blob Displacement in a Two-Dimensional Porous Medium. *SPE Formation Evaluation*, 3(1), 271–275.

Lenormand, R., & Zarcone, C. (1984). Role of Roughness and Edges During Imbibition in Square Capillaries. In *Proceedings of SPE Annual Technical Conference and Exhibition* (p. 17). Houston, USA: Society of Petroleum Engineers. doi:10.2523/13264-MS.

Lenormand, R., Zarcone, C., & Sarr, A. (1983). Mechanisms of the displacement of one fluid by another in a network of capillary ducts. *Journal of Fluid Mechanics*, 135, 337–353.

Mcauliffe, C. D. (1973). Crude-Oil-in-Water Emulsions To Improve Fluid Flow in an Oil Reservoir. *Journal of Petroleum Technology*, 25(06), 721–726.

Melchels, F. P.W., Feijen, J., Grijpma, D. W. (2010), A review on stereolithography and its applications in biomedical engineering, *Biomaterials*, Volume 31, Issue 24, Pages 6121-6130, ISSN 0142-9612.

Myers, D. Surfaces, Interfaces and Colloids: Principles and Applications, 2ed. New York: John Wiley & Sons, 1999.

Ohara, J., Asami, K., Takeuchi, Y. and Sato, K. (2010), Development of RIE-lag Reduction Technique for Si Deep Etching Using Double Protection Layer Method, *IEEE Transactions on Electrical and Electronic Engineering*, 5: 125–130, doi: 10.1002/tee.20506.

Romero, M. I. (2009). Flow of Emulsions in Porous Media. In *SPE Annual Technical Conference and Exhibition* (pp. 4–7). New Orleans, USA: Society of Petroleum Engineers.

Romero-zerón, L., & Kantzas, A. (2006a). Evolution of Foamed Gel Confined in Pore Network Models. *Journal of Canadian Petroleum Technology*, 45(11), 51–62.

Romero-zerón, L., & Kantzas, A. (2006b). Influence of Wettability on Foamed Gel Mobility Control Performance in Unconsolidated Porous Media. *Journal of Canadian Petroleum Technology*, 45(2), 51–61.

Rosa, J.J. DA. Separação otimizada de compostos orgânicos por floculação-flotação. Tese de doutorado, UFRGS 2002.

Sagar, N. S., and L. M. Castanier (1998), Pore-level visualization of oil-foam interactions in a silicon micro-model, in *Proceedings of the SPE/DOE Improved Oil Recovery Symposium*, paper SPE 39512, Soc. of Pet. Eng., Richardson, Tex.

Sayegh, S. G., Fisher, D. B. (2008), Enhanced Oil Recovery by CO₂ Flooding in Homogeneous and Heterogeneous 2D Micro-models, Canadian International Petroleum Conference, doi:10.2118/2008-005.

Schramm, G. Reologia e Reometria: Fundamentos Teóricos e Práticos. Tradução e adaptação: MOTHE, C.G. et al.. São Paulo: Ed. Artliber, 1996.

Seright, R. S., & Liang, J. (1995). A Comparison of Different Types of Blocking Agents. In *SPE European Formation Damage Conference* (pp. 431–440). The Hague, Netherlands: Society of Petroleum Engineers.

Sharma, J., Inwood, S. B., and Kovscek, A. R., (2011), Experiments and Analysis of Multiscale Viscous Fingering during Forced Imbibition, Society of Petroleum Engineers, 143946-MS.

Sharma, M. K.; Shah, D.O. Introduction to macro- and microemulsiones. Departments of Chemical Engineering. Gainesville. 1983.

Shaw, D. J. Introdução a química dos coloides e de superfícies. Ed. Edgard Blucher. Ltda., São Paulo, 1975.

Sohrabi, M., Henderson, G. D., Tehrani, D. H., & Danesh, A. (2000). Visualisation of Oil Recovery by Water Alternating Gas (WAG) Injection Using High Pressure Micromodels - Water-Wet System. In *SPE Annual Technical Conference and Exhibition* (pp. 1–8). Dallas, USA: Society of Petroleum Engineers.

Sohrabi, M., Tehrani, D. H., & Danesh, A. (2001). Visualisation of Oil Recovery by Water Alternating Gas (WAG) Injection Using High Pressure Micromodels - Oil-Wet & Mixed-Wet Systems. In *SPE Annual Technical Conference and Exhibition* (pp. 1–7). New Orleans, USA: Society of Petroleum Engineers.

Sohrabi, M., Tehrani, D. H., Danesh, A., & Henderson, G. D. (2004). Visualization of Oil Recovery by Water-Alternating-Gas Injection Using High-Pressure Micromodels. *SPE Journal*, 9(3), 290 – 301. doi:10.2118/89000-PA.

Thomas, S.; Farouq-ali, S. M.. Flow of emulsions in porous media, and potential for enhanced oil recovery. *Journal of Petroleum Science and Engineering*, 3:p.121–136, 1989.

Yeom, J., Y. Wu, and M. A. Shannon (2003), Proceedings of Transducers '03-The 12th International Conference on Solid State Sensors, Actuators and Microsystems, IEEE, Boston, MA, p. 1631.

Zeidani, K., Polikar, M., Huang, H., & Boyd, J. (2008). Application of Emulsion Blocking Mechanism for Sealing the Near Wellbore Region. *Journal of Canadian Petroleum Technology*, 47(5), 40–47. doi:10.2118/08-05-40.