

## 8

## Referencias Bibliográficas

ALLIL, R. C.; WERNECK, M. M.; MACIEL, F. L.; OLIVEIRA, R. P.; NETO, J. L. S.; YUGUE, E. S.; CARVALHO, C.C.; BARBOSA, C. L.; “Sensores a Fibra Óptica para Monitoramento de Máquinas”; **XII Encontro Regional Ibero-Americano do CIGRÉ**, Foz do Iguaçu, Brasil, Maio 2007.

BELO, IVAN MOURA. **Análise eficiente de compósitos laminados planos utilizando-se a formulação de elementos finitos corrigida a priori sem os efeitos do travamento**. 2006. Dissertação de Mestrado - Pontifícia Universidade Católica do Paraná, Curitiba, Brasil.

BETZ, Daniel C. et al. Structural damage location with fiber Bragg grating rosettes and Lamb waves. **Structural health monitoring**, v. 6, n. 4, p. 299-308, 2007.

BOTELHO, Edson Cocchieri et al. A review on the development and properties of continuous fiber/epoxy/aluminum hybrid composites for aircraft structures. **Materials Research**, v. 9, n. 3, p. 247-256, 2006.

CHANG, Fu-Kuo. Manufacturing and design of built-in diagnostics for composite structures. In: **ECCM-8: European Conference on Composite Materials; Science, Technologies and Applications; 3-6 June, 1998, Naples-Italy**. Woodhead Publishing, 1998. p. 441.

CULSHAW, Brian; KERSEY, Alan. Fiber-optic sensing: A historical perspective. **Journal of lightwave technology**, v. 26, n. 9, p. 1064-1078, 2008.

DE LA CRUZ, H.A.B. **Análise de calibração de Sensores a Rede de Bragg em Fibras Ópticas Interrogados através da Técnica de Filtros Fixos**. Rio de Janeiro, 2007. 97p. Dissertação de Mestrado - Pontifícia Universidade Católica do Rio de Janeiro.

DOEBLING, Scott W. et al. A summary review of vibration-based damage identification methods. **Shock and vibration digest**, v. 30, n. 2, p. 91-105, 1998.

ENCKELL-EL JEMLI, Merit; KAROUMI, Raid; LANARO, Flavio. Monitoring of the new Arsta railway bridge using traditional and fiber optic sensors. In: **Smart Structures and Materials**. International Society for Optics and Photonics, 2003. p. 279-288.

FARRAR, Charles R.; DOEBLING, Scott W.; NIX, David A. Vibration-based structural damage identification. **Philosophical Transactions of the Royal**

**Society of London. Series A: Mathematical, Physical and Engineering Sciences**, v. 359, n. 1778, p. 131-149, 2001.

FARRIES, M. C. et al. Second-harmonic generation in an optical fibre by self-written x (2) grating. **Electronics Letters**, v. 23, n. 7, p. 322-324, 1987.

FRISWELL, Michael I.; PENNY, John ET. Crack modeling for structural health monitoring. **Structural Health Monitoring**, v. 1, n. 2, p. 139-148, 2002.

GLIŠIĆ, B. et al. Long-term monitoring of high-rise buildings using long-gage fiber optic sensors. In: **Proceedings of IFHS2005: 7th international conference on multi-purpose high-rise towers and tall buildings, Dubai, United Arab Emirates**. 2005.

GONÇALVES, Leonardo Correia. **Configuração interferométrica diferencial para medição de deformação e temperatura**, 2010. Dissertação de Mestrado - Centro de Ciências Exatas e da Engenharia, Universidade da Madeira.

GRATTAN, K. T. V.; SUN, T. Fiber optic sensor technology: an overview. **Sensors and Actuators A: Physical**, v. 82, n. 1, p. 40-61, 2000.

GÜEMES, Alfredo; FERNÁNDEZ-LÓPEZ, Antonio; SOLLER, Brian. Optical fiber distributed sensing-physical principles and applications. **Structural Health Monitoring**, v. 9, n. 3, p. 233-245, 2010.

GUO, Zhan-Sheng. Strain and temperature monitoring of asymmetric composite laminate using FBG hybrid sensors. **Structural Health Monitoring**, v. 6, n. 3, p. 191-197, 2007.

HALLIDAY David ,et al.,. **Fundamentos da Física**. LTC, 2004.

HAYKIN, Simon S. **Redes neurais: princípios e prática**. Mcmillan Bookman, 2001.

HILL, K. O. et al. Bragg gratings fabricated in monomode photosensitive optical fiber by UV exposure through a phase mask. **Applied Physics Letters**, v. 62, n. 10, p. 1035-1037, 1993.

INAUDI, Daniele et al. Embedded and surface-mounted fiber optic sensors for civil structural monitoring. In: **Smart Structures and Materials' 97**. International Society for Optics and Photonics, 1997. p. 236-243.

INAUDI, Daniele et al. Long-term monitoring of a concrete bridge with 100+ fiber optic long-gauge sensors. In: **Nondestructive Evaluation Techniques for Aging Infrastructures & Manufacturing**. International Society for Optics and Photonics, 1999. p. 50-59.

IHN, Jeong-Beom; CHANG, Fu-Kuo. Pitch-catch active sensing methods in structural health monitoring for aircraft structures. **Structural Health Monitoring**, v. 7, n. 1, p. 5-19, 2008.

IKEDA, Takuro; IKEDA, Takuro. **Fundamentals of piezoelectricity**. Oxford: Oxford university press, 1990.

KASHYAP, Raman. **Fiber Bragg gratings**. Academic press, 1999.

KASHYAP, R. et al. All-fibre narrowband reflection gratings at 1500 nm. **Electronics Letters**, v. 26, n. 11, p. 730-732, 1990.

KATO, Carla Carvalho, **Sistema de Interrogação de Múltiplos Sensores a Rede de Bragg Utilizando Reflectometria no Domínio do Tempo e Filtros Fixos**, 2004. Dissertação de Mestrado - Departamento de Engenharia Mecânica, Pontifícia Universidade Católica do Rio de Janeiro.

KERSEY, Alan D. A review of recent developments in fiber optic sensor technology. **Optical fiber technology**, v. 2, n. 3, p. 291-317, 1996.

KROHN, David. A. **Fiber optic sensors : fundamentals and applications** (3rd ed). ISA, Research Triangle, NC, 2000.

LEIDERMAN, R. et al. Interrogation methods for fiber Bragg grating sensors. In: **International Conference on Fiber Optics and Photonics: Selected Papers from Photonics India'98**. International Society for Optics and Photonics, 1999. p. 554-560.

LEMAIRE, Paul J. et al. High pressure H<sub>2</sub> loading as a technique for achieving ultrahigh UV photosensitivity and thermal sensitivity in GeO<sub>2</sub> doped optical fibres. **Electronics Letters**, v. 29, n. 13, p. 1191-1193, 1993.

LI, Suzhen; WU, Zhishen. Development of distributed long-gage fiber optic sensing system for structural health monitoring. **Structural Health Monitoring**, v. 6, n. 2, p. 133-143, 2007.

LÓPEZ-HIGUERA, José Miguel (Ed.). **Handbook of optical fibre sensing technology**. Wiley, 2002.

LYNCH, Jerome P.; LOH, Kenneth J. A summary review of wireless sensors and sensor networks for structural health monitoring. **Shock and Vibration Digest**, v. 38, n. 2, p. 91-130, 2006.

MANDAL, Jharna et al. Bragg grating tuned fiber laser system for measurement of wider range temperature and strain. **Optics communications**, v. 244, n. 1, p. 111-121, 2005.

MELTZ, G.; MOREY, W\_W; GLENN, W. H. Formation of Bragg gratings in optical fibers by a transverse holographic method. **Optics letters**, v. 14, n. 15, p. 823-825, 1989.

MENADIER, C.; KISSINGER, C.; ADKINS, H. The fotonic sensor. **Instruments and Control Systems**, v. 40, p. 114-120, 1967.

MENDEL, Jerry M. Fuzzy logic systems for engineering: a tutorial. **Proceedings of the IEEE**, v. 83, n. 3, p. 345-377, 1995.

METJE, N. et al. An optical fiber sensor system for remote displacement monitoring of structures—prototype tests in the laboratory. **Structural Health Monitoring**, v. 7, n. 1, p. 51-63, 2008.

NUNES, L. C. S.; VALENTE, L. C. G.; BRAGA, A. M. B. Analysis of a demodulation system for Fiber Bragg Grating sensors using two fixed filters. **Optics and Lasers in Engineering**, v. 42, n. 5, p. 529-542, 2004.

ÖATERBERG U. and MARGULIS W., "Efficient second harmonic in an optical fiber", in Technical Digest of XIV Internat. Quantum Electron. Conf., paper WBB1 (1986).

OLIVEIRA, L.H.P. **Análise Metrológica de Redes de Bragg de Alta Temperatura Voltadas para Aplicações em Sensoriamento**. Rio de Janeiro, 2011. 232p. Tese de Doutorado - Pontifícia Universidade Católica do Rio de Janeiro.

OLIVEIRA, Rodrigo Pereira de. **Sensor Monoponto de Temperatura Baseado em Redes de Bragg Gêmeas**. 2009. Dissertação de Mestrado. Universidade Federal do Rio de Janeiro.

OTHONOS and K. KALLI. **Fiber Bragg Gratings**. Academic Press, 1999.

PARK, Chiwoo; TANG, Jiong; DING, Yu. Aggressive data reduction for damage detection in structural health monitoring. **Structural Health Monitoring**, v. 9, n. 1, p. 59-74, 2010.

PHING, Ho Sze et al. Growth dynamics and characteristics of fabricated Fiber Bragg Grating using phase mask method. **Microelectronics Journal**, v. 40, n. 3, p. 608-610, 2009.

RÍCON, Iago Gómez Vllate. **Estudio de Sistemas Ultrasónicos Basados en Multitransductores para la Detección de Defectos en Estructuras Tipo Placa**. Tese de Doutorado - Departamento de Ingeniería Mecánica y Fabricación, Universidad Politécnica de Madrid (2007).

SNODGRASS J. **Corrosion Resistance of Aluminum Alloys, Corrosion: Fundamentals, Testing, and Protection**, Vol 13A, ASM Handbook, ASM International, 1135p., 2003.

STONE, J. Photorefractivity in GeO<sub>2</sub>-doped silica fibers. **Journal of applied physics**, v. 62, n. 11, p. 4371-4374, 1987.

STOLEN, R. H.; TOM, H. W. K. Self-organized phase-matched harmonic generation in optical fibers. **Optics letters**, v. 12, n. 8, p. 585-587, 1987.

TIMOSZCZUK, Antonio Pedro. **Reconhecimento automático do locutor com redes neurais pulsadas**. Tese de Doutorado - Escola Politécnica da Universidade de São Paulo (2004).

TODD, Michael D. et al. Bragg grating-based fibre optic sensors in structural health monitoring. **Philosophical Transactions of the Royal Society A: Mathematical, Physical and Engineering Sciences**, v. 365, n. 1851, p. 317-343, 2007.

UDD, Eric et al. (Ed.). **Fiber optic sensors**. New York: Wiley, 1991.

VARGEL, Christian. **Corrosion of aluminum**. Elsevier, 2004.

VASIL'EV, Sergei Aleksandrovich et al. Fibre gratings and their applications. **Quantum Electronics**, v. 35, n. 12, p. 1085-1103, 2005.

VURPILLOT, Samuel et al. Bridge spatial displacement monitoring with 100 fiber optic deformation sensors: Sensors network and preliminary results. In: **Smart Structures and Materials' 97**. International Society for Optics and Photonics, 1997. p. 51-57.

WANG, C. S. and CHANG, F-K. (1999). "**Built-in Diagnostics for Impact Damage Identification of Composite Structures**", in Structural Health Monitoring 2000, Fu-Kuo Chang, ed., Technomic, Lancaster, PA, 612-621.

WORDEN, Keith et al. The fundamental axioms of structural health monitoring. **Proceedings of the Royal Society A: Mathematical, Physical and Engineering Science**, v. 463, n. 2082, p. 1639-1664, 2007.

WU, Z.-J., GUO, Z.-S. and WAN, L., ZHANG, B.M. and DU, S.Y. (2004). "**Measurement of process-induced FBG sensors**". In: Proceedings of SAMPLE 2004, pp. 3217-3225, Long Beach, CA.

XAVIER, Júlio Nascif. Manutenção classe mundial. **Argentina: Revista Mantener**, n. 5, p. 15-16, 1980.

XAVIER, Júlio Nascif. **Manutenção –Tipos e Tendências**. 2000.

XIAO, Gaozhi et al. A planar lightwave circuit based micro interrogator and its applications to the interrogation of multiplexed optical fiber Bragg grating sensors. **Optics Communications**, v. 281, n. 23, p. 5659-5663, 2008.

YIN, Stuart Shizhuo.; RUFFIN, Paul; and YU, Francis. **Fiber Optic Sensors**. 2 ed., CRC Press, 2008