

Referências Bibliográficas

- [1] Thomas W. Ebbesen. *Carbon nanotubes: preparation and properties*. CRC Press, 1997.
- [2] M. Terrones. Carbon nanotubes: synthesis and properties, electronic devices and other emerging applications. *International materials reviews*, 49(6):348–349, 2004.
- [3] T.A. EDISON. MANUFACTURE OF FILAMENTS FOR INCANDESCENT ELECTRIC LAMPS, March 15 1892. US Patent 470,925.
- [4] M. Terrones. SCIENCE AND TECHNOLOGY OF THE TWENTY-FIRST CENTURY: Synthesis, Properties, and Applications of Carbon Nanotubes. *Annual Review of Materials Research*, 33(1):419–501, 2003.
- [5] A. Oberlin, M. Endo, and T. Koyama. Filamentous growth of carbon through benzene decomposition. *J. Cryst. Growth*, 32(3):335–349, 1976.
- [6] T.W. Ebbesen. Production and purification of carbon nanotubes. *Carbon Nanotubes: Preparation and Properties*, page 139, 1997.
- [7] A. Oberlin, M. Endo, and T. Koyama. High-Resolution Electron-Microscope Observations of Graphitized C Fibres. *Carbon*, 14(2):133–135, 1976.

- [8] HW Kroto, JR Heath, S.C. O'Brien, RF Curl, and RE Smalley. C 60: buckminsterfullerene. *Nature*, 318(6042):162–163, 1985.
- [9] S. Iijima et al. Helical microtubules of graphitic carbon. *Nature*, 354(6348):56–58, 1991.
- [10] T.W. Odom, J.L. Huang, P. Kim, and C.M. Lieber. Structure and electronic properties of carbon nanotubes. *J. Phys. Chem. B*, 104(13):2794–2809, 2000.
- [11] R. Saito, G Dresselhaus, and MS Dresselhaus. *Physical properties of carbon nanotubes*. Imperial College Pr, 1998.
- [12] MS Dresselhaus, G Dresselhaus, and P. Avouris. *Carbon nanotubes: synthesis, structure, properties, and applications*. Springer, 2001.
- [13] E.B. Barros, A. Jorio, G.G. Samsonidze, R.B. Capaz, A.G. Souza Filho, J. Mendes Filho, G. Dresselhaus, and M.S. Dresselhaus. Review on the symmetry-related properties of carbon nanotubes. *Physics Reports*, 431(6):261–302, 2006.
- [14] M. Meyyappan. *Carbon Nanotubes: science and applications*. CRC Press, 2005.
- [15] P. Kim, T.W. Odom, J.L. Huang, and C.M. Lieber. Electronic density of states of atomically resolved single-walled carbon nanotubes: Van Hove singularities and end states. *Physical Review Letters*, 82(6):1225–1228, 1999.
- [16] N. Hamada, S. Sawada, and A. Oshiyama. New one-dimensional conductors: Graphitic microtubules. *Physical Review Letters*, 68(10):1579–1581, 1992.

- [17] R. Saito, M. Fujita, G. Dresselhaus, and MS Dresselhaus. Electronic structure of chiral graphene tubules. *Applied Physics Letters*, 60(18):2204–2206, 1992.
- [18] JW Mintmire, BI Dunlap, and CT White. Are fullerene tubules metallic? *Physical Review Letters*, 68(5):631–634, 1992.
- [19] X. Zhao, Y. Liu, S. Inoue, T. Suzuki, RO Jones, and Y. Ando. Smallest carbon nanotube is 3 Å in diameter. *Physical review letters*, 92(12):125502, 2004.
- [20] X. Blase, L.X. Benedict, E.L. Shirley, and S.G. Louie. Hybridization effects and metallicity in small radius carbon nanotubes. *Physical review letters*, 72(12):1878–1881, 1994.
- [21] T.W. Odom, J.L. Huang, P. Kim, and C.M. Lieber. Atomic structure and electronic properties of single-walled carbon nanotubes. *Nature*, 391(6662):62–64, 1998.
- [22] P. Ayala, R. Arenal, M. Rummeli, A. Rubio, and T. Pichler. The doping of carbon nanotubes with nitrogen and their potential applications. *Carbon*, 48(3):575–586, 2010.
- [23] O. Stephan, PM Ajayan, C. Colliex, P. Redlich, JM Lambert, P. Bernier, and P. Lefin. Doping graphitic and carbon nanotube structures with boron and nitrogen. *Science*, 266(5191):1683, 1994.
- [24] S.Y. Kim, J. Lee, C.W. Na, J. Park, K. Seo, and B. Kim. N-doped double-walled carbon nanotubes synthesized by chemical vapor deposition. *Chemical Physics Letters*, 413(4-6):300–305, 2005.

- [25] R. Arenal, F. De la Pena, O. Stéphan, M. Walls, M. Tence, A. Loiseau, and C. Colliex. Extending the analysis of EELS spectrum-imaging data, from elemental to bond mapping in complex nanostructures. *Ultramicroscopy*, 109(1):32–38, 2008.
- [26] M. Terauchi, M. Tanaka, K. Tsuno, and M. Ishida. Development of a high energy resolution electron energy-loss spectroscopy microscope. *Journal of microscopy*, 194(1):203–209, 1999.
- [27] A. Aguilar-Elguezabal, W. Antunez, G. Alonso, and F. Delgado. Study of carbon nanotubes synthesis by spray pyrolysis and model of growth. *Diamond and Related Materials*, 15(9):1329–1335, 2006.
- [28] N. Jeong, Y. Seo, and J. Lee. Vertically aligned carbon nanotubes synthesized by the thermal pyrolysis with an ultrasonic evaporator. *Diamond & Related Materials*, 16(3):600–608, 2007.
- [29] R. Kamalakaran, M. Terrones, T. Seeger, P. Kohler-Redlich, M. Rühle, YA Kim, T. Hayashi, and M. Endo. Synthesis of thick and crystalline nanotube arrays by spray pyrolysis. *Applied Physics Letters*, 77:3385, 2000.
- [30] A. Govindaraj and CNR Rao. Organometallic precursor route to carbon nanotubes. *Pure and Applied Chemistry*, 74(9):1571–1580, 2002.
- [31] P. Ayala, A. Grüneis, C. Kramberger, MH Rümmeli, IG Solórzano, FL Freire Jr, and T. Pichler. Effects of the reaction atmosphere composition on the synthesis of single and multiwalled nitrogen-doped nanotubes. *The Journal of Chemical Physics*, 127:184709, 2007.
- [32] S. Iijima and T. Ichihashi. Single-shell carbon nanotubes of 1-nm diameter. *Nature*, 1993.

- [33] TW Ebbesen and PM Ajayan. Large-scale synthesis of carbon nanotubes. *Nature*, 1992.
- [34] E. Munoz, WK Maser, AM Benito, MT Martinez, GF De la Fuente, Y. Maniette, A. Righi, E. Anglaret, and JL Sauvajol. Gas and pressure effects on the production of single-walled carbon nanotubes by laser ablation. *Carbon*, 38(10):1445–1451, 2000.
- [35] A. Jorio, MA Pimenta, A.G.S. Filho, R. Saito, G. Dresselhaus, and MS Dresselhaus. Characterizing carbon nanotube samples with resonance Raman scattering. *New Journal of Physics*, 5(1):139, 2003.
- [36] M. Terrones, A. Jorio, M. Endo, AM Rao, YA Kim, T. Hayashi, H. Terrones, J.C. Charlier, G. Dresselhaus, and MS Dresselhaus. New direction in nanotube science. *Materials Today*, 7(10):30–45, 2004.
- [37] AM Rao, E. Richter, S. Bandow, B. Chase, PC Eklund, KA Williams, S. Fang, KR Subbaswamy, M. Menon, A. Thess, et al. Diameter-selective Raman scattering from vibrational modes in carbon nanotubes. *Science*, 275(5297):187, 1997.
- [38] JM Benoit, JP Buisson, O. Chauvet, C. Godon, and S. Lefrant. Low-frequency Raman studies of multiwalled carbon nanotubes: Experiments and theory. *Physical Review B*, 66(7):73417, 2002.
- [39] F. Tuinstra and JL Koenig. Raman spectrum of graphite. *The Journal of Chemical Physics*, 53:1126, 1970.
- [40] D. Briggs and MP Seah. Practical surface analysis by Auger and photoelectron spectroscopy. *JOHN WILEY & SONS, INC., 605 THIRD AVE., NEW YORK, NY 10158, USA, 1983, 500*, 1983.

- [41] S. Souto, M. Pickholz, MC Dos Santos, and F. Alvarez. Electronic structure of nitrogen-carbon alloys ($a\text{-CN}_x$) determined by photoelectron spectroscopy. *Physical Review B*, 57(4):2536–2540, 1998.
- [42] D. Srivastava, M. Menon, C. Daraio, S. Jin, B. Sadanadan, and A.M. Rao. Vacancy-mediated mechanism of nitrogen substitution in carbon nanotubes. *Physical Review B*, 69(15):153414, 2004.
- [43] G. Keskar, R. Rao, J. Luo, J. Hudson, J. Chen, and A.M. Rao. Growth, nitrogen doping and characterization of isolated single-wall carbon nanotubes using liquid precursors. *Chemical Physics Letters*, 412(4-6):269–273, 2005.
- [44] K. Fukui. Role of frontier orbitals in chemical reactions. *Science*, 218(4574):747–754, 1982.
- [45] F. Villalpando-Paez, AH Romero, E. Munoz-Sandoval, LM Martinez, H. Terrones, and M. Terrones. Fabrication of vapor and gas sensors using films of aligned CN_x nanotubes. *Chemical Physics Letters*, 386(1-3):137–143, 2004.
- [46] K.G. Ong and C.A. Grimes. A carbon nanotube-based sensor for CO_2 monitoring. *Sensors*, 1:193–205, 2001.
- [47] LG Bulusheva, AV Okotrub, I. Kinloch, IP Asanov, AG Kurennya, AG Kudashov, X. Chen, and H. Song. Effect of nitrogen doping on Raman spectra of multi-walled carbon nanotubes. *Physica Status Solidi(b)*, 245(10):1971–1974, 2008.