

Bibliografia

- [1] Aoustin, Y.; Chevallereaus, C.; Glumineau, A. ; Moog, C. H.. **Experimental Results for the End-Effector Control of a Single Flexible Robotic Arm.** IEEE Transactions on Control Systems Technology, 2(4):371–381, December 1994.
- [2] Araujo, M. D.; Antunes, J.. **Remote Identification of Impact Forces on Loosely Supported Tubes: Part I: Basic Theory and Experiments.** Journal of Sound and Vibration, p. 1015–1041, 1998.
- [3] Arteaga, M. A.. **On the Properties of a Dynamic Model of Flexible Robot Manipulators.** Journal of Dynamic Systems, Measurement and Control, p. 8–14, March 1998.
- [4] Asada, H.; Slotine, J. E.. **Robots Analysis and Control.** Interscience, 1986.
- [5] Barclay, A.; Gill, P. E. ; Rosen, J. B.. **SQP Methods and Their Application to Numerical Optimal Control.** Technical report, Department of Computer Science and Engineering, University of California, San Diego, 1997.
- [6] Bayo, E.; Moulin, H.. **An Efficient Computation of the Inverse Dynamics of Flexible Manipulators in the Time Domain.** Proc. of International Conference on Robotics and Automation, p. 710–715, May 1989.
- [7] Beer, F. P.; Johnston, E. R. ; Dewolf, J. T.. **Mechanics Of Materials.** McGraw-Hill, 2001. 3rd edition.
- [8] Blajer, W.; Schiehlen, W.. **Walking Without Impacts as a Motion/Force Control Problem.** Journal of Dynamical Systems, Measurement, and Control, 114:660–665, December 1992.

- [9] BOOK, W. J.; KWON, D.-S.. **Contact Control for Advanced Applications of Light Weight Arms.** Journal of Intelligent and Robotic Systems, 6:121–137, 1992.
- [10] BOROWIEC, J.; TZES, A.. **Linear Quadratic Frequency-Shaped Implicit Force Control of Flexible Link Manipulators.** Journal of Dynamical Systems, Measurements and Control, 119:405–119, 1997.
- [11] BRACH, R. M.. **Mechanical Impact Dynamics - Rigid Body Collisions.** John Wiley and Sons, 1991.
- [12] BROGLIATO, B.; NICULESCU, S.-I. ; ORHANT, P.. **On the Control of Finite-Dimensional Mechanical Systems with Unilateral Constraints.** IEEE Transactions on Automatic Control, 42(2):200–215, February 1997.
- [13] CANNON, R. H.; SCHMITZ, E.. **Initial Experiments on the End-Point Control of a Flexible One-Link Robot.** The International Journal Of Robotic Research, 3(3):62–74, 1984.
- [14] CATALDO, E.; SAMPAIO, R.. **Collision Between Rigid Bodies-Comparing Some Models.** Proc. of International Symposium on Impact and Friction of Solids, 1998.
- [15] CATALDO, E.; SAMPAIO, R.. **Uma Análise Crítica de Modelos de Colisão entre Corpos Rígidos.** Proc. of COBEM, Novembro 1999.
- [16] CATALDO, E.; SAMPAIO, R.. **Comparing Some Models of Collision Between Rigid Bodies.** Proc. of PACAM VI/DINAME, 1999.
- [17] CATALDO, E.. **Modelagem e Simulação de Colisões Planas entre Corpos Rígidos.** PhD thesis, Departamento de Engenharia Mecânica, PUC-Rio, Brasil, 1999.
- [18] CELENTANO, G.; SETOLA, R.. **The Modelling of a Flexible Beam with Piezoelectric Plates for Active Vibration Control.** Journal of Sound and Vibration, 223(3):483–492, 1999.
- [19] CHAPNIK, B. V.; HEPPLER, G. R. ; APLEVICH, J. D.. **Modeling Impact on a One-Link Flexible Robotic Arm.** IEEE Transactions on Robotics and Automation, p. 479–488, August 1991.

- [20] CHIOU, B. C.; SHAHINPOOR, M.. **Dynamic Stability Analysis of a Two-Link Force-Controlled Flexible Manipulator**. Journal of Dynamical Systems, Measurement and Control, p. 661–666, December 1990.
- [21] CHIOU, B. C.; SHAHINPOOR, M.. **Experimental and Theoretical Observations on the Dynamic Stability of a One-Link Force-Controlled Flexible Manipulator**. Proc. of IEEE International Conference on Robotics and Automation, p. 1208–1213, April 1991.
- [22] CHIU, D. K.; LEE, S.. **Design and Experimentation of a Jump Impact Controller**. IEEE Control Systems Magazine, p. 99–106, June 1997.
- [23] CHOI, B. O.; KRISHNAMURTHY, K.. **Unconstrained and Constrained Motion Control of a Planar Two-Link Structurally Flexible Robotic Manipulator**. Journal of Robotic Systems, 11(6):557–571, 1994.
- [24] CHOI, S.-B.; LEE, C.-H.. **Force Tracking Control of a Flexible Gripper Driven by Piezoceramic Actuators**. Journal of Dynamical Systems, Measurements and Control, 119:439–446, September 1997.
- [25] CHOI, S.-B.; LEE, H.-B. ; THOMPSON, B. S.. **Compliant Control of a Two-Link Flexible Manipulator by Constrain Hamiltonian System**. Mech. Mach. Theory, 33:293–306, 1998.
- [26] CHOURA, S.; YIGIT, A. S.. **Control of a Two-Link Rigid-Flexible Manipulator with Moving Payload Mass**. Journal of Sound and Vibration, 243(5):883–897, 2001.
- [27] CHRISTOFOROU, A. P.; YIGIT, A. S.. **Effect of Flexibility on Low Velocity Impact Response**. Journal of Sound and Vibration, 217(3):563–578, 1998.
- [28] CRAIG, J. J.. **Introduction To Robotics: Mechanics and Control**. Addison-Wesley Pub, 1989. 2nd Edition.
- [29] CROSS, R.. **Impact of a Ball with a Bat or Racket**. American Journal of Physics, 67(8):692–702, 1999.
- [30] CYRIL, X.; KIM, S.-W.; INGHAM, M.; MISRA, A. ; JAAR, G.. **Post-Impact Dynamics of Two Multi-Body Systems Attempting Docking/Berthing**. Acta Astronautica, 40(11):759–769, 1997.

- [31] CYRIL, X.; MISRA, A. K.; INGHAM, M. ; JAAR, G.. **Post-Capture Dynamics of a Spacecraft-Manipulator-Payload System.** Journal of Guidance Control and Dynamics, 23(1):95–100, 2000.
- [32] DE JALÓN, J. G.; BAYO, E.. **Kinematic and Dynamic Simulation of Multibody Systems.** Springer-Verlag, 1994.
- [33] DELUCA, A.; SICILIANO, B.. **Regulation of Flexible Arms Under Gravity.** IEEE Transactions On Robotics and Automation, 9(4):463–467, August 1993.
- [34] DELUCA, A.. **Feedforward/Feedback Laws for the Control of Flexible Robots.** Proc. of International Conference on Robotics and Automation, p. 223–240, April 2000.
- [35] DENOYER, K. K.; KWAK, M. K.. **Dynamic Modelling and Vibration Suppression of a Slewing Structure Utilizing Piezo-electric Sensors and Actuators.** Journal of Sound and Vibration, 189(1):13–31, 1996.
- [36] DORF, R. C.; BISHOP, R. H.. **Modern Control Systems.** Addison-Wesley Publishing Company Inc., 1995.
- [37] ESCALONA, J. L.; MAYO, J. M. ; DOMÍNGUEZ, J.. **A Critical Study of the Use of the Generalized Impulse-Momentum Balance Equations in Flexible Multibody Systems.** Journal Of Sound and Vibration, 217(3):523–545, 1998.
- [38] FERRETTI, G.; MAGNANI, G. ; P.ROCCO. **On the Stability of Integral Force Control in Case of Contact with Stiff Surfaces.** Journal of Dynamical Systems, Measurement and Control, 117:547–553, 1995.
- [39] FISHER, W. D.; MUJTABA, M. S.. **Hybrid Position/Force Control: A Correct Formulation.** The International Journal of Robotics Research, 11(4):299–311, August 1992.
- [40] GE, S. S.; LEE, T. H. ; ZHU, G.. **Improving Regulation of a Single-Link Flexible Manipulator with Strain Feedback.** IEEE Transactions on Robotics and Automation, 14(1):179–185, February 1998.

- [41] GERTZ, M. W.; JIN-OH-KIM ; KHOSLA, P. K.. **Exploiting Redundancy to Reduce Impact Force**. Technical report, Advanced Manipulators Laboratory, The Robots Institute, Carnegie Mellon University, Pittsburg, Pennsylvania 15213, 1991.
- [42] GLAD, T.; LJUNG, L.. **Control Theory**. Taylor and Francis, London and New York, 2000.
- [43] GREENWOOD, D. T.; GREENFIELD, W. M.. **Principles of Dynamics**. Prentice Hall Inc., 1987.
- [44] HOGAN, N.. **Impedance Control: An Approach to Manipulation: Part 1-Theory, Part 2-Implementation, Part 3-Applications**. Journal of Dynamical Systems, Measurement, and Control, 107:1–24, March 1985.
- [45] HUANG, H.; PAN, J. ; MCCORMICK, P. G.. **Prediction of Impact Forces in A Vibratory Ball Mill Using an Inverse Technique**. Int. J. Impact Engineering, 19(2):117–126, 1997.
- [46] IDER, S. K.; ÖZGÖREN, M. K.. **Trajectory Tracking Control of Flexible-Joint Robots**. Computers and Structures, 76:757–763, 2000.
- [47] IMMAN, D. J.. **Engineering Vibration**. Prentice Hall Inc., 1993.
- [48] IZUMI, T.; ZHOU, H.. **Hitting Robot with a Flexible Link Hammer**. Artif Life Robotics, 3:73–78, 1999.
- [49] JOHNSON, K. L.. **Contact Mechanics**. Cambridge University Press, 1985.
- [50] JUNKINS, J. L.; KIM, Y.. **Introduction to Dynamics and Control of Flexible Structures**. AIAA Education Series Inc., 1993.
- [51] KALABA, R. E.; UDWADIA, F. E.. **Analytical Dynamics: A New Approach**. Cambridge University Press, 1996.
- [52] KHALIL, H. K.. **Nonlinear Systems**. Prentice Hall, 1996.
- [53] KLAFTER, R. D.; CHMIELEWSKI, T. A. ; NEGIN, M.. **Robotic Engineering: An Integrated Approach**. Prentice Hall, 1989.
- [54] KUBICA, E.; WANG, D.. **Fuzzy Control Strategy for a Single Flexible Link Robot**. Proc. of IEEE International Conference on Robotics and Automation, p. 236–241, 1993.

- [55] KAWAN, C. M.; YESILDIREK, A. ; LEWIS, F. L.. **Robust Force/Motion Control of Constrained Robots Using Neural Network**. Journal of Robotic Systems, 16(12):697–714, 1999.
- [56] LANKARANI, H. M.; NIKRAVESH, P.. **A Contact Force Model with Hysteresis Damping for Impact Analysis of Multibody Systems**. Journal of Mechanical Design, 112:369–376, September 1990.
- [57] LANKARANI, H. M.; NIKRAVESH, P.. **Continuous Contact Force Models for Impact Analysis of in Multibody Systems**. NonLinear Dynamics, 5(2):193–207, 1994.
- [58] LEVINE, W. S.. **The Control Handbook**. CRC Press Inc., 1996.
- [59] LI, Y. F.; DANIEL, R. W.. **Robot Tip Velocity Measurements for Direct End Effector Position Control**. Proc. of International Conference of Intelligent Robots and Systems, p. 998–1003, July 1992.
- [60] LI, Y. F.. **On the Use of Velocity Feedback for Robot Impact Control**. Robotics and Autonomous Systems, 13:297–305, 1994.
- [61] LI, Y. F.; CHEN, X. B.. **Tip Deflection Measurement and State Observation of a Flexible Robot Arm**. IEEE Instrumentation and Measurement, p. 1174–1178, May 1998.
- [62] LI, Y. F.; CHEN, X. B.. **End-Point Sensing and State Observation of a Flexible-Link Robot**. IEEE Transactions on Mechatronics, 6(3):351–356, September 2001.
- [63] LU, Z.; GOLDENBERG, A. A.. **Robust Impedance Control and Force Regulation: Theory and Experiments**. The International Journal of Robotics Research, 14(3):225–254, 1995.
- [64] LUO, Z.-H.. **Direct Strain Feedback Control of Flexible Robot Arms: New Theoretical and Experimental Results**. IEEE Transactions on Automatic Control, 38(11):1610–1622, November 1993.
- [65] LUO, Z.-H.; SAKAWA, Y.. **Gain Adaptative Direct Strain Feedback Control of Flexible Robot Arms**. Proceedings of IEEE TENCON'93, p. 199–202, 1993.
- [66] LUO, Z.-H.; GUO, B.. **Further Theoretical Results on Direct Strain Feedback Control of Flexible Robotic Arms**. IEEE Transactions on Automatic Control, 40(4):747–751, April 1995.

- [67] MAILAH, M.; RAHIM, N. I. A.. **Intelligent Active Force Control of a Robot Arm using Fuzzy Logic**. Proceedings of TENCON, p. 291–296, September 2000.
- [68] MANDAL, N.; PAYANDEH, S.. **Experimental Evaluation of the Importance of Compliance for Robotic Impact Control**. Proc. of IEEE Conference on Control Applications, p. 511–516, September 1993.
- [69] MARGARITU, D. B.. **The Impact of Flexible Links with Solid Lubrication**. Journal of Sound and Vibration, 205(5):712–720, 1997.
- [70] MARGARITU, D. B.; DIACONESCU, C. I.. **Control Techniques for Impacting Flexible Systems**. Archive of Applied Mechanics, 69, 555–568 1999.
- [71] MARHEFKA, D. W.; ORIN, D. E.. **A Compliant Contact Model with Nonlinear Damping for Simulation of Robotic Systems**. IEEE Transactions on Systems, Man and Cybernetics - Part A: Systems and Human, 29(6):566–572, 1999.
- [72] MATSUNO, F.; KASAI, S.. **Modelling and Robust Force Control of Constrained One-Link Flexible Arms**. Journal of Robotics Systems, 15(8):447–464, 1998.
- [73] MEIROVITCH, L.. **Elements of Vibration Analysis**. McGraw-Hill, Cambridge, 1986.
- [74] MEIROVITCH, L.. **Dynamics and Control Of Structures**. John Wiley and Sons, Inc., 1990.
- [75] MENINI, L.; TORNAMBÈ, A. ; ZACCARIAN, L.. **On the Control of a Flexible Beam Colliding against and Infinitely Rigid and Massive Obstacle**. Proc. of IEEE Conference on Decision and Control, p. 257–262, December 1997.
- [76] MOOREHEAD, S. J.. **Position and Force Control of Flexible Manipulators**. Master's thesis, Department of Electrical Engineering, University Of Waterloo, Canadá, 1996.
- [77] NAGATA, F.; WATANABE, K.; SATO, K. ; IZUMI, K.. **Generalized Fuzzy Environment Models Learned with Genetic Algorithms for a Robotic Force Control**. Proc. of IEEE International Conference on Intelligent Robots and Systems, p. 590–596, 1999.

- [78] OH, Y. H.; CHUNG, W. K.; JEONG, K. W. ; YOUM, Y.. **Implementation of Passive Hardware Damper for Force and Impact Control.** In: PROC. OF IEEE INTERNATIONAL CONFERENCE ON ROBOTICS AND AUTOMATION, 937–943 1994.
- [79] OH, Y.; CHUNG, W. K.. **Analysis of a Robot System with a Passive Damper for Force and Impact Control.** *Advanced Robotics*, 13(1):1–23, 1999.
- [80] PAGILLA, P. R.; YU, B.. **Robot Surface Finishing Processes: Modelling, Control, and Experiments.** *Journal of Dynamical Systems, Measurements and Control*, 123:93–102, 2001.
- [81] PATARINSKY, S. P.; BOTEV, R. G.. **Robot Force Control: A Review.** *Mechatronics*, 3(4):377–398, 1993.
- [82] PFEIFFER, F.; GLOCKER, C.. **Multibody Dynamics With Unilateral Contacts.** John Wiley and Sons, 1996.
- [83] QIAN, H. P.; DESCHUTTER, J.. **Stabilizing Robot Force Control Through Low Pass Filtering with Low Cut Off Frequency.** *Proc. 31st Conference on Decision and Control*, p. 1893–1896, December 1992.
- [84] RAIBERT, M. H.; CRAIG. **Hybrid Position/Force Control of Manipulators.** *Journal of Dynamical Systems, Measurements and Control*, 12:126–133, June 1981.
- [85] RAJALINGHAM, C.; RAKHEJA, S.. **Analysis of Impact Force Variation During Collision of Two Bodies Using a Single-Degree-of-Freedom System Model.** *Journal of Sound and Vibration*, 229(4):823–835, 2000.
- [86] ROSSI, M.; ZUO, K. ; WANG, D.. **Issues in the Design of Pasive Controllers for Flexible Link Robots.** *Proc. of IEEE International Conference on Robotics and Automation*, p. 321–326, 1994.
- [87] SHIN, H.-C.; CHOI, S.-B.. **Position Control of a Two-Link Flexible Manipulator featuring Piezoelectric Actuators and Sensors.** *Mechatronics*, 11:707–729, 2001.
- [88] SCIAVICCO, L.; SICILIANO, B.. **Modeling and Control of Robot Manipulators.** The McGraw Hill Companies, Inc., 1996.

- [89] SERAJI, H.; COLBAUGH, R.. **Force Tracking in Impedance Control**. The International Journal of Robotic Research, 16(1):97–117, February 1997.
- [90] SHIMOGA, K. B.; GOLDENBERG, A. A.. **Soft Robotic Fingertips Part I: A Comparison of Construction Materials**. The International Journal of Robotic Research, 15(4):320–348, August 1996.
- [91] SHIVASWAMY, S.; LANKARANI, H. M.. **Modeling, Contact Forces During Impact of Flexible Systems**. In: PROC. OF THE FIRST INTERNATIONAL SYMPOSIUM ON IMPACT AND FRICTION OF SOLIDS, STRUCTURES AND INTELLIGENT MACHINES, p. 301–304, June 1998.
- [92] SICILIANO, B.; VILLANI, L.. **Adaptative Compliant Control of Robot Manipulators**. Control Engineering Practice, 4(5):705–712, 1996.
- [93] SICILIANO, B.; VILLANI, L.. **An Inverse Kinematics Algorithm for Interaction Control of a Flexible Arm with a Compliant Surface**. Control Engineering Practice, 9:191–198, 2001.
- [94] SLOTINE, J.-J. E.. **Applied Nonlinear Control**. Prentice Hall, 1991.
- [95] SOARES, A. M. S.; GÓES, L. C. S. ; GADELHA, L. C.. **Modeling, Experimental Identification and LQG/LTR Control of a Multibody System with Flexible Appendages**. In: PROC. OF XV CONGRESSO BRASILEIRO DE ENGENHARIA MECÂNICA, COBEM, 1997.
- [96] SPONG, M. W.. **Modelling and Control of Elastic Joint Robots**. Journal of Dynamical Systems, Measurement and Control, 109:310–319, December 1987.
- [97] STRANG, G.. **Linear Algebra and Its Applications**. Brooks Cole Publishing Company, 1988. 3rd Edition.
- [98] SUBUDHU, B.; MORRIS, A.. **Dynamic Modelling, Simulation and Control of a Manipulator with Flexible Links and Joints**. Robotic and Autonomous Systems, 1018:1–14, 2002.
- [99] SUZUKI, K.; ITOH, Y.. **Bounce Phenomena in Electrical Switching Devices**. In: PROC. FIRST INTERNATIONAL SYMPOSIUM ON

IMPACT AND FRICTION OF SOLIDS, STRUCTURES AND INTELLIGENT MACHINES, volumen 14, June 1997.

- [100] TAHBOUB, K. A.. **Motion Control of a Robotic with Flexible Joints.** Control Eng. Pratices, 4(7):967–974, 1996.
- [101] THORNTON, C.. **Coefficient of Restitution for Collinear Collisions of Elastic-Perfectly Plastic Spheres.** Journal of Applied Mechanics, 64:383–386, June 1997.
- [102] TIEMIN, Z.; YOUWU, L.; YAN SHAOZE; QING, Z. ; HAIGEN, Z.. **Comparative Study on Acceleration Feedback and the Strain Feedback of a Flexible Manipulator.** In: PROC. OF THE INTERNATIONAL CONFERENCE ON SYSTEMS, MAN AND CYBERNETICS, p. 1031–1035, Outubro 1996.
- [103] TSO, S. K.; YANG, T. W.; XU, W. L. ; SUN, Z. Q.. **Vibrational Control for Flexible-Link Robot Arm with Deflection Feedback.** International Journal of Non-Linear Mechanics, 38:51–62, 2003.
- [104] UDWADIA, F. E.; KALABA, R. E.. **Analytic Dynamics: A New Approach.** Cambridge University Press, 1996.
- [105] VALER, C. I.. **Uma Introdução ao Controle Robusto com Aplicações a Estruturas Flexíveis.** Master's thesis, Departamento de Engenharia Mecânica, PUC-Rio, Brasil, 1999.
- [106] VALER, C. E. I.; SAMPAIO, R.. **Controle $\mathcal{H}_\infty$ de Estruturas Flexíveis com Dinâmica Reduzida.** In: PROC. OF XV CONGRESSO BRASILEIRO DE ENGENHARIA MECÂNICA, COBEM, 1999.
- [107] VALER, C. E. I.; SAMPAIO, R.. **Simulação e Controle de Força de um Manipulador Robótico Flexível Sujeito a Impacto.** In: PROC. OF XVI CONGRESSO BRASILEIRO DE ENGENHARIA MECÂNICA, COBEM, 2001.
- [108] VALER, C. E. I.; SAMPAIO, R.. **Impact Control During the Contact Phase of a Two-Link Rigid-Flexible Manipulator.** In: PROC. OF IX DINAME, 2005. To be Published.
- [109] VALER, C. E. I.; SAMPAIO, R.. **Impact Force Identification in Flexible Structures by Using P-I State Observers and Optimal Control.** In: PROC. OF IX DINAME, 2005. To be Published.

- [110] VOLPE, R.; KHOSLA, P.. **An Experimental Evaluation and Comparison of Explicit Force Control Strategies for Robotic Manipulators.** In: PROC. OF AMERICAN CONTROL CONFERENCE, p. 758–764, 1992.
- [111] VOLPE, R.; KHOSLA, P.. **A Theoretical and Experimental Investigation of Impact Control for Manipulators.** The International Journal of Robotics Research, 12(4):351–365, August 1993.
- [112] VOLPE, R.; KHOSLA, P.. **The Equivalence of Second-Order Impedance Control and Proporcional Gain Explicit Force Control.** The International Journal of Robotics Reasearch, 14(6):574–589, December 1995.
- [113] VUKOBRATOVIC, M. K.; POTKONJAK, V.. **Dynamics of Contact Tasks in Robotics Part I: General Model of Robot Interacting with Environment.** Mechanism and Machine Theory, 34:923–942, 1999.
- [114] WADA, H.; FUKUDA, T.; WATANABE, K.; MATSUURA, H. ; ARAI, F.. **Force Control of the Robot Manipulator with Collision Phenomena by Learning Control.** JSME International Journal, Series C, 36(2):219–225, 1993.
- [115] WEE, L.-B.; WALKER, M. W.. **On the Dynamics of Contacts between Space Robots and Configuration Control for Impact Minimization.** IEEE Transactions on Robotics and Automation, 9:581–591, October 1993.
- [116] WEI, Q.; KRISHNAPRASAD, P. S. ; DAYAWANSA, W. P.. **Modeling of Impact on a Flexible Beam.** In: PROC. 32ND CONFERENCE OF DECISION AND CONTROL, San Antonio, TX, December 1993.
- [117] WEI, Q.. **Modeling and Control of Dynamical Effects due to Impact on Flexible Structures.** PhD thesis, Department of Electrical Engineering. The University of Maryland., USA, 1994.
- [118] WENG, S.-W.; YOUNG, K.-Y.. **An Impact Control Scheme Inspired by Human Reflex.** Journal of Robotic Systems, 13(12):837–855, 1996.
- [119] WHITNEY, K. E.. **Historical Perspective and Stae of the Art in Robot Force Control.** The International Journal of Robotics Reserach, 6(1):3–14, 1987.

- [120] XU, Y.; MA, D. ; HOLLERBACH, J. M.. **Nonlinear Proportional and Derivative Control for High Disturbance Rejection and High Gain Force Control**. Proc. of IEEE International Conference on Robotics and Automation, p. 752–759, May 1993.
- [121] XU, W. L.; HAN, J. D.; TSO, S. K. ; WANG, Y. C.. **Contact Transition Control via Joint Acceleration Feedback**. IEEE Transactions on Industrial Electronics, 47(1):150–157, February 2000.
- [122] YIGIT, A. S.; USLOY, G.. **Controller Design for Rigid Flexible Multibody Systems**. Proceedings of 28th Conference on Decision and Control, p. 665–673, 1989.
- [123] YIGIT, A. S.; ULLOY, A. G. ; SCOTT, R. A.. **Dynamics of a Radially Rotating Beam with Impact, Part 1: Theoretical and Computational Model**. Journal of Vibration and Acoustics, 112:65–69, January 1990.
- [124] YIGIT, A. S.; ULLOY, A. G. ; SCOTT, R. A.. **Dynamics of a Radially Rotating Beam with Impact, Part 2: Theoretical and Computational Model**. Journal of Vibration and Acoustics, 112:71–77, January 1990.
- [125] YIM, W.; SINGH, S. N.. **Variable Structure Adaptive Force Tracking Control of a Cantilever Beam Using Piezoelectric Actuator**. Journal of Vibration and Control, 6:1029–1043, 2000.
- [126] ZHANG, X.; SHAO, C.; LI, S. ; XU, D.. **Robust $\mathcal{H}_\infty$ Vibration Control for Flexible Linkage Mechanism Systems with Piezoelectric Sensors and Actuators**. Journal of Sound and Vibration, 243(1):145–155, 2001.
- [127] ZHENG, Y.-F.; HEMAMI, H.. **Mathematical Modelling of a Robot Collision with its Environment**. Journal of Robotic Systems, 2(3):289–307, 1985.