

ANDREUSSI, P.; BENDIKSEN, K.; NYDAL, O.J., 1993. Void distribution in slug flow. *Int. J. Multiphase Flow* 19, 817–828.

ANSARI, M. R., 1998. Dynamical behavior of slug initiation generated by short waves in two-phase air-water stratified flow. *ASME HTD* 361, 289-295.

BARNEA, D.; TAITEL, Y., 1993. A model for slug length distribution in gas-liquid slug flow. *Int. J. Multiphase Flow* 19, 829–838.

BARNEA, D., TAITEL, Y., 1994. Interfacial and structural stability of separated flow. *Int. J. Multiphase Flow* 20, 387–414.

BENDIKSEN, K.H.; ESPEDAL, M., 1992. Onset of slugging in horizontal gas-liquid pipe flow. *Int. J. Multiphase Flow* 18, 237–247.

BENDIKSEN, K.H.; BRANDT, I.; JACOBSEN, K.A.; PAUCHON, C., 1987. Dynamic simulation of multiphase transportation systems. In: *Multiphase Flow Technology and Consequences for Field Development Forum*, Stavanger, Norway.

BENDIKSEN, K.H.; MALNES, D.; STRAUME, T.; HEDNE, 1990. A non-diffusive numerical model for transient simulation of oil-gas transportation systems. In: *Euro Sim. Multiconf.*, Nüremberg, 10–13 June.

BENDIKSEN, K.H.; MALNES, D.; MOE, R.; NULAND, S., 1991. The dynamic two-fluid model OLGA: theory and application. *SPE Prod. Eng.* 6, 171–180.

BENDIKSEN, K.H.; MALNES, D.; NYDAL, O.J., 1996. On the modelling of slug flow. *Chem. Eng. Commun.* 141–142, 71–102.

BONIZZI, M., 2003. Transient one-dimensional modelling of multi-phase slug flows. Ph.D. Thesis, Imperial College, University of London.

BONIZZI, M.; ISSA, R.I., 2003. A model for simulating gas bubble entrainment in two-phase horizontal slug flow. *Inter. Journal of Multiphase Flow* 29, 1685-1717.

BONIZZI, M.; ISSA, R.I., 2003. On the simulation of three-phase slug flow in nearly horizontal pipes using the multi-fluid model. *Inter. Journal of Multiphase Flow* 29, 1719-1747.

BOURE, J.; R_EOCREUX, M., 1972. General equations of two-phase flows. In: *All Union Heat Mass Transfer Conference*, Minsk, USSR. Orleans, USA.

CHUN, M. H. & SUNG, C. K., 1996. Onset of slugging criterion based on characteristics and stability analyses of transient one-dimensional two-phase flow equations of the two fluid model. *Int. Comm. Heat Mass Transfer* 23, 473-484.

DE HENAU, V.; RAITHBY, G.D., 1994. A study of terrain-induced slugging in two-phase flow pipelines 21, 365-379.

DE HENAU, V.; RAITHBY, G.D., 1995a. A transient two-fluid model for the simulation of slug flow in pipelines: I. Theory. *Int. J. Multiphase Flow* 21, 335-349.

DE HENAU, V.; RAITHBY, G.D., 1995b. A transient two-fluid model for the simulation of slug flow in pipelines: II. Validation. *Int. J. Multiphase Flow* 21, 351-363.

DREW, D.A.; 1983. Mathematical modeling of two-phase flow. *Ann. Rev. Fluid. Mech.* 15, 261-291.

DUKLER, A.E.; FABRE, J., 1992. Gas-liquid slug flow-knots and loose ends. in: 3rd International Workshop Two-Phase Flow Fundamentals, Imperial College.

DUKLER, A.E.; HUBBARD, M.G., 1975. A model for gas-liquid slug flow in horizontal and near horizontal tubes. *Ind. Eng. Chem. Fund.* 14, 337-345.

ESPEDAL, M.; BENDIKSEN, K.H., 1989. Onset of instabilities and slugging in horizontal and near-horizontal gas-liquid flow. European Two-Phase Flow Group Meeting, Paris, May 9-June 1, paper G4, pp. 1-30.

FAN, Z.; LUSSEYRAN, F.; HANRATTY, T.J., 1993a. Initiation of slugs in horizontal gas-liquid flows. *AIChE J.* 39, 1741-1753.

FAN, Z.; RUDER, Z.; HANRATTY, T.J.; 1993b. Pressure profiles for slugs in horizontal pipes. *Int. J. Multiphase Flow* 19, 421-437.

FABRE, J.; LINÉ, A., 1992. Modeling of two-phase slug flow. *Ann. Rev. Fluid Mech.* 24, 21-46

FABRE, J.; FERSCHNEIDER, G.; MASBERNAT, L., 1983. Intermittent gas liquid flow modelling in horizontal or weakly inclined pipes. In: International Conference on Physical Modelling for Multiphase Flow, Coventry, pp. 233-254.

FABRE, J.; LINÉ, A.; PERESSON, L., 1992. Two fluid/two flow pattern model for transient gas liquid flow in pipes. In: 4th International Conference on Multiphase Flow, Nice, pp. 269-284.

FERSCHNEIDER, G., 1983. Ecoulements gaz-liquide à poches et à bouchons en conduite. *Rev. Inst. Fr. Pét.* 38, 153-182.

GOMEZ, L.E.; SHOHAM, O.; SCHMIDT, Z.; CHOKSHI, R.N.; BROWN, A.; NORTHUG, T., 1999. A unified mechanistic model for steady-state two-phase

flow in wellbores and pipelines. In: SPE Annual Technological Conference Exhibition, Houston, Texas, USA, SPE 56520, pp. 307-320.

HAND, N.P., 1991. Gas-liquid co-current flow in a horizontal pipe. Ph.D. Thesis, Queen's University Belfast.

HAND, N.P.; SPEDDING, P.L., 1991. Horizontal gas-liquid flow at close to atmospheric conditions. *Chemical Eng. Science* 48, 2283-2305.

ISHII, M., 1975. *Thermo-Fluid Dynamic Theory of Two-Phase Flow*. Eyrolles, Paris.

ISHII, M.; MISHIMA, K., 1984. Two-fluid model and hydrodynamic constitutive relations. *Nucl. Eng. Des.*, 107-126.

ISSA, R.I., 1986. Solution of the implicitly discretised fluid flow equations by operator-splitting. *J. Comput. Phys.*, Vol. 62, pp. 40-65

ISSA, R.I.; WOODBURN, P., 1998. Numerical prediction of instabilities and slug formation in horizontal two-phase flows. In: 3rd International Conference on Multiphase Flow, ICMF98, Lyon, France.

ISSA, R.I.; KEMPF, M.H.W., 2003. Simulation of slug flow in horizontal and nearly horizontal pipes with the two-fluid model.

ISSA, R.I., 2003-2004. Comunicação pessoal.

JANSEN, F.E.; SHOHAM, O.; TAITEL, Y., 1996. The elimination of severe slugging. *Int. J. Multiphase Flow* 22, 1055-1072.

JEPSON, W.P.; 1989. Modelling the transition to slug flow in a horizontal conduit. *Can. J. Chem. Eng.* 67, 731-740.

JONES, V.; PROSPERETTI, A., 1985. On the suitability of first-order differential models for two-phase flow prediction. *Int. J. Multiphase Flow* 11, 133-148.

KORDYBAN, E.S.; RANOV, T., 1970. Mechanism of slug formation in horizontal tubes. *J. Basic Eng. TASME*, 857-864.

LIN, P.Y.; HANRATTY, T.J., 1986. Prediction of the initiation of slugs with linear stability theory. *Int. J. Multiphase Flow* 12, 79-98.

LINÉ, A., 1983. *Ecoulement intermittent de gaz et de liquide en conduite verticale*. Thèse Institute Nationale Polytechnique, Toulouse.

LUNDE, O.; ASHEIM, H., 1989. An experimental study of slug stability in horizontal flow. In: 4th International Multiphase Flow Conference, Nice, France, 19-21 June, pp. 419-430.

MALISKA, C.R., 1981. A solution method for three-dimensional parabolic fluid flow problems in nonorthogonal coordinates, Ph.D. Thesis, University of Waterloo.

MISHIMA, K.; ISHII, M., 1986. Theoretical prediction of onset of horizontal slug flow. *J. Fluids Eng.* 102, 441–444.

MOISSIS, R.; GRIFFITH, P., 1962. Entrance effects in two-phase slug flow. *J. Heat Transfer* 84, 29–39.

NYDAL, O.J.; BANERJEE, S., 1996. Dynamicslug tracking simulations for gas–liquid flow in pipelines. *Chem. Eng. Commun.* 141–142, 13–39.

NYDAL, O.J.; ANDREUSSI, P., 1991. Gas entrainment in a long liquid slug advancing in a near horizontal pipe. *Int. J. Multiphase Flow* 17, 179–189.

PATANKAR, 1980, *Numerical Heat Transfer and Fluid Flow*, Hemisphere Publishing Corporation.

PRESS, W.H. et al., 1992. *Numerical recipes in Fortran. The art of scientific computing.* Cambridge University Press. Second edition.

OLIVERA, P.J.; ISSA, R.I., 2003. Numerical aspects of an algorithm for the Eulerian simulation of two-phase flow, *Int. J. Numer. Meth. Fluids* 43:1177–1198.

RUDER, Z.; HANRATTY, P.J.; HANRATTY, T.J., 1989. Necessary conditions for the existence of stable slugs. *Int. J. Multiphase Flow* 15, 209–226.

SCHMIDT, Z.; DOTY, D.R.; DUTTA-ROY, K., 1985. Severe slugging in offshore pipeline riser-pipe systems. *Soc. Pet. Eng. J.*, 27–38.

SHEMER, L., 2003. Hydrodynamic and statistical parameters of slug flow. *Int. J. Heat and Fluid Flow* 24, 334–344.

SPEDDING, P.L.; HAND, N.P., 1997. Prediction in stratified gas–liquid co-current flow in horizontal pipelines. *Int. J. Heat Mass Transfer* 40, 1923–1935.

STRAUME, T.; NORDSVEEN, M.; BENDIKSEN, K., 1992. Numerical simulation of slugging i pipelines. *Multiphase Flow Wells Pipelines*, 144.

TAITEL, Y.; BARNEA, D., 1990. Two-phase slug flow. *Adv. Heat Transfer* 20, 83–132.

TAITEL, Y.; DUKLER, A.E., 1976. A model for predicting flow regime transitions in horizontal and near horizontal gas–liquid flow. *AIChE J.* 22, 47–55.

TAITEL, Y.; SARICA, C.; BRILL, J.P., 2000. Slug flow modelling for downward inclined pipe flow: theoretical considerations. *Int. J. Multiphase Flow* 26, 833–

844.

VERNIER, P.; DELHAYE, J., 1968. General two-phase flow equations applied to the thermodynamics of boiling nuclear reactors. *Energ. Primarie* 4, 1–43.

WALLIS, G.B., 1969. *One-dimensional Two-phase Flow*. McGraw-Hill, New York.

WATSON, M., 1989. Wavy stratified flow and the transition to slug flow. In: 4th International Multiphase Flow Conference, Nice, France, 19–21 June, paper G3.

WOODS, B.D.; HURLBURT, E.T.; HANRATTY, T.J., 2000. Mechanism of slug formation in downwardly inclined pipes. *Int. J. Multiphase Flow* 26, 977–998.

ZHENG, G.; BRILL, J.P.; TAITEL, Y., 1994. Slug flow behavior in a hilly terrain pipeline. *Int. J. Multiphase Flow* 20, 63–79.

7

Bibliografia Recomendada

BARNEA, D., 1991. On the effect of viscosity on stability of stratified gas–liquid flow—application to flow pattern transition at various pipe inclinations. *Chem. Eng. Sci.* 46, 2123–2131.

BONIZZI, M.; ISSA, R.I.; KEMPF, M.H.W., 2001. Modelling of gas entrainment in horizontal slug flow. *Int.: International. Conference on Multiphase Flow*, New Orleans, USA.

DUKLER, A.E., MARON, D., BRAUNER, N., 1985. A physical model for predicting the minimum stable slug length. *Chem. Eng. Sci.* 40, 1379–1385.

GREGORY, G.A.; SCOTT, D.S., 1969. Correlation of liquid slug velocity and frequency in horizontal cocurrent gas–liquid slug flow. *AIChE J.* 15, 935–993.

HALE, C.P., 1999. Slug flow in a V-section. Private communications. Chemical Engineering Department, Imperial College.

MANOLIS, I.G., 1995. High pressure gas–liquid slug flow. Ph.D. Thesis, Imperial College.

MANOLIS, I.G., MENDES-TATSIS, M.A., HEWITT, G.F., 1995a. The effect of pressure on flow pattern transition and pressure gradient in two-phase horizontal slug. In: *ICHEME Research Event*, Edinburgh, UK, 5–6 January.

MANOLIS, I.G., MENDES-TATSIS, M.A., HEWITT, G.F., 1995B. The effect of pressure on slug frequency in two-phase horizontal flow. In: *2nd International Multiphase Flow Conference*, Kyoto, Japan, 3–7 April.

NYDAL, O.J., PINTUS, S., ANDREUSSI, P., 1992. Statistical characterization of slug flow in horizontal pipes. *Int. J. Multiphase Flow* 18, 439–453.

TAITEL, Y.; BARNEA, D., 1998. Effect of gas compressibility on a slug tracking model. *Chem. Eng. Sci.* 53, 2089–2097.

TOMAS, L.H. 1949. Elliptic problems in Linear Difference Equations over a Network.. *Watson Sci. Comput. Lab. Report*, Columbia University, New York.

WOODBURN, P.J., ISSA, R.J., 1998. Well-posedness of one-dimensional transient, two-fluid models of two-phase flows. In: *3rd International Symposium on Multiphase Flow*, ASME Fluids Engineering Division Summer Meeting, Washington, USA.