

6. Bibliografia

ADACHI, C.; NAGAI, K.; TAMOTO, N. Molecular design of hole transport materials for obtaining high durability in organic electroluminescent diodes. **Applied Physics Letters**, v. 66, n. 20, p. 2679 - 2681, 1995.

ADACHI, C.; TSUTSUI, T.; SAITO, S. Blue lightemitting organic electroluminescent devices. **Applied Physics Letters**, v. 56, n. 9, p. 799 - 801, 1990.

ALIVISATOS, P. et al. Electronic energy transfer at semiconductor interfaces. I. Energy transfer from two-dimensional molecular films to Si(111). **The Journal of Chemical Physics**, v. 86, n. 11, p. 6540 - 6549, 1987.

ANANT, P. et al. Synthesis and characterization of pyrene-centered oligothiophenes. **Synthetic Metals**, v. 160, p. 1987 - 1993, 2010.

BAKIR, M.; GREEN, O.; MULDER, W. H. Synthesis, characterization and molecular sensing behavior of [ZnCl₂(g³-N,N,O-dpkbh)] (dpkbh = di-2-pyridyl ketone benzoyl hydrazone). **Journal of Molecular Structure**, v. 873, p. 17-28, 2008.

BALDO, M. A., Thompson M. E., Forrest S. R. Phosphorescent materials for application to organic light emitting devices. **Pure and Applied Chemistry**, v. 71, n. 11, p. 2095 - 2106, 1999.

BALDO, M. A.; SOOS, Z. G.; FORREST, S. R. Local order in amorphous organic molecular thin films. **Chemical Physics Letters**, v. 347, p. 297 - 303, 2001.

BASSLER, H. Charge Transport in Disordered Organic Photoconductors a Monte Carlo Simulation Study. **Physics State Solid b**, v. 175, n. 1, p. 15 - 56, 2006.

BASU, C. et al. A novel blue luminescent high-spin iron(III) complex with interlayer O-H...Cl bridging: Synthesis, structure and spectroscopic studies. **Polyhedron**, v. 26, n. 14, p. 3617 - 3624, 2007.

BIRKS, J. B.; MUNRO, I. H.; LUMB, M. D. **Proceedings of the Royal Society of London A: Mathematical Physics Science**, v. 280, p. 289, 1964.

BLACKBURN, O. A. et al. N-Aryl stilbazolium dyes as sensitizers for solar cells. **Dyes and Pigments**, p. 766 - 777, 2011.

BOCKRIS, J. O'M; KHAN, S. U. M.; **Surface electrochemistry - a molecular level approach**. Plenum Press, New York, p. 78, 1983.

BU, X.-H. et al. Novel homobinuclear lanthanide(III) complexes with isonicotinoyl hydrazone: synthesis and coordination chemistry. **Inorganica Chimica Acta**, v. 308, p. 143 - 149, 2000.

BURROUGHES, J. H. et al. Light-emitting diodes based on conjugated polymers. **Nature**, v. 347, p. 539 - 541, 1990.

CAMPBELL, A. J.; BRADLEY, D. D. C.; ANTONIADIS, H. Trap-free, space-charge-limited currents in a polyfluorene copolymer using pretreated indium tin oxide as a hole injecting contact. **Synthetic Metals**, v. 122, n. 1, p. 161 - 163, 2001.

CAMPOS, M.; MERGULHAO, S. One-carrier thermally stimulated currents and space-charge-limited currents in naphthalene crystals: Doped and irradiated samples. **Journal of Applied Physics**, v. 51, n. 9, p. 4870 - 4874, 1980.

CARDONA, C. M. et al. You have full text access to this contentElectrochemical Considerations for Determining Absolute Frontier Orbital Energy Levels of Conjugated Polymers for Solar Cell Applications. **Advanced Materials**, v. 23, n. 20, p. 2367 - 2371, 2011.

CATALAN, J. et al. Photoinduced intramolecular proton transfer as the mechanism of ultraviolet stabilizers: a reappraisal. **Journal of American Chemical Society**, v. 112, n. 2, p. 747 - 759, 1990.

CHEN, B. J. et al. Electron drift mobility and electroluminescent efficiency of tris(8-hydroxyquinolinolato) aluminum. **Applied Physics Letters**, v. 75, n. 25, p. 4010 - 4012, 1999.

CHEN, J.-T. et al. Studies on the synthesis and magnetism of binuclear oxovanadium(II) complexes of some isonicotinoyl hydrazones. **Polyhedron**, v. 13, n. 11, p. 1701 - 1704, 1994.

CHEN, L. H.; CHEN, C. Y.; LEE, Y. L. Nucleation and growth of clusters in the process of vapor deposition. **Surface Science**, v. 429, p. 150 - 160, 1999.

CHENG, L. F. et al. Effect of deposition rate on the morphology, chemistry and electroluminescence of tris-(8-hydroxyquinoline) aluminum films. **Chemical Physics Letters**, v. 319, p. 418 - 422, 2000.

COLLINS, G. E.; ROSE-PEHRSSON, S. L. Sensitive, fluorescent detection of hydrazine via derivatization with 2,3-naphthalene dicarboxaldehyde. **Analytica Chimica Acta**, v. 284, n. 1, p. 207 - 215, 1993.

CURRY, R. J.; GILLIN, W. P. Electroluminescence of organolanthanide based organic light emitting diodes. **Current Opinion in Solid State and Materials Science**, v. 5, n. 6, p. 481 - 486, 2001.

DESPAIGNE, A.A.R. et al. Copper(II) and zinc(II) complexes with 2-formylpyridine-derived hydrazones. **Polyhedron**, v. 28, n. 17, p. 3797 – 3803, 2009.

DOMINGUES JR., N. S. et al. Computational study of the excited states of 2,5-bis(benzoxazol-29-yl)-hydroquinone and its monomethoxy derivative. **Journal of the Chemical Society, Perkin Transactions 2**, n. 9, p. 1861 - 1866, 1997.

DOROSHENKO, A. O. et al. Excited state intramolecular proton transfer reaction and luminescent properties of the ortho-hydroxy derivatives of 2,5-diphenyl-1,3,4-oxadiazole. **Journal of Physical Organic Chemistry**, v. 13, n. 5, p. 253 - 265, 2000.

ETORI, H. et al. Spirobifluorene derivatives for ultraviolet organic light-emitting diodes. **Synthetic Metals**, v. 156, n. 16 - 17, p. 1090 - 1096, 2006.

FÖSTER, T. 10TH Spiers Memorial Lecture Transfer Mechanisms of Electronic Excitation. **Discussions of the Faraday Society**, v. 27, p. 7 - 17, 1959.

FOWLER, H.; NORDHEIM, L. Electron Emission in Intense Electric fields. **Proceedings of the Royal Society of London, Series A**, v. 119, p. 173 - 181, 1928.

FREUD, L. B.; SURESH, S. **Thin Films Materials**. 1. ed. New York, USA: Cambridge University Press, 2003.

GAGNE, R. R.; KOVAL, C. A.; LISENSKY, G. C. Ferrocene as an internal standard for electrochemical measurements. **Inorganic Chemistry**, v. 19, n. 9, p. 2854 - 2855, 1980.

GIEBELER C. et al. Space-charge-limited charge injection from indium tin oxide into a starburst amine and its implications for organic light-emitting diodes. **Applied Physics Letters**, v. 72, n. 19, p. 2448 - 2450, 1998.

GOSWAMI, M. et al. Characterisation of different polymorphs of tris(8-hydroxyquinolino)aluminium(III) using solid-state NMR and DFT calculations. **Chemistry Central Journal**, v. 3:15, 2009.

HATAKEYAMA, T.; QUINN, F. X. **Thermal Analysis: Fundamentals and Applications to Polymer Science**, 2nd Edition. 2. ed. [S.l.]: John Wiley & Sons Ltd, 1999.

HELFRICH, W.; SCHNEIDER, W. Recombination radiation in anthracene crystals. **Physical Review Letters**, v. 14, n. 7, p. 229 - 231, 1965.

HO, M.-H. et al. A morphologically stable host material for efficient phosphorescent green and red organic light emitting devices. **Thin Solid Films**, v. 517, n. 2, p. 943 - 947, 2008.

HOLLER, M. G. et al. Synthesis and spectroscopic characterisation of 2-(2'-hydroxyphenyl)benzazole isothiocyanates as new fluorescent probes for proteins. **Journal of Photochemistry and Photobiology A: Chemistry**, v. 149, p. 217 - 225, 2002.

HUENERBEIN, R.; GRIMME, S. Time-dependent density functional study of excimers and exciplexes of organic molecules. **Chemical Physics**, v. 343, p. 362 - 371, 2008.

IRIMIA-VLADU, M. et. al. A Natural Pigment for High Performance Ambipolar Organic Field Effect Transistors and Circuits. **Advanced Materials**, v. 24, n. 3, p. 375 - 380, 2012.

JANIETZ, S. et al. Electrochemical determination of the ionization potential and electron affinity of poly(9,9-dioctylfluorene). **Applied Physics Letters**, v. 73, n. 17, p. 2453 - 2455, 1998.

KAFABI, Z. H. **Organic Electroluminescence**. Washington: CRC Press, 2005.

KALYANASUNDARAM, K.; THOMAS, J. K. Environmental effects on vibronic band intensities in pyrene monomer fluorescence and their application in studies of micellar systems. **Journal of American Chemical Society**, v. 99, n. 7, p. 2039 - 2044, 1977.

KIM, D. E. et al. Enhancement of the light extraction efficiency in organic light emitting diodes utilizing a porous alumina film. **Thin Solid Films**, v. 516, n. 11, p. 3633 - 3636, 2008.

KIM, H. et al. Electrical, optical, and structural properties of indium–tin–oxide thin films for organic light-emitting devices. **Journal of Applied Physics**, v. 86, n. 11, p. 6451 - 6461, 1999.

KIM, J. S. et al. Indium–tin oxide treatments for single- and double-layer polymeric light-emitting diodes: The relation between the anode physical, chemical, and morphological properties and the device performance. **Journal of Applied Physics**, v. 84, n. 12, p. 6859 - 6870, 1998.

KIM, Y. D. et al. Effects of morphological control on the characteristics of vertical-type OTFTs using Alq3. **Ultramicroscopy**, v. 108, n. 10, p. 1237 - 1240, 2008.

KUWABARA, Y. et al. EPR study of a chiral metallomesogen Bis N-[4"-((2S)-2-chloropropoxy)phenyl], 4-(4'-n- decyloxybenzoyloxy)salicylaldehyde copper(II). **Advanced Materials**, v. 6, n. 9, p. 667 - 670, 1994.

LAMB, D. R. **Electrical Conduction Mechanisms in Thin Insulating Films**. London: Methuen and Co, 1967.

LAURENT, A. **Annales de chimie et de physique**, v. 66, p. 136, 1837.

LEE, H.-C.; PARK, O. O. Round pinholes in indium-tin-oxide thin films on the glass substrates: a Taguchi method analysis and theoretical approach to their origins. **Vacuum**, v. 72, n. 4, p. 411 - 418, 2004.

LEGNANI, C. Produção e caracterização de dispositivos orgânicos eletroluminescentes (OLEDs) baseados em complexos supramoleculares. **Tese de Doutorado**, Departamento de Física, Puc-Rio, Rio de Janeiro 2006.

LI, C. N. et al. Improved performance of OLEDs with ITO surface treatments. **Thin Solid Films**, v. 477, n. 1 - 2, p. 57 - 62, 2005.

LIM, S.H. et al. Dependence of surface morphology on molecular structure and its influence on the properties of OLEDs. **Ultramicroscopy**, v. 108, n. 10, p. 1251 - 1255, 2008.

LIN, J.-J. et al. A Highly Efficient Host/Dopant Combination for Blue Organic Electrophosphorescence Devices. **Advanced Functional Materials**, v. 18, n. 3, p. 485 - 491, 2008.

LOBO, V. M. M. The definition of electrolyte. **Portugaliae Electrochimica Acta**, v. 14, p. 27, 1996.

MA, D. et al. Charge transport in a blue-emitting alternating block copolymer with a small spacer to conjugated segment length ratio. **Journal of Applied Physics**, v. 87, n. 1, p. 312 - 316, 2000.

MAIMAN, T. H. Stimulated Optical Radiation in Ruby. **Nature**, v. 187, n. 4736, p. 493-494, 1960.

MANDAI, M. et al. AFM observation for the change of surface morphology of TPD thin films due to thermal annealing. **Synthetic Metals**, v. 91, p. 123 - 124, 1997.

MORAES R.S. Síntese e caracterização de ligantes binucleantes derivados da isoniazida e seus complexos binucleares de cobre(II). **Dissertação de Mestrado**, Departamento de Química, Puc-Rio. Rio de Janeiro. 2011.

Mueller G., **Electroluminescence I, Semiconductor and Semimetals**. [S.l.]: Acad. Press, v. 64, 2000.

NAKAMURA, N. et al. A Novel Blue Light Emitting Material Prepared from 2-(o-Hydroxyphenyl)benzoxazole. **Chemistry Letters**, v. 23, n. 9, p. 1741 - 1742, 1994.

NANDY, R. et al. Ligand and Substrate Effects on the Mechanism of Rhodium-Catalyzed Hydrogenation of Enamides. **The Journal of Organic Chemistry**, v. 72, n. 3, p. 839 - 847, 2007.

NASKAR, S. et al. Versatility of 2,6-diacetylpyridine (dap) hydrazones in generating varied molecular architectures: Synthesis and structural characterization of a binuclear double helical Zn(II) complex and a Mn(II) coordination polymer. **Dalton Transactions**, n. 11, p. 1150 – 1159, 2007.

NISHIDE, H. et al. Organic radical battery: nitroxide polymers as a cathode-active material. **Electrochimica Acta**, v. 50, n. 2-3, p. 827 - 831, 2004.

OHRING, M. **The Materials Science of Thin Films**. California: Academic Press, 1991.

ONO, Y. A. **Electroluminescent Displays**. Singapore: World Scientific, 1995.

PAREDES Y.D.R.A., Desenvolvimento e caracterização de dispositivos fosforescentes baseados em compostos de baixo peso molecular **Tese de Doutorado**, Departamento de Física, Puc-Rio. Rio de Janeiro. 2010.

POKHREL, M. R.; BOSSMANN, S. H. Synthesis, Characterization, and First Application of High Molecular Weight Polyacrylic Acid Derivatives Possessing

Perfluorinated Side Chains and Chemically Linked Pyrene Labels. **Journal of Physical Chemistry B**, v. 104, n. 10, p. 2215 - 2223, 2000.

POPE, M.; KALLMANN, H. P.; MAGNANTE, P. Electroluminescence in Organic Crystals. **Journal of Chemical Physics**, v. 38, p. 2042, 1963.

POURALIMARDAN, O. et al. Hydrazone Schiff base-manganese(II) complexes: Synthesis, crystal structure and catalytic reactivity. **Inorganica Chimica Acta**, v. 360, n. 5, p. 1599 - 1608, 2007.

QIN, D. S. et al. Effects of the morphologies and structures of light-emitting layers on the performance of organic electroluminescent devices. **Applied Physics Letters**, v. 78, n. 4, p. 437 - 439, 2001.

QIU, C. et al. Efficient blue-to-violet organic light-emitting diodes. **Synthetic Metals**, v. 140, n. 1, p. 101 -104, 2004.

QUIRINO W. G., Produção e caracterização de dispositivos orgânicos eletroluminescentes (OLEDs) baseados em complexos β -dicetonatos de Terras-Raras **Tese de Doutorado**, Pontifícia Universidade Católica do Rio de Janeiro, Rio de Janeiro. 2007.

QUIRINO, W. et. al. Eu- β -diketonate complex OLED as UV portable dosimeter. **Synthetic Metals**, v. 161, n. 11-12, p. 964-968, 2011.

REYNALDO R. G. Dispositivos eletroluminescentes orgânicos baseados em complexos lantanídeos. **Tese de Doutorado**, Departamento de Física, Puc-Rio. Rio de Janeiro. 2004.

RODEMBUSCH F. Síntese, caracterização e estudo fotofísico de heterociclos fluorescentes por ESIPT e suas aplicações na preparação de novos materiais. **Tese de Doutorado**, Instituto de Química Universidade Federal do Rio Grande do Sul. Rio Grande do Sul. 2005.

RODEMBUSCH, F. S. et al. New fluorescent monomers and polymers displaying an intramolecular proton-transfer mechanism in the electronically excited state (ESIPT): Part II. Synthesis, spectroscopic characterization and solvatochromism of new benzazolylylvinylene derivatives. **Journal of Photochemistry and Photobiology A: Chemistry**, v. 173, n. 1, p. 81 - 92, 2005.

RODEMBUSCH, F. S. et al. Synthesis and spectroscopic characterisation of new ESIPT fluorescent protein probes. **Photochemical & Photobiological Sciences**, v. 4, n. 3, p. 254-259, 2005.

RODEMBUSCH, F. S. et al. the first silica aerogels fluorescent by excited state intramolecular proton transfer mechanism (ESIPT). **Journal of Materials Chemistry**, v. 15, n. 15, p. 1537 - 1541, 2005.

ROMAN, L. S. et al. Determination of electroaffinity and ionization potential of conjugated polymers via Fowler–Nordheim tunneling measurements: Theoretical formulation and application to poly(p-phenylene vinylene). **Journal of Chemical Physics**, v. 105, n. 23, p. 10614 - 10620, 1996.

RYER, A. D. **The Light Measurement Handbook**. Massachusetts, 1997.

SAHOO, D. et al. Lipid-triggered Conformational Switch of Apolipoprotein III Helix Bundle to an Extended Helix Organization. **Journal of Molecular Biology**, v. 321, n. 2, p. 201 - 214, 2002.

SAINT-GOBAIN VITRAGE International. BALIAN, P.; TROUVE, M.; ZAGDOUN, G. **Protective layer on a conductive substrate**. US5387433 A, 16 agosto 1993.

SAWYER, D. T.; SOBKOWJAK, A.; ROBERTS, J. L. **Electrochemistry for Chemists**. 2. ed. New York: Wiley, 1995.

SCHIESSL, H. W. **Encyclopedia of Chemical Technology**, New York: ed.Othmer, K. , Wiley, 3rd edn., 1980, vol. 12, p. 734

SCHMIDT, E. W. **Hydrazine and its Derivatives: Preparation, Properties, Applications**. New York: Wiley, 1984.

SERNAS, J. Filmes finos de sistemas moleculares orgânicos dopados: estudo da influência dos métodos de deposição nas propriedades ópticas e elétricas, **Dissertação de Mestrado**, Departamento de Física, Puc-Rio, Rio de Janeiro 2011.

SHULTS, M. D.; IMPERIALI, B. Versatile fluorescence probes of protein kinase activity. **Journal of the American Chemical Society**, v. 125, n. 47, p. 14248 - 14249, 2003.

SILINSH, E. A. **Organic Molecular Crystals**. Berlin: Springer Series in Solid State Sciences, v. 16, 1980.

SMITH, T.; GUILD, J. The C.I.E. colorimetric standards and their use. **Transactions of the Optical Society**, v. 33, n. 3, p. 73, 1931.

SO, F. **Organic Electronics: Materials, Processing, Devices and Applications**. 1. ed. CRC Press, 2010.

TANG, C. W.; VANSLYKE, S. A. Organic electroluminescent diodes. **Applied Physics Letters**, v. 51, n. 12, p. 913 - 915, 1987.

TANG, C. W.; VANSLYKE, S. A. Organic electroluminescent diodes. **Applied Physics Letters**, v. 51, p. 913 - 915, 1987.

TANG, H.; LIAO, H.; ZHU, L. Influences of hole blocking bathocuproine layer on emission of organic light emitting devices. **Chemical Physics Letters**, v. 381, p. 605 - 608, 2003.

TEMPLER, R. H. et al. Sensing isothermal changes in the lateral pressure in model membranes using di-pyrenyl phosphatidylcholine. **Faraday Discussions**, v. 111, p. 41 - 53, 1998.

TOKITO, S.; TAGA, Y. Organic electroluminescent devices fabricated using a diamine doped MgF₂ thin film. **Applied Physics Letters**, v. 66, n. 6, p. 673 - 675, 1995.

TSIERKEZOS, N. G. Cyclic Voltammetric Studies of Ferrocene in Nonaqueous Solvents in the Temperature Range from 248.15 to 298.15 K. **Journal of Solution Chemistry**, v. 36, n. 3, p. 289 - 302, 2007.

TSUBOI, T. Electronic states of phosphorescent molecules Ir(ppy)₃ and PtOEP used in organic light emitting diodes. **Journal of Luminescence**, v. 119, p. 288 - 292, 2006.

VIRKAR, A. A. et al. Organic Semiconductor Growth and Morphology Considerations for Organic Thin-Film Transistors. **Advanced Materials**, v. 22, n. 34, p. 3857 - 3875, 2010.

YALLAPU, M. M. Multi-functional magnetic nanoparticles for magnetic resonance imaging and cancer therapy. **Biomaterials**, v. 32, n. 7, p. 1890 - 1905, 2011.

YAMANA, K. et al. Bis-Pyrene-Labeled Oligonucleotides: Sequence Specificity of Excimer and Monomer Fluorescence Changes upon Hybridization with DNA. **Bioconjugate Chemistry**, v. 13, n. 6, p. 1266 - 1273, 2002.

YANG, S. et al. Impact of electric fields on the emission from organic light-emitting diodes based on polyvinylcarbazole (PVK). **Journal of Luminescence**, v. 122 - 123, p. 614 - 616, 2007.

ZHANG, G. et al. EFFECT OF SOLVENT ON NONLINEAR REFRACTIVE INDEX OF 2-(2'-HYDROXYPHENYL) BENZOXAZOLE. **Journal of Nonlinear Optical Physics & Materials**, v. 12, p. 385, 2003.

ZHANG, Z.-L.; JIANG, X.-Y.; XU, S.-H. A White Emitting Organic Diode with a Doped Blocking Layer. **Chinese Physics Letters Volume 17 Number 7**, v. 17, p. 534 - 536, 2000. ISSN 7.

<<http://imsomobile.com/brands/samsung/samsung-galaxy-s-iv-rumored-to-feature-440ppi-display.html>>, acessado em 20 julho 2013.

<<http://www.engadget.com/2013/01/14/ces-2013-hdtv-and-connected-devices-round-up/>>, acessado em 20 julho 2013.

<<http://www.Kurtlesker.com>> acessado em 15 abril 2013

<<http://www.lumtec.com.tw>> acessado em 15 abril 2013

<<http://www.rpi.edu/~schubert/Light-Emitting-Diodes-dotorg/chap10/F10-03R.jpg>>, acessado em 2 fevereiro 2013

<<http://www.transparencymarketresearch.com/global-organic-electronics-market.html>>, acessado em 17 julho 2013.