

10 References

- [1] D.A. Skoog, D.M. West, F. J. Holler, S.T. Crouch, Fundamentals of analytical chemistry, 8th Edition.
- [2] P. Gouma, P.I. Gouma, Nanomaterials for chemical sensing and biotechnology, 1th Edition.
- [3] T. Terai, T. Nagano, Small-molecule fluorophores and fluorescent probes for bioimaging, *Pflügers Archiv- European journal of physiology*, 465 (2013) 347-359.
- [4] H.L. Handl, R.J. Gillies, Lanthanide-based luminescent assays for ligand-receptor interactions, *Life Sciences*, 77 (2005) 361-371.
- [5] Y.M. Guo, L.L. Wang, L. Yang, J. Zhang, L.L. Jiang, X.M. Ma, Optical and photocatalytic properties of arginine-stabilized cadmium sulfide quantum dots, *Materials Letters*, 65 (2011) 486-489.
- [6] C. Yang, C. Xu, X. Wang, X. Hu, Quantum-dot-based biosensor for simultaneous detection of biomarker and therapeutic drug: first steps toward an assay for quantitative pharmacology, *Analyst*, 137 (2012) 1205-1209.
- [7] Y. Long, L.F. Zhang, Y. Zhang, C.Y. Zhang, Single Quantum Dot Based Nanosensor for Renin Assay, *Analytical Chemistry*, 84 (2012) 8846-8852.
- [8] A.L. Efros, A.L. Efros, Interband Absorption of Light in a Semiconductor Sphere, *Soviet Physics Semiconductors-Ussr*, 16 (1982) 772-775.
- [9] I.L. Medintz, H.T. Uyeda, E.R. Goldman, H. Mattoussi, Quantum dot bioconjugates for imaging, labelling and sensing, *Nature Materials*, 4 (2005) 435-446.

- [10] K. Hanaki, A. Momo, T. Oku, A. Komoto, S. Maenosono, Y. Yamaguchi, K. Yamamoto, Semiconductor quantum dot/albumin complex is a long-life and highly photostable endosome marker, *Biochemical and Biophysical Research Communications*, 302 (2003) 496-501.
- [11] F.B. Wu, D.W. Zhang, S.Z. Shang, Y.M. Zhu, S.L. Zhuang, J. Xu, Developing Quantum Dot Phosphor-Based Light-Emitting Diodes for Aviation Lighting Applications, *Journal of Nanomaterials*, 12 (2012) 1-5..
- [12] I.J. Slipper, P. Bhujval, S. Rajaram, M.E. Favretto, D. Douroumis, A Facile Synthesis Route of Size Tunable CdS Quantum Dots with High Photoluminescence Yield, *Journal of Nanoscience and Nanotechnology*, 10 (2010) 5899-5902.
- [13] M.T. Frederick, E.A. Weiss, Relaxation of Exciton Confinement in CdSe Quantum Dots by Modification with a Conjugated Dithiocarbamate Ligand, *Acs Nano*, 4 (2010) 3195-3200.
- [14] J.H. Wang, Y.Q. Li, H.L. Zhang, H.Q. Wang, S. Lin, J. Chen, Y.D. Zhao, Q.M. Luo, Bioconjugation of concanavalin and CdTe quantum dots and the detection of glucose, *Colloids and Surfaces A: Physicochemical and Engineering Aspects*, 364 (2010) 82-86.
- [15] L.L. Chen, Y. Jiang, C. Wang, X.M. Liu, Y. Chen, J.S. Jie, Green chemical approaches to ZnSe quantum dots: preparation, characterisation and formation mechanism, *Journal of Experimental Nanoscience*, 5 (2010) 106-117.
- [16] K. Kang, K. Daneshvar, R. Tsu, Size dependence saturation and absorption of PbS quantum dots, *Microelectronics Journal*, 35 (2004) 629-633.
- [17] K.A. Higginson, M. Kuno, J. Bonevich, S.B. Qadri, M. Yousuf, H. Matoussi, Synthesis and characterization of colloidal beta-HgS quantum dots, *Journal of Physical Chemistry B*, 106 (2002) 9982-9985.

- [18] K.T. Yong, H. Ding, I. Roy, W.C. Law, E.J. Bergey, A. Maitra, P.N. Prasad, Imaging Pancreatic Cancer Using Bioconjugated InP Quantum Dots, *Acs Nano*, 3 (2009) 502-510.
- [19] Z.Y. Yin, X.H. Tang, J.X. Zhang, J.H. Zhao, S. Deny, H. Gong, Photoluminescence of InAs quantum dots embedded in graded InGaAs barriers, *Journal of Nanoparticle Research*, 11 (2009) 1947-1955.
- [20] P.T. Jing, J.J. Zheng, M. Ikezawa, X.Y. Liu, S.Z. Lv, X.G. Kong, J.L. Zhao, Y. Masumoto, Temperature-Dependent Photoluminescence of CdSe-Core CdS/CdZnS/ZnS-Multishell Quantum Dots, *Journal of Physical Chemistry C*, 113 (2009) 13545-13550.
- [21] R. Ulbricht, J.J.H. Pijpers, E. Groeneveld, R. Koole, C.D. Donega, D. Vanmaekelbergh, C. Delerue, G. Allan, M. Bonn, Loosening Quantum Confinement: Observation of Real Conductivity Caused by Hole Polarons in Semiconductor Nanocrystals Smaller than the Bohr Radius, *Nano Letters*, 12 (2012) 4937-4942.
- [22] S. Wang, *Fundamentals of Semiconductor Theory and Device Physics*, Prentice Hall, (1989).
- [23] K.E. Knowles, M.T. Frederick, D.B. Tice, A.J. Morris-Cohen, E.A. Weiss, Colloidal Quantum Dots: Think Outside the (Particle-in-a-)Box, *The journal of Physical Chemistry Letters*, 3 (2012) 18-26.
- [24] A.F. Tsatsul'nikov, A.R. Kovsh, A.E. Zhukov, Y.M. Shernyakov, Y.G. Musikhin, V.M. Ustinov, N.A. Bert, P.S. Kop'ev, Z.I. Alferov, A.M. Mintairov, J.L. Merz, N.N. Ledentsov, D. Bimberg, Volmer-Weber and Stranski-Krastanov InAs-(Al,Ga)As quantum dots emitting at 1.3 μ m, *Journal of Applied Physics*, 88 (2000) 6272-6275.

- [25] D. Kim, M. Miyamoto, M. Nakayama, Surface-modification effects on luminescence properties of CdS and CdMnS quantum dots prepared by a reverse-micelle method, 2nd International Conference on Semiconductor Quantum Dots, (2003) 1233-1236.
- [26] F.V. Mikulec, M. Kuno, M. Bennati, D.A. Hall, R.G. Griffin, M.G. Bawendi, Organometallic synthesis and spectroscopic characterization of manganese-doped CdSe nanocrystals, Journal of the American Chemical Society, 122 (2000) 2532-2540.
- [27] X.G. Peng, Green chemical approaches toward high-quality semiconductor nanocrystals, Chemistry-A European Journal, 8 (2002) 335-339.
- [28] C.Y. Chen, C.T. Cheng, J.K. Yu, S.C. Pu, Y.M. Cheng, P.T. Chou, Y.H. Chou, H.T. Chiu, Spectroscopy and femtosecond dynamics of type-II CdSe/ZnTe core-shell semiconductor synthesized via the CdO precursor, Journal of Physical Chemistry B, 108 (2004) 10687-10691.
- [29] X.S. Zhao, I. Gorelikov, S. Musikhin, S. Cauchi, V. Sukhovatkin, E.H. Sargent, E. Kumacheva, Synthesis and optical properties of thiol-stabilized PbS nanocrystals, Langmuir, 21 (2005) 1086-1090.
- [30] H. Dollefeld, K. Hoppe, J. Kolny, K. Schilling, H. Weller, A. Eychmuller, Investigations on the stability of thiol stabilized semiconductor nanoparticles, Physical Chemistry Chemical Physics, 4 (2002) 4747-4753.
- [31] S. Ge, C. Zhang, Y. Zhu, J. Yu, S. Zhang, BSA activated CdTe quantum dot nanosensor for antimony ion detection, Analyst, 135 111-115.
- [32] Y. Yin, A.P. Alivisatos, Colloidal nanocrystal synthesis and the organic-inorganic interface, Nature, 437 (2005) 664-670.
- [33] A.L. Rogach, Semiconductor Nanocryst Quantum Dots Synthesis, Assembly, Spectroscopy and Applications, (2008) 81.

- [34] R.S. Chouhan, A.C. Vinayaka, M.S. Thakur, Thiol-stabilized luminescent CdTe quantum dot as biological fluorescent probe for sensitive detection of methyl parathion by a fluoroimmunochemical technique, *Analytical and Bioanalytical Chemistry*, 397 (2010) 1467-1475.
- [35] Y.F. Liao, W.J. Li, S.L. He, Properties of CdSe quantum dots coated with silica fabricated in a facile way, *Nanotechnology*, 18 (2007) -.
- [36] A. Dazzazi, Y. Coppel, M. In, C. Chassenieux, P. Mascalchi, L. Salome, A. Bouhaouss, M.L. Kahn, F. Gauffre, Oligomeric and polymeric surfactants for the transfer of luminescent ZnO nanocrystals to water, *Journal of materials chemistry C*, 1 2158-2165.
- .
- [37] O. Carion, B. Mahler, T. Pons, B. Dubertret, Synthesis, encapsulation, purification and coupling of single quantum dots in phospholipid micelles for their use in cellular and in vivo imaging, *Nature Protocols*, 2 (2007) 2383-2390.
- [38] Z.Y. Wu, Y.L. Zhao, F.P. Qiu, Y.P. Li, S.W. Wang, B.H. Yang, L. Chen, J.H. Sun, J.Y. Wang, Forming water-soluble CdSe/ZnS QDs using amphiphilic polymers, stearyl methacrylate/methylacrylate copolymers with different hydrophobic moiety ratios and their optical properties and stability, *Colloids and Surfaces a-Physicochemical and Engineering Aspects*, 350 (2009) 121-129.
- [39] P. Yang, M. Ando, T. Taguchi, N. Murase, Highly Luminescent CdSe/CdxZn1-xS Quantum Dots with Narrow Spectrum and Widely Tunable Wavelength, *Journal of Physical Chemistry C*, 115 (2011) 14455-14460.
- [40] <http://www.evidenttech.com/> acess made at 2 Febrary 2013.

- [41] Z. Hens, I. Moreels, Light absorption by colloidal semiconductor quantum dots, *Journal of Materials Chemistry*, 22 (2012) 10406-10415.
- [42] B.L. Wehrenberg, C.J. Wang, P. Guyot-Sionnest, Interband and intraband optical studies of PbSe colloidal quantum dots, *Journal of Physical Chemistry B*, 106 (2002) 10634-10640.
- [43] B.R. Eggins, *Chemical Sensors and Biosensors*, John Wiley & Sons Ltd, Chichester, (2002).
- [44] C.J.B.B. Erika Kress-Rogers, *Instrumentation and Sensors for the Food Industry*, Woodhead Publishing Ltd, Cambridge, 2nd edn, (2001).
- [45] E.U. Akkaya, M.E. Huston, A.W. Czarnik, Chelation-Enhanced Fluorescence of Anthrylazamacrocyclic Conjugate Probes in Aqueous-Solution, *Journal of the American Chemical Society*, 112 (1990) 3590-3593.
- [46] G.E. Tumambac, C. Wolf, Enantioselective analysis of an asymmetric reaction using a chiral fluorosensor, *Organic Letters*, 7 (2005) 4045-4048.
- [47] S.L. Wiskur, H. Ait-Haddou, J.J. Lavigne, E.V. Anslyn, Teaching old indicators new tricks, *Accounts of Chemical Research*, 34 (2001) 963-972.
- [48] F. Dong, K.W. Hu, H.Y. Han, J.G. Liang, A novel method for methimazole determination using CdSe quantum dots as fluorescence probes, *Microchimica Acta*, 165 (2009) 195-201.
- [49] A.H. Gore, U.S. Mote, S.S. Tele, P.V. Anbhule, M.C. Rath, S.R. Patil, G.B. Kolekar, A novel method for ranitidine hydrochloride determination in aqueous solution based on fluorescence quenching of functionalised CdS QDs through photoinduced charge transfer process: Spectroscopic approach, *Analyst*, 136 (2011) 2606-2612.

- [50] X.H. Jinyun Peng, A simple fluorescence quenching method for roxithromycin determination using CdTe quantum dots as probes, *Journal of Luminescence*, 131 (2011) 952-955.
- [51] T.L. Zhang, X.Y. Sun, B. Liu, Synthesis of positively charged CdTe quantum dots and detection for uric acid, *Spectrochimica Acta Part A: Molecular and Biomolecular Spectroscopy*, 79 (2011) 1566-1572.
- [52] B.K.J. Kuldeep V. Joshi, Alok Pandya, Pinkesh G. Sutariya and Shobhana K. Menon, alixarene capped ZnS quantum dots as an optical nanoprobe for detection and determination of menadione, *Analyst*, 137 (2012) 4647–4650.
- [53] M. Hu, H.L. Yu, F.D. Wei, G.H. Xu, J. Yang, Z. Cai, Q. Hu, Citrate-capped Mn-modified CdSe/CdS quantum dots as luminescent probes for levodopa detection in aqueous solution, *Spectrochimica Acta Part A: Molecular and Biomolecular Spectroscopy*, 91 (2012) 130-135.
- [54] J.G. Liang, S. Huang, D.Y. Zeng, Z.K. He, X.H. Ji, X.P. Ai, H.X. Yang, CdSe quantum dots as luminescent probes for spironolactone determination, *Talanta*, 69 (2006) 126-130.
- [55] M.M. Liu, L. Xu, W.Q. Cheng, Y. Zeng, Z.Y. Yan, Surface-modified CdS quantum dots as luminescent probes for sulfadiazine determination, *Spectrochimica Acta Part A: Molecular and Biomolecular Spectroscopy*, 70 (2008) 1198-1202.
- [56] M. Algarra, B.B. Campos, F.R. Aguiar, J.E. Rodriguez-Borges, J.C.G.E. da Silva, Novel beta-cyclodextrin modified CdTe quantum dots as fluorescence nanosensor for acetylsalicylic acid and metabolites, *Materials Science & Engineering C-Materials for Biological Applications*, 32 (2012) 799-803.
- [57] H.B. Li, F.G. Qu, Synthesis of CdTe quantum dots in sol-gel-derived composite silica spheres coated with calix[4]arene as luminescent probes for pesticides, *Chemistry of Materials*, 19 (2007) 4148-4154.

- [58] S.G. Ge, J.J. Lu, L. Ge, M. Yan, J.H. Yu, Development of a novel deltamethrin sensor based on molecularly imprinted silica nanospheres embedded CdTe quantum dots, *Spectrochimica Acta Part A: Molecular and Biomolecular Spectroscopy*, 79 (2011) 1704-1709.
- [59] Z.Z. Zheng, X.Y. Li, Z.F. Dai, S.Q. Liu, Z.Y. Tang, Detection of mixed organophosphorus pesticides in real samples using quantum dots/bi-enzyme assembly multilayers, *Journal of Materials Chemistry*, 21 (2011) 16955-16962.
- [60] Ultrasensitive Detection of Glyphosate Using CdTe uantum Dots in Sol-Gel-Derived Silica Spheres Coated with Calix[6]arene as Fluorescent Probes *American Journal of Analytical Chemistry*, 3 (2012) 12-18
- [61] H.B. Li, C.P. Han, Sonochemical Synthesis of Cyclodextrin-Coated Quantum Dots for Optical Detection of Pollutant Phenols in Water, *Chemistry of Materials*, 20 (2008) 6053-6059.
- [62] S. Huang, Q. Xiao, R. Li, H.L. Guan, J. Liu, X.R. Liu, Z.K. He, Y. Liu, A simple and sensitive method for L-cysteine detection based on the fluorescence intensity increment of quantum dots, *Analytica Chimica Acta*, 645 (2009) 73-78.
- [63] S. Mondal, S. Ghosh, D. Ghosh, A. Saha, Physico-Chemical Aspects of Quantum Dot-Vasodialator Interaction: Implications in Nanodiagnostics, *Journal of Physical Chemistry C*, 116 (2012) 9774-9782.
- [64] G.L. Wang, H.J. Jiao, X.Y. Zhu, Y.M. Dong, Z.J. Li, Enhanced fluorescence sensing of melamine based on thioglycolic acid-capped CdS quantum dots, *Talanta*, 93 (2012) 398-403.
- [65] R.J. Gui, X.Q. An, H.J. Su, W.G. Shen, L.Y. Zhu, X.Y. Ma, Z.Y. Chen, X.Y. Wang, Rhodamine 6G conjugated-quantum dots used for highly sensitive

and selective ratiometric fluorescence sensor of glutathione, *Talanta*, 94 (2012) 295-300.

[66] L.M. Devi, D.P.S. Negi, Sensitive and selective detection of adenine using fluorescent ZnS nanoparticles, *Nanotechnology*, 22 (2011), 1-5.

[67] Y. Yu, Y. Lai, X. Zheng, J.Z. Wu, Z.Y. Long, C.S. Liang, Synthesis of functionalized CdTe/CdS QDs for spectrofluorimetric detection of BSA, *Spectrochimica Acta Part A: Molecular and Biomolecular Spectroscopy*, 68 (2007) 1356-1361.

[68] D.P.S. Negi, T.I. Chanu, Surface-modified CdS nanoparticles as a fluorescent probe for the selective detection of cysteine, *Nanotechnology*, 19 (2008) 1-5.

[69] J.M. Carvalho, K.C. Leandro, A.R. da Silva, R.Q. Aucelio, Selective Determination of Rutin by Fluorescence Attenuation of the CdS-2-mercaptopropionic Acid Nanocrystal Probe, *Analytical Letters*, 46 (2013) 207-224.

[70] A. Mandal, A. Dandapat, G. De, Magic sized ZnS quantum dots as a highly sensitive and selective fluorescence sensor probe for Ag^+ ions, *Analyst*, 137 (2012) 765-772.

[71] N. Butwong, T. Noipa, R. Burakham, S. Srijaranai, W. Ngeontae, Determination of arsenic based on quenching of CdS quantum dots fluorescence using the gas-diffusion flow injection method, *Talanta*, 85 (2011) 1063-1069.

[72] X. Sun, B. Liu, Y. Xu, Dual-emission quantum dots nanocomposites bearing an internal standard and visual detection for Hg^{2+} , *Analyst*, 137 (2011) 1125-1129.

- [73] M. Koneswaran, R. Narayanaswamy, L-Cysteine-capped ZnS quantum dots based fluorescence sensor for Cu²⁺ ion, Sensors and Actuators B-Chemical, 139 (2009) 104-109.
- [74] Y. Shang, L. Qi, F.Y. Wu, Functionalized manganese-doped zinc sulfide quantum dot-based fluorescent probe for zinc ion, Microchimica Acta, 177 (2012) 333-339.
- [75] H.B. Li, Y. Zhang, X.Q. Wang, L-Carnitine capped quantum dots as luminescent probes for cadmium ions, Sensors and Actuators B-Chemical, 127 (2007) 593-597.
- [76] P.P. Ingole, R.M. Abhyankar, B.L.V. Prasad, S.K. Haram, Citrate-capped quantum dots of CdSe for the selective photometric detection of silver ions in aqueous solutions, Materials Science and Engineering B-Advanced Functional Solid-State Materials, 168 (2010) 60-65.
- [77] R.C. Mulrooney, N. Singh, N. Kaur, J.F. Callan, An "off-on" sensor for fluoride using luminescent CdSe/ZnS quantum dots, Chemical Communications, (2009) 686-688.
- [78] O. Adegoke, E. Hosten, C. McCleland, T. Nyokong, CdTe quantum dots functionalized with 4-amino-2,2,6,6-tetramethylpiperidine-N-oxide as luminescent nanoprobe for the sensitive recognition of bromide ion, Analytica Chimica Acta, 721 (2012) 154-161.
- [79] American Heart Association official website, retrieved in January 2012 from <http://www.americanheart.org/presenter.jhtml?identifier=593>.
- [80] Heart Center Online document on hypertension and treatment, retrieved in January 2013 - <http://www.heartcenteronline.com/myheartdr/common/artprn>
- [81] H.F. Askal, New Spectrophotometric Methods for Determination of Captopril Bulk Drug and Tablets, Talanta, 38 (1991) 1155-1158.

- [82] A.M. El-Didamony, Spectrofluorimetric Determination of the Hypertensive Drug Captopril Based on Its Oxidation with Cerium (IV), Journal of the Chinese Chemical Society, 56 (2009) 755-762.
- [83] S. Sypniewski, E. Bald, Determination of captopril and its disulphides in whole human blood and urine by high-performance liquid chromatography with ultraviolet detection and precolumn derivatization, Journal of Chromatography A, 729 (1996) 335-340.
- [84] A.Z. M. Amini, H. vatanpour, Sensitive high-performance liquid chromatographic method for determination of captopril in plasma, Pharmaceutica Acta Helvetiae., 73(1999) 303-306, 73 303-306.
- [85] K. Kusmierek, G. Chwatko, R. Glowacki, P. Kubalczyk, E. Bald, Ultraviolet derivatization of low-molecular-mass thiols for high performance liquid chromatography and capillary electrophoresis analysis, Journal of Chromatography B-Analytical Technologies in the Biomedical and Life Sciences, 879 (2011) 1290-1307.
- [86] A. Khedr, H. El-Sherief, 3-bromomethyl-propyphenazone as a new derivatization reagent for high performance liquid chromatography of captopril and hydrochlorothiazide with UV-detection, Biomedical Chromatography, 12 (1998) 57-60.
- [87] J. Russell, D.L. Rabenstein, Speciation and quantitation of underivatized and Ellman's derivatized biological thiols and disulfides by capillary electrophoresis, Analytical Biochemistry, 242 (1996) 136-144.
- [88] S.M. Al-Ghannam, A.M. El-Brashy, B.S. Al-Farhan, Fluorimetric determination of some thiol compounds in their dosage forms, Farmaco, 57 (2002) 625-629.

- [89] L.P. Wang, X.F. Yang, M.L. Zhao, A 4-Methylumbelliferone-based Fluorescent Probe for the Sensitive Detection of Captopril, *Journal of Fluorescence*, 19 (2009) 593-599.
- [90] A.A. Ensaifi, H. Karimi-Maleh, S. Mallakpour, B. Rezaei, Highly sensitive voltammetric sensor based on catechol-derivative-multiwall carbon nanotubes for the catalytic determination of captopril in patient human urine samples, *Colloids and Surfaces B-Biointerfaces*, 87 (2011) 480-488.
- [91] M.H.S. Santos, Biogenic amines: Their importance in foods, *International Journal of Food Microbiology*, 29 (1996) 213-231.
- [92] B. Tenbrink, C. Damink, H.M.L.J. Joosten, J.H.J.H.I. Tveld, Occurrence and Formation of Biologically-Active Amines in Foods, *International Journal of Food Microbiology*, 11 (1990) 73-84.
- [93] T.A. Smith, Amines in Food, *Food Chemistry*, 6 (1981) 169-200
- [94] J.E. Stratton, R.W. Hutchins, S.L. Taylor, Biogenic-Amines in Cheese and Other Fermented Foods - a Review, *Journal of Food Protection*, 54 (1991) 460-470.
- [95] S. Bardocz, G. Grant, D.S. Brown, A. Ralph, A. Pusztai, Polyamines in Food - Implications for Growth and Health, *Journal of Nutritional Biochemistry*, 4 (1993) 66-71.
- [96] C. Moinard, L. Cynober, J.P. de Bandt, Polyamines: metabolism and implications in human diseases, *Clinical Nutrition*, 24 (2005) 184-197.
- [97] J.K. Khandelwal, L.B. Hough, J.P. Green, Histamine and Some of Its Metabolites in Human-Body Fluids, *Klinische Wochenschrift*, 60 (1982) 914-918.

- [98] Food and Agricultural Organization of the United Nations. 2012. The state of world fisheries and aquaculture, Available <http://www.seafoodsource.com/newsarticledetail.aspx?id=15965>, Acessed on October 10, 2012.
- [99] J.H. Tidwell, G.L. Allan, Fish as food: aquaculture's contribution - Ecological and economic impacts and contributions of fish farming and capture fisheries, *Embo Reports*, 2 (2001) 958-963.
- [100] J.P. Demoncheaux, R. Michel, C. Mazenot, G. Duflos, C. Iacini, F. Delaval, E.M. Saware, J.C. Renard, A large outbreak of scombroid fish poisoning associated with eating yellowfin tuna (*Thunnus albacares*) at a military mass catering in Dakar, Senegal, *Epidemiology and Infection*, 140 (2012) 1008-1012.
- [101] I.N.A. Ashie, J.P. Smith, B.K. Simpson, Spoilage and shelf-life extension of fresh fish and shellfish, *Critical Reviews in Food Science and Nutrition*, 36 (1996) 87-121.
- [102] H.C. Chen, Y.C. Lee, D.F. Hwang, T.K. Chiou, Y.H. Tsai, Determination of Histamine in Mahi-Mahi Fillets (*Coryphaena Hippurus*) Implicated in a Foodborne Poisoning, *Journal of Food Safety*, 31 (2011) 320-325.
- [103] A.L. Cinquina, F. Longo, A. Cali, L. De Santis, R. Baccelliere, R. Cozzani, Validation and comparison of analytical methods for the determination of histamine in tuna fish samples, *Journal of Chromatography A*, 1032 (2004) 79-85.
- [104] L. Lehane, J. Olley, Histamine fish poisoning revisited, *International Journal of Food Microbiology*, 58 (2000) 1-37.
- [105] J.F. Peng, K.T. Fang, D.H. Me, B. Ding, J.Y. Yin, X.M. Cui, Y. Zhang, J.F. Liu, Development of an automated on-line pre-column derivatization procedure for sensitive determination of histamine in food with high-

performance liquid chromatography-fluorescence detection, Journal of Chromatography A, 1209 (2008) 70-75.

[106] V. Konakovskiy, M. Focke, K. Hoffmann-Sommergruber, R. Schmid, O. Scheiner, P. Moser, R. Jarisch, W. Hemmer, Levels of histamine and other biogenic amines in high-quality red wines, Food Additives and Contaminants. Part A-Chemistry Analysis Control Exposure & Risk Assessment, 28 (2011) 408-416.

[107] B.S. Hwang, J.T. Wang, Y.M. Choong, A rapid gas chromatographic method for the determination of histamine in fish and fish products, Food Chemistry, 82 (2003) 329-334.

[108] W.B. Shelley, L. Juhlin, Histamine Chromatography and Electrophoresis O-Phthalaldehyde Fluorogram, Journal of Chromatography, 22 (1966) 130-&.

[109] M. Nakashima, A. Sugiyama, Rapid analysis of histamine in fish using capillary electrophoresis, Journal of the Food Hygienic Society of Japan, 40 (1999) 285-290.

[110] E.I. Lopezsabater, J.J. Rodriguezjerez, A.X. Roigsagues, M.T. Moraventura, Determination of Histamine in Fish Using an Enzymatic Method, Food Additives and Contaminants, 10 (1993) 593-602.

[111] S.B. Patange, M.K. Mukundan, K.A. Kumar, A simple and rapid method for colorimetric determination of histamine in fish flesh, Food Control, 16 (2005) 465-472.

[112] Z.H. Tao, M. Sato, Y.L. Han, Z.J. Tan, T. Yamaguchi, T. Nakano, A simple and rapid method for histamine analysis in fish and fishery products by TLC determination, Food Control, 22 (2011) 1154-1157.

[113] D.A. Stead, Current methodologies for the analysis of aminoglycosides, Journal of Chromatography B, 747 (2000) 69-93

- [114] T. Okuda, Y. Ito, in: H. Umezawa, I.R. Hooper (Eds.), Biosynthesis and mutasynthesis of aminoglycoside antibiotics, in aminoglycoside Antibiotics, , Springer–Verlag, Berlin, 1982, p. 111.
- [115] L.S. Gonzalez, J.P. Spencer, Aminoglycosides: A practical review, American Family Physician, 58 (1998) 1811-1820.
- [116] G. Mayerhofer, I. Schwaiger-Nemirova, T. Kuhn, L. Girsch, F. Allerberger, Detecting streptomycin in apples from orchards treated for fire blight, Journal of Antimicrobial Chemotherapy, 63 (2009) 1076-1077.
- [117] M.P. Almeida, C.P. Rezende, L.F. Souza, R.B. Brito, Validation of a quantitative and confirmatory method for residue analysis of aminoglycoside antibiotics in poultry, bovine, equine and swine kidney through liquid chromatography-tandem mass spectrometry, Food Additives and Contaminants Part A-Chemistry Analysis Control Exposure & Risk Assessment, 29 517-525.
- [118] M.S. Diaz-Cruz, D. Barcelo, Determination of antimicrobial residues and metabolites in the aquatic environment by liquid chromatography tandem mass spectrometry, Analytical and Bioanalytical Chemistry, 386 (2006) 973-985.
- [119] D. Loffler, T.A. Ternes, Analytical method for the determination of the aminoglycoside gentamicin in hospital wastewater via liquid chromatography electrospray-tandem mass spectrometry, Journal of Chromatography A, 1000 (2003) 583-588.
- [120] A.S. Ahmad, M.D.N. Hoda, M. Ahmad, F. Islam, S.Z. Qureshi, A simple and selective kinetic spectrophotometric method for the determination of kanamycin using acetylacetone-formaldehyde reagent in N,N '-dimethylformamide medium, Journal of Analytical Chemistry, 61 (2006) 870-874.

- [121] M. Rizk, Y. ElShabrawy, N.A. Zakhari, S.S. Toubar, L.A. Carreira, Fluorimetric determination of aminoglycoside antibiotics using lanthanide probe ion spectroscopy, *Talanta*, 42 (1995) 1849-1856.
- [122] A.A. Alwarthan, S.A. Altamrah, A.A. Akel, Flow-Injection Determination of Kanamycin by Inhibition of the Lucigenin-H₂O₂-Co²⁺ System, *Analytica Chimica Acta*, 292 (1994) 201-208.
- [123] D.L. Mays, R.J. Vanapeldoorn, R.G. Lauback, High-Performance Liquid-Chromatographic Determination of Kanamycin, *Journal of Chromatography*, 120 (1976) 93-102.
- [124] L.F. Wang, J.D. Peng, LC Analysis of Kanamycin in Human Plasma, by Fluorescence Detection of the 9-Fluorenylmethyl Chloroformate Derivative, *Chromatographia*, 69 (2009) 519-522.
- [125] B.H. Kim, Y.K. Kim, J.H. Ok, Development of liquid chromatographic method for the analysis of kanamycin residues in varicella vaccine using phenylisocyanate as a derivatization reagent, *Journal of Chromatography B*, 752 (2001) 173-177.
- [126] N.C. Megoulas, M.A. Koupparis, Direct determination of kanamycin in raw materials, veterinary formulation and culture media using a novel liquid chromatography-evaporative light scattering method, *Analytica Chimica Acta*, 547 (2005) 64-72.
- [127] L.L. Xi, Y. Zhu, Determination of kanamycin sulfate by liquid chromatography with pulsed amperometric detection, *Chinese Journal of Analytical Chemistry*, 35 (2007) 703-706.
- [128] M. Yang, S.A. Tomellini, Non-derivatization approach to high-performance liquid chromatography-fluorescence detection for aminoglycoside antibiotics based on a ligand displacement reaction, *Journal of Chromatography A*, 939 (2001) 59-67.

- [129] Y.H. Long, A. Hernandez, E. Kaale, A. Van Schepdael, E. Roets, F. Borrull, M. Calull, J. Hoogmartens, Determination of kanamycin in serum by solid-phase extraction, pre-capillary derivatization and capillary electrophoresis, *Journal of Chromatography B-Analytical Technologies in the Biomedical and Life Sciences*, 784 (2003) 255-264.
- [130] J.L. Yan, Determination of Kanamycin by Square-Wave Cathodic Adsorptive Stripping Voltammetry, *Russian Journal of Electrochemistry*, 44 (2008) 1334-1338.
- [131] X.Y. Wang, M.J. Zou, X. Xu, R. Lei, K.A. Li, N. Li, Determination of human urinary kanamycin in one step using urea-enhanced surface plasmon resonance light-scattering of gold nanoparticles, *Analytical and Bioanalytical Chemistry*, 395 (2009) 2397-2403.
- [132] K.M. Song, M. Cho, H. Jo, K. Min, S.H. Jeon, T. Kim, M.S. Han, J.K. Ku, C. Ban, Gold nanoparticle-based colorimetric detection of kanamycin using a DNA aptamer, *Analytical Biochemistry*, 415 (2011) 175-181.
- [133] Burtis, C.A, Ashwood, E.R., 2001 Tiez Fundamentals of clinical chemistry .6th Edition.W.B. Sanunders Company, USA.
- [134] Mary J. Shomon, 2009, The Thyroid Hormone Breakthrough: Overcoming Sexual and Hormonal Problems at Every Age.
- [135] K. Sterling, M. Tabachnick, Determination of Binding Constants for Interaction of Thyroxine and its Analogues with Human Serum Albumin, *Journal of Biological Chemistry*, 236 (1961) 2241- 2243.
- [136] A. Waseem, M. Yaqoob, A. Nabi, Determination of thyroxine in pharmaceuticals using flow injection with luminol chemiluminescence inhibition detection, *Luminescence*, 21 (2006) 174-178.

- [137] A. Waseem, M. Yaqoob, A. Nabi, G.M. Greenway, Determination of thyroxine using tris(2,2'-bipyridyl)ruthenium(III)-NADH enhanced electrochemiluminescence detection, *Analytical Letters*, 40 (2007) 1071-1083.
- [138] Y. Sun, X.Y. Zhao, P. Li, G.Y. Shi, T.S. Zhou, Simultaneous determination of thyroxine and triiodothyronine in pharmaceutical formulations using capillary electrophoresis with amperometric detection, *Journal of Separation Science*, 33 (2010) 2417-2422.
- [139] Y. Sawabe, T. Tagami, K. Yamasaki, S. Taguchi, Determination of Liothyronine and Levothyroxine in Dietary Supplements by HPLC Using a Pre-column Derivative, *Journal of Health Science*, 57 (2011) 47-52.
- [140] L. Bhavana, V.J. Ajimon, S.L. Radhika, M. Sindhu, C.S.P. Iyer, Ion chromatographic determination of thyroxine in urine, *Journal of Chromatography B-Analytical Technologies in the Biomedical and Life Sciences*, 803 (2004) 363-366.
- [141] T. Higashi, T. Ichikawa, C. Shimizu, S. Nagai, S. Inagaki, J.Z. Min, H. Chiba, S. Ikegawa, T. Toyo'oka, Stable isotope-dilution liquid chromatography/tandem mass spectrometry method for determination of thyroxine in saliva, *Journal of Chromatography B-Analytical Technologies in the Biomedical and Life Sciences*, 879 (2011) 1013-1017.
- [142] E. Goek, C. Oeztuerk, N. Akbay, Interaction of thyroxine with 7 hydroxycoumarin: A fluorescence quenching study, *Journal of Fluorescence*, 18 (2008) 781-785.
- [143] E. Gok, S. Ates, Fluorimetric determination of thyroxine hormone with Eu(III)-(pyridine-2,6-dicarboxylate) tris complex, *Journal of Fluorescence*, 13 (2003) 221-225.
- [144] S. Chitravathi, B.E. Kumaraswamy, E. Niranjana, U. Chandra, G.P. Mamatha, B.S. Sherigara, Electrochemical Studies of Sodium Levothyroxine at

Surfactant Modified Carbon Paste Electrode, International Journal of Electrochemical Science, 4 (2009) 223-237.

[145] L. Li, H.F. Qian, N.H. Fang, H.C. Ren, Significant enhancement of the quantum yield of CdTe nanocrystals synthesized in aqueous phase by controlling the pH and concentrations of precursor solutions, Journal of Luminescence, 116 (2006) 59-66.

[146] R. Kuang, X. Kuang, S.Y. Pan, X.D. Zheng, J.C. Duan, Y.Q. Duan, Synthesis of cysteamine-coated CdTe quantum dots for the detection of bisphenol A, Microchimica Acta, 169 (2010) 109-115.

[147] M. Koneswaran, R. Narayanaswamy, L-Cysteine-capped ZnS quantum dots based fluorescence sensor for Cu^{2+} ion, Sensors and Actuators B-Chemical, 139 (2009) 104-109.

[148] C. Ge, M. Xu, J. Liu, J. Lei, H. Ju, Facile synthesis and application of highly luminescent CdTe quantum dots with an electrogenerated precursor, Chemical Communications, (2008) 450-452.

[149] S. Kose, G. Hall, Modification of a colorimetric method for histamine analysis in fish meal, Food Research International, 33 (2000) 839-845.

[150] W.W. Yu, L.H. Qu, W.Z. Guo, X.G. Peng, Experimental determination of the extinction coefficient of CdTe, CdSe and CdS nanocrystals (vol 15, pg 2854, 2003), Chemistry of Materials, 16 (2004) 560-560.

[151] F. Boulmedais, P. Bauchat, M.J. Brienne, I. Arnal, F. Artzner, T. Gacoin, M. Dahan, V. Marchi-Artzner, Water-soluble pegylated quantum dots: From a composite hexagonal phase to isolated micelles, Langmuir, 22 (2006) 9797-9803.

[152] M.F. Gui, L.J. Bao, Y.S. Xia, C. Wei, S.Z. Zhang, C.Q. Zhu, Indication of intracellular physiological pH changes by L-cysteine-coated CdTe quantum

dots with an acute alteration in emission color, Biosensors & Bioelectronics, 30 (2011) 324-327.

[153] M.Y. Gao, S. Kirstein, H. Mohwald, A.L. Rogach, A. Kornowski, A. Eychmuller, H. Weller, Strongly photoluminescent CdTe nanocrystals by proper surface modification, Journal of Physical Chemistry B, 102 (1998) 8360-8363.

[154] S. Hillaert, W. Van den Bossche, Determination of captopril and its degradation products by capillary electrophoresis, Journal of Pharmaceutical and Biomedical Analysis, 21 (1999) 65-73

[155] J. Ma, J.Y. Chen, Y. Zhang, P.N. Wang, J. Guo, W.L. Yang, C.C. Wang, Photochemical instability of thiol-capped CdTe quantum dots in aqueous solution and living cells: Process and mechanism, Journal of Physical Chemistry B, 111 (2007) 12012-12016.

[156] C.H. Bolster, G.M. Hornberger, On the Use of Linearized Langmuir Equations , Soil Science Society of America Journal , 71 (2007) 1796- 1806.

[157] A. Kumar, S. Kumar, Photoluminescence of Colloidal Cadmium-Sulfide in the Presence of Aniline - Study of Cds-Sensitized Photocatalytic Reaction, Journal of Photochemistry and Photobiology A- Chemistty, 69 (1992) 91-95

[158] A. Henglein, Small-Particle Research - Physicochemical Properties of Extremely Small Colloidal Metal and Semiconductor Particles, Chemical, Reviews , 89 (1989) 1861-1873

[159] D. Seto, N. Soh, K. Nakano, T. Imato, Selective fluorescence detection of histamine based on ligand exchange mechanism and its application to biomonitoring, Analytical Biochemistry, 404 135-139.

[160] P.A. Lerke, L.D. Bell, Rapid Fluorometric Method for Determination of Histamine in Canned Tuna, *Journal of Food Science*, 41 (1976) 1282-1284.

[161] E.M. Miguel, Determinação de quercetina, kanamicina e piraclostrobina usando métodos fotoluminescentes e polímeros de impressão molecular, ph.D Thesis. 2013.

[162] Z.Z. Chen, X.L. Ren, X.W. Meng, D. Chen, C.M. Yan, J. Ren, Y. Yuan, F.Q. Tang, Optical detection of choline and acetylcholine based on H₂O₂-sensitive quantum dots, *Biosensors & Bioelectronics*, 28 (2011) 50-55.

[163] R.A. Sperling, W.J. Parak, Surface modification, functionalization and bioconjugation of colloidal inorganic nanoparticles, *Philosophical Transactions of the Royal Society A : Mathematical Physical and Engineering Sciences*, 368 1333-1383