

## 5

### Referências

- [1] N. F. Maxemchuk: “The Manhattan Street network”, Proc.GLOBECOM’85, New Orleans, LA, Dec. 1986, pp. 255-261.
- [2] N. F. Maxemchuk: “Routing in the Manhattan Street network”, IEEE Trans. Com., Vol. Com-35, No. 5, 1987, pp 503-512.
- [3] B. Khasnabish: “Topological properties of Manhattan street networks”, IEEE Eletronic Letter, Electronics Letters, Vol.25, Iss.20, 28 Sep 1989, Pages:1388-1389.
- [4] T. Y. Chung, S. Rai e D. P. Agrawal: “A routing scheme for datagram and virtual circuit services in the MSN”, Global Telecommunications Conference, 1989, and Exhibition. 'Communications Technology for the 1990s and Beyond'. GLOBECOM '89., IEEE, Vol., Iss., 27-30 Nov 1989, Pages:1030-1035 vol.2.
- [5] N. F. Maxemchuk: “Comparison of deflection and store-and-forward techniques in the Manhattan Street and Shuffle-Exchange networks”, Proc. INFOCOM '89, 1989, pp 800 –809.
- [6] G. Albertengo, R. Lo Cigno e G. Panizzardi: “The deflection network: a reliable high speed packet network for computer communication”, CompEuro '91. 'Advanced Computer Technology, Reliable Systems and Applications'. 5th Annual European Computer Conference. Proceedings., Vol., Iss., 13-16 May 1991, Pages:84-88.
- [7] A. K. Choudhury e V. O. K. Li: “An approximate analysis of the performance of deflection routing in regular networks”, Selected Areas in Communications, IEEE Journal on, Vol.11, Iss.8, Oct 1993, Pages:1302-1316.
- [8] A. G. Greenberg e J. Goodman: “Sharp approximate models of deflection routing in mesh networks”, Communications, IEEE Transactions on, Vol.41, Iss.1, Jan 1993, Pages:210-223.
- [9] I. Chlamtac e A. Fumagalli: “An optical switch architecture for Manhattan networks”, Selected Areas in Communications, IEEE Journal on, Vol.11, Iss.4, May 1993, Pages:550-559.
- [10] Chung, T.Y. Sharma, N. Agrawal, D.P.: “Cost-performance trade-offs in Manhattan Street Network versus 2-D torus”, Computers, IEEE Transactions on, Vol.43, Iss.2, Feb 1994, Pages:240-243.
- [11] Wei-Tsong Lee Ling-Yang Kung: “Binary addressing and routing schemes in the Manhattan Street Network”, Networking, IEEE/ACM Transactions on, Vol.3, Iss.1, Feb 1995, Pages:26-30.

- [12] N. MirFakhraei: "Simulation of a Manhattan street network for high-speed ATM applications", Communications, 1995. ICC 95 Seattle, Gateway to Globalization, 1995 IEEE International Conference on, Vol.3, Iss., 18-22 Jun 1995, Pages:1937-1942 vol.3.
- [13] N. MirFakhraei: "Performance analysis of an ATM local computer network", Local Computer Networks, 1995., Proceedings. 20th Conference on, Vol., Iss., 16-19 Oct 1995, Pages:140-149.
- [14] N. MirFakhraei: "ATM switching architectures for wafer-scale integration", Very Large Scale Integration (VLSI) Systems, IEEE Transactions on, Vol.4, Iss.4, Dec 1996, Pages:464-471.
- [15] A. Bononi, G. A. Castanon, O. K. Tonguz: "Analysis of hot-potato optical networks with wavelength conversion", Lightwave Technology, Journal of, Vol.17, Iss.4, Apr 1999, Pages:525-534.
- [16] Kitani, T. Yoneda, M. Funabiki, N. Nakanishi, T. Okayama, K. Higashino, T.: "A two-stage hierarchical algorithm for wavelength assignment in WDM-based Bidirectional Manhattan Street Networks", Networks, 2003. ICON2003. The 11th IEEE International Conference on, Vol., Iss., Sept. 28-Oct. 1, 2003, Pages: 419- 424.
- [17] B.C.L. Guedes, A.C. Sachs, F.R. Barbosa, M.M. Mosso, A. Podcameni e H.J.P.P. Silva, "Análise do Desempenho de uma Rede Manhattan Street Utilizando Chaveamento Óptico", MOMAG, São Paulo, Brasil, Ago. 2004.
- [18] F. R. Barbosa, D. Maia Jr, E. Moschim, L. Pezzolo, A. C. Sachs, "Optical Packet Switching and Routing Using RF Frequency Header Labeling for Application in Metropolitan Access Networks", SPIE – ITCom'2003, Orlando, FL, USA, 2003.
- [19] F. R. Barbosa, D. Maia Jr, E. Moschim, L. Pezzolo, A. C. Sachs, M. R. Salvador, "Optical Packet Switching Node for Metro-Access Networks", ECOC'2003, Rimini, Italia, Set. 2003.
- [20] F. Forghieri, A. Bononi e P. Prucnal: "Analysis and comparison of hot-potato and single-buffer deflection routing in very high bit rate optical mesh networks", IEEE Trans. Com., Vol. Com-43, No. 5, 1995, pp 88-98.
- [21] A. Bononi, F. Forghieri e P. Prucnal: "Analysis of one-buffer deflection routing in ultra-fast optical mesh networks", Proc. Twelfth Annual Joint Conference of the IEEE Computer and Communications Societies, 1993, pp 303-311.
- [22] T. G. Robertazzi e A. A. Lazar: "Deflection strategies for the Manhattan Street network", IEEE Internat. Conf. on Communications, 1991, pp 1652-1658.
- [23] T. G. Robertazzi e H. Huang: "Performance evaluation of the Manhattan Street network with input buffers", Proc. IEEE Internat. Conf. on Communications, 1992, pp 202-206.

- [24] D. Cotter e M. C. Tatham: “Dead reckoning – a primitive and efficient self-routing protocol for ultrafast mesh networks”, IEE Proceedings, Vol. 144, Issue 3, 1997, pp 135-142.
- [25] A. K. Choudhury e N. F. Maxemchuk: “Effect of a finite reassembly buffer on the performance of deflection routing”, Proc.. IEEE Internat. Conf. on Communications, 1991, pp 1637-1646.
- [26] A. G. Fayoumi, A. Jayasumana e J. Sauer: “Performance of multihop networks using optical buffering and deflection routing”, Proc. IEEE Conf. on Local Computer Networks, 2000, pp 548-555.
- [27] M. R. Salvador, “MAC Protocols for Optical Packet-Switched WDM Rings”, Netherland, 2003.
- [28] A. M. Law e M. G. McComas, “Simulation of Communications Networks”, Proceedings of the 1995 Winter Simulation Conference, Páginas: 46-50.
- [29] <http://www.isi.edu/nsnam/ns>, 2002.
- [30] A. S. Tanenbaum, “Computer Networks”, 3<sup>a</sup> edição.
- [31] A. S. Acampora e S. I. A. Shah, “Multihop Lightwave Networks: A Comparison of Store-and-Forward and Hot-Potato Routing,” IEEE Transactions on Communications, vol. 40, no. 6, pp. 1082 1090 Junho 1992.
- [32] JINGYI HE and S. H. GARY CHAN, *TCP Performance with Deflection Routing in the Internet*.
- [33] K. FALL, and K. VARADHAN, *The ns Manual*, <http://www.isi.edu/nsnam/ns>, 2002.

## Anexo: Lista de Acrônimos

- ACK - Pacotes de *Acknowledgment*
- ATM - *Asynchronous Transfer Mode*
- CBR - *Constant Bit Rate*
- CWND - *Congestion Window*
- DiffServ - *Differentiated Services*
- FDL - *Fiber Delay Line*
- FTP - *File Transfer Protocol*
- GPRS - *General Packet Radio Service*
- IP - *Internet Protocol*
- MPLS - *Multiprotocol Label Switching*
- MS - *Rede Manhattan Street*
- NAM - *Network Animator*
- NS-2 - *The Network Simulator*
- OPS - *Optical Packet Switched*
- OSI - *Open System Interconnection*
- OXC - *Optical Cross-Connect*
- RAM - *Random-Access Memory*
- SDH - *Synchronous Digital Hierarchy*
- SONET - *Synchronous Optical Network*
- TCP - *Transmission Control Protocol*
- TDM - *Time Division Multiplexing*
- UDP - *User Datagram Protocol*
- VBR - *Variable Bit Rate*
- WDM - *Wavelength Division Multiplexing*
- WFQ - *Weight Fair Queueing*