

6.

Referências bibliográficas

Al-Harthy, S. S.; Dennis, J.; Jing, X. D.; Marsden, J. R. **Petrophysical Properties Under True-Triaxial Stress For Hydrocarbon Recovery Prediction**. SPE 39770, Society of Petroleum Engineers, March 1998a.

Al-Harthy, S. S.; Dennis, J.; Jing, X. D.; Marsden, J. R. **Hysteresis, True-Triaxial Stress-Path and Pore Pressure Effects on Permeability**. SPE 47269, Society of Petroleum Engineers, July 1998b.

Al-Harthy, S. S.; Jing, X. D.; Marsden, J. R.; Dennis, J. W. **Petrophysical Properties of Sandstones Under True Triaxial Stresses I: Directional Transport Characteristics and Pore Volume Change**. SPE 57287, Society of Petroleum Engineers, October 1999.

Amadei, B.; Robison, J. **Strength of rock in multi-axial loading conditions**. Proc. 27th. U.S. Symp. Rock Mech., Tuscaloosa, Alabama, p. 47-55, 1986.

Araújo, E. M. P. **Influência da variação da permeabilidade na estabilidade de poços de petróleo**. Dissertação de Mestrado, Pontifícia Universidade Católica do Rio de Janeiro, 2002.

Azeemuddin, M.; Roegiers, J.-C.; Suir, P.; Zaman, M.; Kukreti, A.R. **Stress-dependent permeability measurement of rocks in a triaxial cell**. In: Tillerson JR, Wawersik WR (eds) Proceedings of the 35th US Symposium on Rock Mechanics, p. 645–650, 1995.

Azevedo, A. A.; Albuquerque Filho, J. L. **Águas Subterrâneas**. In: **Geologia de Engenharia**. Associação Brasileira de Geologia de Engenharia, São Paulo, 1998.

Bai, M.; Meng, F.; Elsworth, D.; Roegiers, J.-C. **Analysis of Stress-dependent Permeability in Nonorthogonal Flow and Deformation Fields**. Rock Mech. Rock Eng., vol. 32, p. 195-219, 1999.

Barroso, E. V. **Avaliação de um modelo elastoplástico para estudos de processo de produção de areia em rochas produtoras de petróleo**. Tese de Doutorado, Pontifícia Universidade Católica do Rio de Janeiro, 2002.

Berryman, J. G.; Wang, H. F. **Elastic wave propagation and attenuation in a double-porosity dual-permeability medium**. International Journal of Rock Mechanics and Mining Sciences, vol. 37, p. 63-78, 2000.

Biot, M. A. **General Theory of Three-Dimensional Consolidation**. J. Appl. Phys., 12, p. 155-164, 1941.

Biot, M. A.; Willis, D. G. **The Elastic Coefficients of the Theory of Consolidation**. J. Appl. Mech., 24, p. 594-601, 1957.

Boutecá, M. J.; Sarda, J.-P.; Vincké, O. **Constitutive Law for Permeability Evolution of Sandstones during Depletion**. SPE 58717, Society of Petroleum Engineers, February 2000.

Brace, W. F.; Walsh, J. B.; Frangos, W. T. **Permeability of Granite under High Pressure**. J. Geophys. Res., 73, p. 2225-2236, 1968.

Brown, E. (Ed.). **Rock Characterization Testing and Monitoring – Suggested Methods**. International Society of Rock Mechanics (ISRM). Pergamon Press, 1981.

Bruno, M. S.; Nelson, R. B. **Microstructural analysis of the inelastic behavior of sedimentary rock**. Submitted for publication to: Mechanics of Materials, 1990.

Bruno M. S.; Bovberg, C. A.; Nakagawa, F. M. **Anisotropic stress influence on the permeability of weakly-cemented sandstones**. Rock Mechanics as a Multidisciplinary Science, Roegiers (ed.), 375-383, 1991.

Bruno, M. S. **Micromechanics of stress-induced permeability anisotropy and damage in sedimentary rock**. Mechanics of Materials, vol. 18, p. 31-48, 1994.

Chen, M.; Bai, M. **Modeling Stress-dependent Permeability for Anisotropic Fractured Porous Rocks**. International Journal of Rock Mechanics and Mining Sciences, vol. 35, p. 1113-1119, 1998.

CPRM (Companhia de Pesquisa de Recursos Minerais). **Diagnóstico dos Recursos Hídricos e Organização dos Agentes da Bacia do Rio Tubarão e Complexo Lagunar - Volume 2: Caracterização da Área**. Disponível em <<http://www.comitetubarao.unisul.br/gruperh/vol2/volume2.htm>>. Acesso em: Janeiro de 2005.

Crawford, B. R.; Smart, B. G. D. **The Influence of Stress Anisotropy on Horizontal Well Performance Predicted Via Special Core Analysis Under True Triaxial Conditions**. SPE 28452, Society of Petroleum Engineers, September 1994.

Crawford, B. R.; Smart, B. G. D.; Main, I. G.; Liakopoulou-Morris, F. **Strength Characteristics and Shear Acoustic Anisotropy of Rock Core Subjected to True Triaxial Compression**. International Journal of Rock Mechanics and Mining Sciences & Geomechanics Abstract, vol. 32, p. 189-200, 1995.

David, C.; Wong, T-f.; Zhu, W.; Zhang, J. **Laboratory measurement of compaction-induced permeability change in porous rocks: implications for the generation and maintenance of pore pressure excess in the crust**. PAGEOPH, vol. 143, p. 425-456, 1994.

David, C.; Menendez, B.; Zhu, W.; Wong, T-f. **Mechanical Compaction, Microstructures and Permeability Evolution in Sandstones**. Phys. Chem. Earth (A), vol. 26, p. 45-51, 2001.

Davies, J. P.; Davies, D. K. **Stress-Dependent Permeability: Characterization and Modeling**. SPE 71750, Society of Petroleum Engineers, June 2001.

Desai, C. S.; Siriwardane, H. J. Stress, componentes of stress, and stress tensor. In: **Constitutive laws for engineering materials with emphasis on Geologic Materials**. Prentice – Hall, New Jersey, 1984.

Dusseault, M. B.; Gray, K. E. **Mechanisms of Stress-Induced Wellbore Damage**. SPE 23825, Society of Petroleum Engineers, February 1992.

Esaki, T.; Kimura, T. **Mechanical behaviour of rocks under generalised high stress conditions**. In Rock at Great Depth (Edited by Maury V. and Fourmaintraux D.), p. 123-130, Rotterdam, 1989.

Fatt, I.; Davis, D. H. **Reduction in permeability with overburden pressure**. Pet. Trans., AIME. 195, 329, 1952.

Ferfera, F. M. R., Sarda J.-P., Boutéca M.J. and Vincké O. **Experimental study of monophasic permeability changes under various stress paths**. International Journal of Rock Mechanics and Mining Sciences, vol. 34, 3-4, 1997.

Franklin, J. A.; Hoek, E. **Developments in triaxial testing equipment**. Rock Mechanics 2, p. 223-228, 1970.

Freeze, R. A.; Cherry, J. A. **Groundwater**. Prentice – Hall, New Jersey, 1979.

Gau, Q.; Cheng, H.; Zhuo, D. **The strength, deformation and rupture characteristics of red sandstone under polyaxial compression**. In Proc. 5th. Int. Congr. Rock Mech., Melbourne, Australia, A, p. 157-160, 1983.

Geertsma, J. **The Effect of Fluid Pressure Decline on Volumetric Changes of Porous Rock**. Trans., AIME 210, p. 331-340, 1957.

Gobran, B. D.; Brigham, W. E.; Ramey, H. J. **Absolute permeability as a function of confining pressure, pore pressure and temperature**. SPE Formation Evaluation, vol. 2, No. 1, p. 77-84, 1987.

Goodman, R. E. **Introduction to Rock Mechanics**. John Willey & Sons, New York, 1989.

Grabowski Jr., G. J. **Contributions to the Geology of Kentucky. Mississippian System**. United States Geological Survey (USGS). Disponível em <<http://pubs.usgs.gov/pp/p1151h/miss.html>>. Acesso em: Janeiro de 2005.

Grasso, J. R.; Volant, P. Fourmaitreaux, D. **Scaling of seismic response to hydrocarbon production: A tool to estimate both seismic hazard and reservoir behavior over time**. Eurock 94: Rock mass response to hydrocarbon production, Delft, Netherlands, 1994.

Haimson, B.; Chang, C. **A new true triaxial cell for testing mechanical properties of rock, and its use to determine rock strength and deformability of Westerly granite**. International Journal of Rock Mechanics and Mining Sciences & Geomech. Abstr., vol. 37, p. 285-296, 2000.

Han, G. **Rock Stability under Different Fluid Flow Conditions**. PhD Thesis, University of Waterloo, 2003.

Han, G.; Dusseault, M. B. **Description of fluid flow around a wellbore with stress-dependent porosity and permeability**. Journal of Petroleum Science and Engineering, vol. 40, p. 1-16, 2003.

Handin, J.; Heard, H. C.; Maguirk, J. N. **Effects of the intermediate principal stress on the failure of limestone, dolomite and glass at different temperatures and strain rates**. J. Geophys. Res. 72, p. 611-640, 1967.

Heard, C. H. **Steady state flow in polycrystalline halite at pressure of 2 kilobars**. In: Geophysical Monograph Series, 16, Flow and Fracture of rocks, Ed.: H.C. Heard, L.Y. Borg, N.L. Carter and C.B. Raleigh, p. 191- 209, AGU, Washington, 1972.

Heiland, J. **Permeability of Triaxially Compressed Sandstone: Influence of Deformation and Strain-rate on Permeability**. Pure Appl. Geophys., vol. 160, p. 889-908, 2003a.

Heiland, J. **Laboratory testing of coupled hydro-mechanical processes during rock deformation**. Hydrogeology Journal, vol. 11, p. 122-141, 2003b.

Heiland, J.; Raab, S. **Experimental Investigation of the Influence of Differential Stress on Permeability of a Lower Permian (Rotliegend) Sandstone Deformed in the Brittle Deformation Field**. Phys. Chem. Earth., 26, No. 1-2, p. 33-38, 2001.

Hillebrand, L. B.; Coogan, A. H. **Berea Sandstone reservoirs in Ashland and Medina Counties, Ohio**. Bull. Am. Assoc. Pet. Geol., 68 (12), 1984.

Hoek, E.; Franklin, J. A. **A simple triaxial cell for field and laboratory testing of rock**. Trans. Inst. Min. Metall., London 77(A), p. 22-26, 1968.

Holt, R. M. **Permeability Reduction Induced by a Nonhydrostatic Stress Field**. SPE Formation Evaluation 19595, December 1990.

Howard, J. J. **Influence of authigenic-clay minerals on permeability**. Origin, Diagenesis, and Petrophysics of Clay Minerals in Sandstones, SEPM special publication, No. 47, 1992.

Hunsche, U.; Hampel, A. **Rock salt - the mechanical properties of the host rock material for a radioactive waste repository**. Engineering Geol., 52, p. 271 – 291, 1999.

Jaeger, J.; Cook, N. G. W. **Fundamentals of Rock Mechanics**. Chapman and Hall, London, 1976.

Jamtveit, B.; Yardley, B. W. D. **Fluid Flow and Transport in Rocks: Mechanisms and Effects**. Chapman and Hall, London, p. 319, 1997.

Keaney, G. M. J.; Meredith, P.G.; Murrell, S. A. F. **Laboratory Study of Permeability Evolution in a 'Tight' Sandstone under Non-Hydrostatic Stress Conditions**. SPE/ISRM 47265, Society of Petroleum Engineers and International Society of Rock Mechanics, Eurock 98, Trondheim, Norway, July 1998.

Khan, M.; Teufel, L. W. **The Effect of Geological and Geomechanical Parameters on Reservoir Stress Path and Its Importance in Studying Permeability Anisotropy**. SPE Reservoir Eval. Eng. 3(5), p. 394-400, 2000.

Kilmer, N. H.; Morrow, N. R.; Pitman, J. K. **Pressure sensitivity of low permeability sandstones**. J. Pet. Sci. Eng. 1, p. 65-81, 1987.

King, M. S.; Chaudry, N. A.; Shakeel, A. **Experimental ultrasonic velocities and permeability for sandstones with aligned cracks**. International Journal of Rock Mechanics and Mining Sciences & Geomechanics Abstract, vol. 32, p. 155-163, 1995.

King, M. S.; Al-Harthy, S.; Jing, X. D. **Petrophysical studies of sandstones under true-triaxial stress conditions**. SCA 2001-10, the 2001 Symposium of Core Analysts, Edinburgh, Scotland, 2001.

Kranz, R. L. **Microcracks in rocks: A review**. Center for Tectonophysics, Texas A&M University, College Station, 1983.

Kranz, R. L.; Saltzman, J. S.; Blacic, J. D. **Hydraulic diffusivity measurements on laboratory rock samples using an oscillating pore pressure method**. International Journal of Rock Mechanics and Mining Sciences & Geomechanics Abstract, vol. 27, p. 345-352, 1990.

Li, L.; Holt, R. M. **Simulating stress-dependent permeability of granular media with a fluid-coupled particle model**, 2002. Disponível em <<http://www.ntnu.no/~liming/LiThesisPermeability1.pdf>>. Acesso em: Agosto de 2004.

Liu, J.; Elsworth, D.; Brady, B. H. **Linking stress-dependent effective porosity and hydraulic conductivity fields to RMR**. International Journal of Rock Mechanics and Mining Sciences, vol. 36, p. 581-596, 1999.

McKee, C. R.; Bumb, A. C.; Koenig, R. A. **Stress-Dependent Permeability and Porosity of Coal and Other Geologic Formations**. SPEFE 81, March 1988.

McLatchie, A. S.; Hemstock, R. A.; Young, J. W. **The Effective Compressibility of Reservoir Rock and Its Effects on Permeability**. JPT 49; Trans., AIME, 213, June 1958.

MHHE (McGraw-Hill Higher Education). **Groundwater and Wetlands**, 2000. Disponível em <http://www.mhhe.com/earthsci/geology/mcconnell/demo/prop.htm>. Acesso em: Novembro de 2004.

Mogi, K. **Effect of triaxial stress system on rock failure**. Rock Mech. In Jap. 1, p. 53-55, 1970.

Mogi, K. **Fracture and flow of rocks under high triaxial compression**. J. Geophys. Res. 76, p. 1255-1269, 1971.

Morita, N.; Gray, K. E.; Srouji, F. A. A.; Jogi, P. N. **Rock-Property Changes During Reservoir Compaction**. SPE 13099, Society of Petroleum Engineers, September 1992.

Oda, M.; Takemura, T.; Aoki, T. **Damage growth and permeability change in triaxial compression tests of Inada granite**. Mechanics of Materials, vol. 34, p. 313-331, 2002.

Oliveira, M. A. M. e Mühlmann, H. Observations on the geology of Chapada dos Guimarães, Mato Grosso. In: Bigarella, J. J. (Ed.). **Problems in Brazilian Devonian geology**. Curitiba, Boletim Paranaense de Geociências, 21/22, p. 57-61, 1967.

Ostermeier, R. M. **Deepwater Gulf of Mexico Turbidites: Compaction Effects on Porosity and Permeability**. SPE 26468, Society of Petroleum Engineers, October 1993.

Ostermeier, R. M. **Stressed Oil Permeability of Deepwater Gulf of Mexico Turbidite sands: Measurements and Theory**. In: Society of Petroleum Engineers Formation Evaluation (SPEFE), p. 229-235, December 1996.

Ostermeier, R. M. **Compaction Effects on Porosity and Permeability: Deepwater Gulf of Mexico Turbidites**. SPE 66479, Society of Petroleum Engineers, February 2001.

Patsouls, G.; Gripps, J. C. **An investigation of the permeability of Yorkshire chalk under differing pore water and confining pressure conditions.** Energy Sources 6 (4), p. 321-334, 1982.

Popp, T.; Kern, H. **Monitoring the State of Microfracturing in Rock Salt During Deformation Combined Measurements of Permeability and P- and S-Wave Velocities.** Phys. Chem. Earth (A), vol. 25, p. 149-154, 2000.

Quadros, R. **Chapada dos Guimarães – Paleontologia.** Disponível em <<http://www.chapadadosguimaraes.com.br/reopaleo.htm>>. Acesso em: Janeiro de 2005.

Quintas, M. C. L.; Mantovani, M. S. M.; Zalán, P. V. **Contribuição ao estudo da evolução mecânica da Bacia do Paraná.** Revista Brasileira de Geociências, vol. 29, p. 217-226, 1999.

Rhett, D. W.; Teufel L. W. **Effect of Reservoir Stress Path on Compressibility Permeability of Sandstones.** SPE 24756, Society of Petroleum Engineers, October 1992.

Ries, H. **Building Stones and Clay Products: A Handbook For Architects.** New York: J. Wiley & Sons, 1912.

Ruistuen, H.; Teufel, L. W.; Rhett, D. **Influence of Reservoir Stress Path on Deformation and Permeability of Weakly Cemented Sandstone Reservoir.** SPE 36535, Society of Petroleum Engineers, October 1996.

Ruistuen, H. **An experimental and numerical study of mechanical behaviour of weakly cemented reservoir sandstones through development of a micromechanical model.** PhD Thesis, Norwegian University of Science and Technology, 1997.

Ruistuen, H.; Teufel, L. W.; Rhett, D. **Influence of reservoir stress path on deformation and permeability of weakly cemented sandstone reservoir.** SPE Reservoir Eval. Eng. 2(3), p. 266-272, 1999.

Salz, L. B. **Relationship Between Fracture Propagation Pressure and Pore Pressure.** SPE 6870, Society of Petroleum Engineering, October 1977.

Santos, J. B. **Estudo Experimental dos Mecanismos de Produção de Areia Empregando Tomografia Computadorizada de Raios-X.** Dissertação de Mestrado, Pontifícia Universidade Católica do Rio de Janeiro, 2004.

Sayers, C. M.; Van Munster, J. G.; King, M. S. **Stress-induced ultrasonic anisotropy in Berea sandstone**. International Journal of Rock Mechanics and Mining Sciences & Geomech. Abstr., vol. 27, p. 429-436, 1990.

Schneider, R. L.; Mulmann, H.; Tommasi, E.; Medeiros, R. A.; Daemon, R. F.; Nogueira, A. A. **Revisão Estratigráfica da Bacia do Paraná**. In: Congresso Brasileiro de Geologia, 28. Porto Alegre, SBG. *Anais*, 1:41-65, 1974.

Schulze, O.; Popp, T.; Kern, H. **Development of damage and permeability in deforming rock salt**. Engineering Geology, vol. 61, p. 163-180, 2001.

Schutjens P. M. T. M.; de Ruig, H. **The influence of stress path on compressibility and permeability of an overpressurised reservoir sandstone: some experimental data**. Phys Chem Earth 22(1-2), p. 97-103, 1997.

Schutjens, P. M. T. M.; Blanton, T. L.; Martin, J. W.; Lehr, B. C.; Baaijens, M. N. **Depletion-induced compaction of an overpressured reservoir sandstone: An experimental approach**. SPE/ISRM 47277, Society of Petroleum Engineers and International Society of Rock Mechanics, Eurock 98, Trondheim, Norway, July 1998.

Schutjens, P. M. T. M.; Hanssen, T. H.; Hettema, M. H. H.; Merour, J.; de Bree, J. Ph.; Coremans, J. W. A.; Helliesen, G. **Compaction-induced porosity/permeability reduction in sandstone reservoirs: Data and Model for elasticity-dominated deformation**. SPE 71337, Society of Petroleum Engineers, September 2001.

Segall, P. **Earthquakes triggered by fluid extraction**. Geology 17, p. 942-946, 1989.

Simpson, G. D. H.; Guéguen, Y.; Schneider, F. **Analytical Model for Permeability Evolution in Microcracking Rock**. Pure Appl. Geophys., 160, p. 999-1008, 2003.

Skempton, A. W. **Effective Stress in Soils, Concrete and Rocks**. Proc., Conference on Pore Pressure and Suction in Soils, Butterworth, London, p. 4-16, 1960.

Smart B. G. D. **A true triaxial cell for testing cylindrical rock specimens**. International Journal of Rock Mechanics and Mining Sciences & Geomech. Abstr., vol. 32, p. 269-275, 1995.

Soares, A.C.; Ferreira, F.H.; Vargas Jr., E. A. **An experimental study for mechanical formation damage**. SPE 73734, Society of Petroleum Engineers, February 2002.

Soedder, D. J.; Randolph, P. L. **Porosity, Permeability and Pore Structure of the Tight Mesaverde Sandstone, Piceance Basin, Colorado**. SPEFE 129; Trans., AIME, 283, June 1987.

Tang, C. A.; Tham, L. G.; Lee, P. K. K.; Yang, T. H.; Li, L. C. **Coupled analysis of flow, stress and damage (FSD) in rock failure**. International Journal of Rock Mechanics and Mining Sciences, vol. 39, p. 477-489, 2002.

Teufel, L. W.; Rhett, D. W. **Geomechanical Evidence for Shear Failure of Chalk During Production of the Ekofisk Field**. SPE 22755, Society of Petroleum Engineering, October 1991.

Teufel, L.W. **Influence of Pore Pressure and Production-Induced Changes in Pore Pressure on In Situ Stress**. Sandia Natl. Laboratories Report, SAND96-0534, Sandia Natl. Laboratories, Albuquerque, New Mexico, 1996.

Thomas, J. E. (Org.). **Fundamentos de Engenharia de Petróleo**. Editora Interciência, Rio de Janeiro, 2001.

Thomas, R.W.; Ward, D. C. **Effect of Overburden Pressure and Water Saturation on Gas Permeability of Tight Sandstone Cores**. JPT 120, February 1972.

Tiab, D.; Donaldson, E. C. **Petrophysics: Theory and Practice of Measuring Reservoir Rock and Fluid Transport Properties**. Gulf Publishing Co., Houston 706, 1996.

UWM (University of Wisconsin Milwaukee). **Rock Description Page**. Disponível em http://www.uwm.edu/Dept/Geosciences/Urban_Geology/rockdescription.html. Acesso em: Janeiro de 2005.

Vairogs, J.; Hearn, C. L.; Dareing, D. W.; Rhoades, V. W. **Effect of rock stress on gas production from low-permeability reservoirs**. J. Pet. Tech., p. 1161-1167, 1971.

Walls, J. D. **Tight Gas Sands – Permeability, Pore Structure and Clay**. J. Pet. Tech. 35, p. 2708-2714, 1982.

Walsh, J. B.; Brace, W. F. **The effect of pressure on porosity and the transport properties of rock.** J. Geophys. Res., 89, p. 9425-9431, 1984.

Wang, J.-A.; Park, H. D. **Fluid permeability of sedimentary rocks in a complete stress-strain process.** Engineering Geology, vol. 63, p. 291-300, 2002.

Warpinski, N. R.; Teufel, L. W. **Determination of Effective Stress Law for Permeability and Deformation in Low-Permeability Rocks.** SPEFE 123; Trans., AIME, 293, June 1992.

Wilhelmi, B.; Somerton, W. H. **Simultaneous measurement of pore and elastic properties of rocks under triaxial stress conditions.** Soc. Pet. Eng. J. 7, p. 283-294, 1967.

Yale, D. P. **Network Modeling of Flow, Storage and Deformation in Porous Rocks.** PhD Thesis, Stanford University, Stanford, CA, 1984.

Yale, D. P.; Crawford, B. **Plasticity and Permeability in Carbonates: Dependence on Stress Path and Porosity.** SPE/ISRM 47582, Society of Petroleum Engineers and International Society of Rock Mechanics, Eurock 98, Trondheim, Norway, July 1998.

Zhang, X.; Powrie, W.; Harkness, R.; Wang, S. **Estimation of permeability for the rock mass around the shiplocks of the Three Gorges Project, China.** International Journal of Rock Mechanics and Mining Sciences, vol. 36, p. 381-397, 1999.

Zhu, W.; Wong, T. -f. **Permeability reduction in a dilatant rock: network modeling of damage and tortuosity.** Geophys. Res. Lett., 23, p. 3099-3102, 1996.

Zhu W.; Wong T. -f. **The transition from brittle faulting to cataclastic flow: permeability evolution.** J Geophys Res B 102, p. 3027-3041, 1997.

Zimmerman, R. W. **Compressibility of Sandstones.** Elsevier, New York City 173, 1991.

Zoback, M. D.; Byerlee, J. D. **The Effect of Microcrack Dilatancy on the Permeability of Westerly Granite.** J. Geoph. Res, 80 (5), p. 752-755, 1975.

Zoback, M. D.; Byerlee, J. D. **Effect of high-pressure deformation on permeability of Ottawa Sand**. Bull. Am. Assoc. Pet. Geol., 60: p. 1531-1542, 1976.