

Bibliografia

- [1] BALMELLI, L.; KOVACEVIC, J. ; VETTERLI, M.. Quadtrees for embedded surface visualization : Constraints and efficient data structures. In: PROCEEDINGS OF THE 1999 INTERNATIONAL CONFERENCE ON IMAGE PROCESSING (ICIP-99), p. 487–491, Los Alamitos, CA, Oct. 24–28 1999. IEEE.
- [2] POMERANZ, A. A.. Roam using surface triangle clusters (rustic). Master's thesis, University of California at Davis, 2000.
- [3] ANDRÁS, B.. Real-time visualization of detailed terrain. Master's thesis, Budapesti Muszaki- és Gazdaságtudományi Egyetem, 2003.
- [4] ASSARSSON, U.; MÖLLER, T.. Optimized view frustum culling algorithms for bounding boxes. Journal of Graphics Tools: JGT, 5(1):9–22, 2000.
- [5] BAO, X.; PAJAROLA, R.. Lod-based clustering techniques for optimizing large-scale terrain storage and visualization. Technical Report UCI-ICS-02-16, Department of Information & Computer Science, University of California Irvine, July 11 2002.
- [6] BAO, X.; PAJAROLA, R. ; SHAFAE, M.. SMART: An efficient technique for massive terrain visualization from out-of-core. In: PROCEEDINGS OF THE VISION, MODELING, AND VISUALIZATION CONFERENCE 2004 (VMV 2004), p. 413–420, Stanford, USA, Nov. 16–18 2004.
- [7] BITTNER, J.; WIMMER, M.; PIRINGER, H. ; PURGATHOFER, W.. Coherent hierarchical culling: Hardware occlusion queries made useful. Computer Graphics Forum, 23(3):615–624, Sept. 2004.
- [8] DE BOER, W. H.. Fast terrain rendering using geometrical mipmapping, Oct. 31 2000. Não publicado e disponível em <http://www.flipcode.com/tutorials/geomipmaps.pdf>. Acesso em: 28 nov. 2005.

- [9] CIGNONI, P.; GANOVELLI, F.; GOBBETTI, E.; MARTON, F.; PONCHIO, F. ; SCOPIGNO, R.. BDAM – batched dynamic adaptive meshes for high performance terrain visualization. *Computer Graphics Forum*, 22(3):505–514, Sept. 2003.
- [10] CIGNONI, P.; GANOVELLI, F.; GOBBETTI, E.; MARTON, F.; PONCHIO, F. ; SCOPIGNO, R.. Planet-sized batched dynamic adaptive meshes (p-bdam). In: *PROCEEDINGS IEEE VISUALIZATION*, p. 147–155, Conference held in Seattle, WA, USA, October 2003. IEEE Computer Society Press.
- [11] DUCHAINEAU, M.; WOLINSKY, M.; SIGETI, D. E.; MILLER, M. C.; ALDRICH, C. ; MINEEV-WEINSTEIN, M. B.. ROAMing terrain: Real-time optimally adapting meshes. In: *IEEE VISUALIZATION '97* (VIS '97), p. 81–88, Washington - Brussels - Tokyo, Oct. 1997. IEEE.
- [12] DE SOUZA, E. M.. *Um estudo sobre um algoritmo para visualização de terrenos*. Master's thesis, PUC-Rio, 2003.
- [13] HILL, D.. An efficient, hardware-accelerated, level-of-detail rendering technique for large terrains. Master's thesis, University of Toronto, 2002.
- [14] LEVENBERG, J.. Fast view-dependent level-of-detail rendering using cached geometry. In: Moorhead, R. J.; Gross, M. ; Joy, K. I., editors, *PROCEEDINGS OF IEEE VISUALIZATION 2002*, p. 259–266, Piscataway, NJ, Oct. 2002. IEEE Computer Society, IEEE Computer Society Press.
- [15] OBERHUMER, M.. Lzo real-time data compression library. <http://www.oberhumer.com/opensource/lzo/>. Acesso em: 28 nov. 2005.
- [16] LINDSTROM, P.; KOLLER, D.; RIBARSKY, W.; HODGES, L. F.; FAUST, N. ; TURNER, G. A.. Real-time, continuous level of detail rendering of height fields. In: *PROCEEDINGS OF THE ACM CONFERENCE ON COMPUTER GRAPHICS*, p. 109–118, New York, Aug. 4–9 1996. ACM.
- [17] LINDSTROM, P.; PASCUCCI, V.. Visualization of large terrains made easy. In: Ertl, T.; Joy, K. ; Varshney, A., editors, *PROCEEDINGS OF THE CONFERENCE ON VISUALIZATION 2001 (VIS-01)*, p. 363–370, Piscataway, NJ, Oct. 21–26 2001. IEEE Computer Society.

- [18] LINDSTROM, P.; PASCUCCI, V.. **Terrain simplification simplified: A general framework for view-dependent out-of-core visualization.** IEEE Transactions on Visualization and Computer Graphics, 8(3):239–254, 2002.
- [19] COELHO, E. M.. **Visualização interativa de terrenos em uma arquitetura cliente-servidor.** Master's thesis, PUC-Rio, 1999.
- [20] SHREINER, D.; WOO, M.; NEIDER, J. ; DAVIS, T.. **OpenGL Programming Guide - The Official Guide to Learning OpenGL, Version 2.** Addison Wesley, fifth edition, 2005.
- [21] PAJAROLA, R.. **Large scale terrain visualization using the restricted quadtree triangulation.** Technical Report TR 292, ETH Zürich, Institute of Theoretical Computer Science, Mar. 1998.
- [22] PAJAROLA, R.. **Overview of quadtree-based terrain triangulation and visualization.** Technical Report UCI-ICS-02-01, The School of Information & Computer Science, University of California Irvine, 2002.
- [23] USGS; OF WASHINGTON, T. U.. **Puget sound terrain.** http://www.cc.gatech.edu/projects/large_models/ps.html. Acesso em: 28 nov. 2005.
- [24] RÖTTGER, S.; HEIDRICH, W.; SLUSALLEK, P. ; SEIDEL, H.-P.. **Real-time generation of continuous levels of detail for height fields.** In: Skala, V., editor, WSCG'98 CONFERENCE PROCEEDINGS, 1998.
- [25] DPI/INPE; TECGRAF. **TerraLib - Open Source GIS Library.** <http://www.terra.lib.org/>. Acesso em: 28 nov. 2005.
- [26] DE TOLEDO, R. P. R.. **Quadlod: Uma estrutura para a visualização interativa de terrenos.** Master's thesis, PUC-Rio, 2000.