

Referências bibliográficas

Ainscough, E. W.; Brodie, A. M. Nitric-oxide - some old and new perspectives. *J. Chem. Educ.*, v. 72, p. 686, 1995.

Ancell, H. Course of lectures on the physiology and pathology of the blood and the other animal fluids. *Lancet*, v. 1, p. 222-231, 1840.

Andersen, M.L.; Skibsted, L.H. Detection of early events in lipid oxidation by electron spin resonance spectroscopy. *European Journal of Lipid Science and Technology*, v. 104, n. 1, p. 65-68, 2002.

Anderson, K. E.; Wagner, G. Physiology of penile erection. *Physiol. Rev.*, v. 75, p. 191-236, 1995.

Änggård, E. Nitric oxide: mediator, murderer, and medicine. *Lancet*, v. 343, p. 1199-1206, 1994.

Anigbogu, V. C.; Peña, A. M.; Ndou, T. T.; Warner, I. M. Retention behaviour of β -cyclodextrin complexes of anthracene and pyrene using reversed-phase liquid chromatography. The effects of t-butylalcohol and cyclopentanol. *J. Chromatogr.* v. 594, n.1-2, p.37-43, 1992.

Baffa Filho, O. Estudos Estruturais das Mioglobinas de “*Aplysia Brasiliana*” e “*Dermochelis Cortacea*” por Técnicas Ópticas e Ressonância Paramagnética Eletrônica. São Carlos, 1984. Tese de Doutorado - Instituto de Física e Química de São Carlos, Universidade de São Paulo.

Baraldi, E.; Azzolin, N.; Zanconato, S. Corticosteroids decrease exhaled nitric oxide in children with acute asthma. *J. Pediatr.*, v. 131, p. 381. 1997.

Barriviera, M. L.; Fontes, C. F. L.; Hassón-Voloch, A.; Louro, S. R. W. Influence of nitric oxide donors on the intrinsic fluorescence of Na^+, K^+ -ATPase and effects on the membrane lipids. *Nitric Oxide*, v. 13, n. 1, p. 10-20, 2005.

Beckman, J.S. In *Nitric Oxide: Principles and Actions*. Academic Press, San Diego: Editora J. Lancaster, 1996. 1p.

Biochimica et Biophysica Acta (BBA) - Bioenergetics, v. 1411, p. 215-488, 1999.

Bolton, J.R.; Swartz, H.M.; Borg, D.C. *Biological Applications of Electron Spin Resonance*. New York: John Wiley & Sons, Inc., 1972.

Bonnett, R. *Chemical Aspects of Photodynamic Therapy*. Advanced Chemistry Texts, Gordon and Breach, Singapore, 2000.

Borges, C.P.F. Estudos espectroscópicos da interação de derivados de dipiridamol com sistemas biofísicos. São Carlos, 1994. Tese de doutorado- Departamento de Química e Física Molecular, Centro Técnico Científico, Universidade de São Carlos.

Borissevitch, I. E.; Gandini, S. C. M; Schmitt, C. C. Photophysical studies on the interaction of two water-soluble porphyrins with bovine serum albumin. Effects upon the porphyrin triplet state characteristics. *Journal of Photochemistry and Photobiology A - Chemistry*. v. 114. n. 3,p. 201-207, 1998.

Borissevitch, I.E.; Tominaga, T.T.; Hidetake, I.; Tabak, M. Fluorescence and optical absorption study of interaction of two water soluble porphyrins with bovine serum albumin. The role of albumin and porphyrin aggregation. *Journal of Luminescence*, v. 69, n. 2, p. 65-76, 1996.

Boyle, R.W.; Dolphin, D. Structure and biodistribution relationships of photodynamic sensitizers. *Photochem. Photobiol.*, v. 64, p. 469-485, 1996.

Brown, S.B.; Shillcock, M. Biochem. Equilibrium and kinetic studies of the aggregation of porphyrins *The Biochemical Journal*, v. 153, n. 2, p.279-285, 1976.

Bruun-Jensen, L.; Skibsted, L.H. High-pressure effects on oxidation of nitrosylmyoglobin. *Meat Science*, v. 44, n. 3, p. 145-14, 1996.

Burnet, A.L. Nitric oxide in the penis: physiology and pathology. *J. Urol.*, v. 157, p. 320-324, 1997.

Butler, A.R.; Williams, D.L.H. The physiological-role of nitric-oxide. *Chem. Soc. Rev.*, v. 22, p. 233, 1993.

Cai, T.B., Wang P.G.; Holder, A.A. NO and NO Donors in:___Nitric Oxide Donors, Wang P.G., Cai T.B., Taniguchi N. (Eds.),WILEY-VCH Verlag GmbH & Co. KGaA, Weinheim, 2005.

Cantor, C.R.; Schimmel P.R. *Biophysical Chemistry*. New York: Freeman and Company, 1980.

Chatkin, J.; Ansarin, K.; Silkoff, P. Exhaled nitric oxide as a noninvasive assessment of chronic cough. *Am. J. Respir. Crit. Care Med.*, v. 159, p. 1810, 1999.

Chazotte-Aubert L.; Oikawa, S.; Gilibert, I.; Bianchini, F.; Kawanishi, S.; Ohshima, H. Cytotoxicity and site-specific DNA damage induced by nitroxyl anion (NO⁻) in the presence of hydrogen peroxide - Implications for various pathophysiological conditions. *J. Biol. Chem.*, v. 274, p. 20909-20915, 1999.

Chidsey, C.E.D.; Bertozzi, C.R.; Putvinski, T.M.; Muijsce, A.M. Coadsorption of ferrocene-terminated and unsubstituted alkanethiols on gold: Electroactive self-assembled monolayers. *J. Am. Chem. Soc.*, v. 112, p. 4301-4306, 1990.

Cooper, C.E. Nitric oxide and iron proteins. *Biochim. Biophys. Acta – Bioenerg.*, v. 1411, p. 290–309, 1999.

da Silva, A.W.S. Estudo da nitrosilação de hemoglobina e de porfirinas de ferro solúveis por absorção eletrônica e ressonância paramagnética eletrônica. Rio de Janeiro, 1999. Tese de mestrado (Especialização Biofísica experimental)-Departamento de Física, Centro Técnico-Científico, Pontifícia Universidade Católica do Rio de Janeiro.

Datta-Gupta, N.; Malakar, D.; Dozier, J. Binding studies of four free base porphyrins and six iron (3+) porphyrins with human serum albumin. *Res. Commun. Chem. Pathol. Pharmacol.*, v. 63, p. 289–292, 1989.

Davis, K.L.; Martin, E.; Turko, I.V.; Murad, F. Novel effects of nitric oxide. *Annu. Rev. Pharmacol. Toxicol.*, v. 41, p. 203, 2001.

Dörr, F. *Biophysics*. New York: Springer-Verlag, 1982.

Doweiko, J. P; Nompoggi, D. J. Role of albumin in human physiology and pathophysiology. *JPEN*, v. 15, n. 2, p. 207-211, 1991.

Erhart, E.A. *Elementos de Anatomia Humana*. 4^a ed. São Paulo: Atheneu Editora, 1973. 121p.

Feelisch, M. Nitroxyl gets to the heart of the matter. *Proc. Natl. Acad. Sci. USA*, v. 100, p. 4978-4980, 2003.

Fendler, J.H. Atomic and Molecular Clusters in Membrane Mimetic Chemistry. *Chem. Rev.*, v. 87, n. 87, p. 877-899, 1987

Fendler, J.H. *Membrane Mimetic Chemistry*. New York: John Willey & Sons, 1986.

Ford, P. C.; Lorkovic, I. M., Mechanistic aspects of the reactions of nitric oxide with transition-metal complexes, *Chem. Rev.*, v. 102, p. 993-1017, 2002.

Franklin, T.C.; Iwunze, M. Oxidative voltammetry of organic compounds at platinum electrodes in micelle and emulsion systems. *Anal. Chem.*, v. 52, p. 973-976, 1980.

Fuhrhop, J.H.; Koning, J. *Membrane and Molecule Assemblies: The Synthetic Approach*. Cambridge: Royal Society of Chemistry, 1994.

Fukuto, J. M.; Gulati, P.; Nagasawa, H. Involvement of nitroxyl (hno) in the cyanamide-induced vasorelaxation of rabbit aorta. *Biochem. Pharmacol.*, v. 47, p. 922-924, 1994.

Fukuto, J. M.; Hsieh, R.; Gulati, P.; Gulati, P.; Chiang, K. T.; Nagasawa, H. N,o-diacylated-n-hydroxyarylsulfonamides - nitroxyl precursors with potent smooth-muscle relaxant properties. *Biochem. Biophys. Res. Comm.*, v. 187, p. 1367-1373, 1992.

Fukuto, J.M.; Ignarro, L.J. In vivo aspects of nitric oxide (NO) chemistry: Does peroxyntrite (-OONO) play a major role in cytotoxicity?. *Acc. Chem. Res.*, v. 30, p. 149, 1997.

Furchgott, R.F. *Vasodilatation: Vascular Smooth Muscle, Peptides, Autonomic Nerves and Endotelium*. New York: Raven Press, 1988. 401- 414p. .

Furchgott, R.F.; Zawadzki, J.V. The obligatory role of endothelial-cells in the relaxation of arterial smooth-muscle by acetylcholine. *Nature*, v. 288, p.373, 1980.

Gandini, S.C.M.; Vidoto, E.A.; Tabak, M.; Nascimento, O.R. Spectroscopic study of a water-soluble iron(III) meso-tetrakis(4-N-methylpyridiniumyl) porphyrin in aqueous solution: effects of pH and salt. *Journal of Inorganic Biochemistry*, v. 94, n. 1-2, p.127-137, 2003.

Gandini, S.C.M.; Yushmanov, V.; Tabak, M. Interaction of Fe(III)- and Zn(II)-tetra(4-sulfonatophenyl) porphyrins with ionic and nonionic surfactants: aggregation and binding. *Journal of Inorganic Biochemistry*, v. 85, p. 263-277, 2001.

Goldstein, S.; Czapski, G. The role of the reactions of (NO)-n-center-dot with superoxide and oxygen in biological, systems - a kinetic approach. *Free Radical Biol. Med.*, v. 19, p. 505, 1995.

Gottfried, V.; Peled, D.; Winkelman, J.W.; Kimel, S. Photosensitizer in organic media: Singlet oxygen production and spectral properties. *Photochem. Photobiol.*, v. 48, p. 157-163, 1988.

Heck, D.E. (NO)-N-center dot, RSNO, ONOO-, NO+, (NOO)-N-center dot, NOx-dynamic regulation of oxidant scavenging, nitric oxide stores, and cyclic GMP-independent cell signaling, *Antioxid. Redox Signaling* v. 3 , p. 249-260, 2001.

Henderson, B.W.; Dougherty, T.J. How does photodynamic therapy work?. *Photochem. Photobiol.* v. 55, p. 145-157, 1992.

Hinze, W.L. Use of Surfactant and Micellar Systems in Analytical Chemistry. In: *Solution Chemistry of Surfactants*. Mittal. ed. New York: Plenum Press, 1979. p. 79.

Hinze, W.L.; Pramauro, E. Critical Review of surfactant-mediated phase separation (cloud-point extractions): theory and applications. *Crit. Rev. Anal. Chem.*, v. 24, n. 2, p.133-177, 1993.

Hoshino, M.; Ozawa, K.; Seki, H.; Ford, P.C. Photochemistry of nitric-oxide adducts of water-soluble iron(iii) porphyrin and ferrihemoproteins studied by nanosecond laser photolysis. *J. Am. Chem. Soc.* 115 (1993) 9568-9575.

Huie, R.E.; Padmaja, S. The reaction of NO with superoxide. *Free Radical Res. Commum.*, v. 18, p. 195, 1993.

Igarashi, S.; Yotsuyanagi, T. Homogeneous liquid-liquid extraction by pH dependent phase separation with a fluorocarbon ionic surfactant and its

application to the pre-concentration of porphyrin compounds. *Mikrochim Acta*, v. 106, n.1-2, p.1436-5076, 1992.

Ignarro, L.J.; Byrns, R. E.; Wood, K. S. *Vasodilatation: Vascular Smooth Muscle, Peptides, Autonomic Nerves and Endothelium*. New York: Raven Press, 1988. 427-436p.

Ignarro, L.J. Endothelium-derived nitric oxide: actions and properties. *FASEB J.*, v. 3, p. 31-36, 1989.

Ignarro, L.J.; Buga, G.M.; Wei L.H., Bauer P.M., Wu G.Y., del Soldato P. Role of the arginine-nitric oxide pathway in the regulation of vascular smooth muscle cell proliferation. *Proc. Natl. Acad. Sci. USA*, v. 98, n.7, p. 4202-4208, 2001

Ignarro, L.J. Nitric oxide as a unique signaling molecule in the vascular system: A historical overview. *J. Physiol. Pharmacol.*, v. 53, p. 503–514, 2002.

Imai, H.; Yamashita, Y.; Nakagawa, S.; Munakata, H.; Uemori, Y. Nitric oxide binding to cationic and anionic ferric porphyrins in aqueous solution: reversible formation of ferrous NO species of the cationic porphyrin. *Inorganica Chimica Acta*, v. 357, n. 9, p. 2503-2509, 2004.

Kaysen, G. A. Why measure serum albumin levels? *J. Renal Nutr.*, v. 12, n. 3, p.148-150, 2002.

Kerwin Jr., J.F.; Lancaster Jr., J. R.; Feldman, P.L. Nitric oxide: a new paradigm for second messengers. *J. Med. Chem.*, v. 38, p. 4343-4362, 1995.

Kharinotov, S.A.; Yates, D. Chung, K. Changes in the dose of inhaled steroids affect exhaled nitric oxide levels in asthmatic patients. *Eur. Respir. J.*, v. 9, p. 196, 1996.

Kobayashi, K.; Miki, M.; Tagawa, S. Pulse-radiolysis study of the reaction of nitric-oxide with superoxide, *J. Chem. Soc., Dalton Trans.* p. 2885-2889, 1995.

Kongshaug, M.; Moan, J.; Brown, S.B. The distribution of porphyrins with different tumor localizing ability among human plasma proteins. *Br. J. Cancer*, v. 52, p. 184–188, 1989.

Koppenol, W.H. The basic chemistry of nitrogen monoxide and peroxyxynitrite. *Free Radical Biol. Med.*, v. 25, p. 385, 1998.

Korbelik, M.; Hung, J. Cellular delivery and retention of Photofrin II: The effects of interaction with human plasma proteins. *Photochem. Photobiol.*, v. 53, p. 501–510, 1991.

Lamola, A.A.; Asher, I.; Muller-Eberhard U.; Poh-Fitzpatrick, M. Fluorimetric study of the binding of protoporphyrin to haemopexin and albumin. *Biochem. J.*, v. 196, p. 693–698, 1981.

Lancaster Jr., J.R. Nitric-oxide in cells. *American Scientist*, v. 80, p. 248, 1992.

Lim, M.D.; Lorkovic I.M.; Ford, P.C. NO and NO_x interactions with group 8 metalloporphyrins. *J. Inorg. Biochem.*, v. 99, p. 151-165, 2005.

Love, L.J.C.; Habarta, J.G.; Dorsey, J.G. The micelle-analytical chemistry interface. *Anal. Chem.*, v. 56, n. 11, p. 1132, 1984.

Love, L.J.C.; Skrilec, M.; Habarta, J.G. Analysis by micelle-stabilized room temperature phosphorescence in solution. *Anal. Chem.*, v. 52, p. 754, 1980.

Maiti, N.C.; Mazumdar, S.; Periasamy, N. Controlled J-aggregation of porphyrins by cationic surfactants. *Current science*, v. 70, n. 11, p. 997-999, 1996.

McCall, T.; Vallance, P. Nitric oxide takes centre-stage with newly defined roles. *Trends Pharmacol. Sci.*, v. 13, p.1-6, 1992.

Medel, A.S.; Campa, M.R.F.; Gonzalez, E.B.; Sanchez, M.L.F. Organised surfactant assemblies in analytical atomic spectrometry. *Spectrochimica Acta Part B*. v. 54, n. 2, p. 251-287, 1999.

Medel, A.S.; Fernández de la Campa, M.R.; Valdés-Hevia, M.C.; Fernandez, T. B.A.; Liu, Y.M. Surfactants-based ordered media in Analytical Atomic Spectrometry. *Talanta* , v. 40, n.11, p. 1759-1768, 1993.

Menger, F.M. The structure of micelles. *Acc. Chem. Res.*, v. 12, n. 4, p. 111-117, 1979.

Moncada, S.; Palmer, R.M.J.; Higgs, E.A. Nitric oxide: physiology, pathophysiology and pharmacology. *Pharmacol. Rev.*, v. 43, p. 109-142, 1991.

Moncada, S.; Radomski, M.W.; Palmer; R.M.J. Endothelium-derived relaxing factor - identification as nitric-oxide and role in the control of vascular tone and platelet-function. *Biochem. Pharmacol.* v. 37, p. 2495–2501, 1988.

Mountcastle, V.B. *Fisiologia Médica*. Volume I, 13^a ed. São Paulo: Editora Guanabara Koogan S. A., 1974. p. 153-223.

Mulsch, A.; Hauschildt, S.; Bessler, W.G. Synthesis of nitric oxide in the cytosol of porcine aortic endothelial cells and murine bone marrow macrophages: detection by activation of purified soluble guanylate cyclase. In: *Nitric oxide from L-arginine: a bioregulatory system*. Moncada, S.; Higgs, S. A. (Ed.). Amsterdam: Elsevier, 1990. p. 235-242.

Murphy, M.P.; Packer, M.A.; Scarlett, J.L.; Martin, S.W. Peroxynitrite: A Biologically Significant Oxidant. *Gen. Pharmacol.*, v. 31, p. 179, 1998.

Nakagawa, S.; Yashiro, T.; Munakata, H.; Imai, H.; Uemori, Y. Binding of nitric oxide to water-soluble iron(III) porphyrins, *Inorg. Chim. Acta*, v. 349, p. 17-22, 2003.

Nathan, C. Nitric-oxide as a secretory product of mammalian cells. *FASEB J.*, v. 6, p. 3051, 1992.

Nelin, L.D.; Hoffman, G.M. The use of inhaled nitric oxide in a wide variety of clinical problems. *Pediatr. Clin. North Am.*, v. 45, p. 531-548, 1998.

Neubacher, H.; Lohmann, W. *Biophysics*. New York: Springer-Verlag, 1982.

Noltenius, H. *Fundamentos Biológicos da Patologia Humana*. São Paulo: Editora da Universidade de São Paulo, 1977. p.37-38.

Ochsner, M. Photophysical and photobiological processes in photodynamic therapy of tumours. *J. Photochem. Photobiol.*, v 39, p. 1-18, 1997.

O'Dell, T.J.; Hawkins, R.D.; Kandel, E.R.; Arancio, O. Tests of the roles of 2 diffusible substances in long-term potentiation - evidence for nitric-oxide as a possible early retrograde messenger. *Proc. Natl. Acad. Sci.USA*, v. 88, p. 11285, 1991.

Ohshima, H.; Gilibert, I.; Bianchini, F. Induction of DNA strand breakage and base oxidation by nitroxyl anion through hydroxyl radical production. *Free Radical Biol. Med.*, v. 26, p. 1305-1313, 1999.

Palmer, G.; Dunham, W.R.; Fee, J.A.; Sands, R.H.; Hzuka, T.; Yonetani, T. The magnetic susceptibility of spinach ferredoxin from 77-250 K: A measurement of the antiferromagnetic coupling between the two iron atoms. *Biochimica et Biophysica Acta*, v. 245, p. 201-207, 1971.

Palmer, G.; Dunham, W.R.; Fee, J.A.; Sands, R.H.; Iizuka, T.; Yonetani, T. Magnetic susceptibility of spinach ferredoxin from 77-250 degrees k - measurement of antiferromagnetic coupling between 2 iron atoms. *Biochim. Biophys. Acta*, v. 245, p. 201, 1971.

Patrick, G.L. *An Introduction to Medicinal Chemistry*. Oxford: Oxford University Press, 1995. 336p.

Pellizzetti, E.; Pramauro, E. Analytical applications of organized molecular assemblies. *Anal. Chim. Acta*. v. 169, p. 1, 1985.

Peña, A.M.; Ndou, T.T.; Zung, J.B.; Greene, K.L.; Live, D.H.; Warner, I.M. Alcohol size as a factor in the ternary complexes formed with pyrene and β -cyclodextrin. *J. Am. Chem. Soc.*, v.113, p. 1572-1577, 1991.

Petitpas, I.; Grüne, T.; Bhattacharya, A.A.; Curry, S., Crystal structures of human serum albumin complexed with monounsaturated and polyunsaturated fatty acids. *Journal of Molecular Biology*, v. 314, p. 955-960, 2001.

Pramauro, E.; Pelizzetti, E. *Surfactants in Analytical Chemistry. Applications of Organized Amphiphilic Media*. New York: Elsevier Science Publishers, 1996.

Praneeth, V. K. K.; Haupt, E.; Lehnert, N. Thiolate coordination to Fe(II)-porphyrin NO centers, *J. Inorg. Biochem.*, v. 99, p. 940-948, 2005.

Pryor, W.A.; Squadrito, G.L. The chemistry of peroxyxynitrite - a product from the reaction of nitric-oxide with superoxide. *Am. J. Physiol.*, v. 268, p. L699, 1995.

Queiroz, S. L.; Batista, A. A. Funções biológicas do óxido nítrico. *Quím. Nova*, v.22, n. 4, p.584-590, 1999.

Reddi, E.; Lambert, C.R.; Jori, G.; Rodgers, M.A.J. Photokinetic and photophysical measurements of the sensitized photooxidation of the tryptophyl residue in N-acetyl tryptophanamide and in human serum albumin. *Photochem. Photobiol.*, v. 45, p. 345–351, 1987.

Ryan, M.D.; Chambers, J.Q. Dynamics electrochemistry: Methodology and application. *Anal. Chem.*, v. 64, n.12, p. 79R-116R, 1992.

Sanz-Medel, A.; Gonzalez E.B.; Alonso, J.I.G. Metal chelate fluorescence enhancement in micellar media and its applications to niobium and tantalum ultratrace determinations. *Anal. Chem.*, v. 57, p. 1681-1687, 1985.

Shuman, E.M.; Madison, D.V. A Requirement for the intercellular messenger nitric-oxide in long-term potentiation. *Science*, v. 254, p. 1503, 1991.

Singer, S. J.; Nicolson, G. L. The fluid mosaic model of the structure of cell membranes. *Science*, v. 175, p. 720–731, 1972.

Stamler, J.S. Redox signaling: Nitrosylation and related target interactions of nitric oxide. *Cel.*, v. 78, p. 931, 1994.

Tao, L.; English, M. Protein S Glutathiolation Triggered by Decomposed S-Nitrosoglutathione. *Biochemistry*, v. 43, p. 4028-4038, 2004.

Tanford, C. *The Hydrophobic Effect: Formation of Micelles and Biological Membranes*, Wiley Publishing, New York, 1980.

Terabe, S.; Otsuba, K.; Ando, T. Band Broadening in Electrokinetic Chromatography with micellar solutions and open tubular capillaries. *Anal. Chem.*, v. 61, p. 251-280, 1989.

Tominaga, T.T. Estudos Espectroscópicos de Complexos de Tirosina, Glicil-Tirosina e Tirosil-Glicina com o Íon Cu^{+2} . São Carlos, 1993. Tese de mestrado-Instituto de Física e Química de São Carlos, Universidade de São Paulo.

Tominaga, T.T.; Yushmanov, V.E.; Borissevitch, I.E.; Imasato, H.; Tabak, M. Aggregation phenomena in the complexes of iron tetraphenylporphine sulfonate with bovine serum albumin. *J. Inorg. Biochem.*, v. 65, p. 235–244, 1997.

Trofimova, N.S.; Safronov, A.Y.; Ikeda, O. Electrochemical and spectral studies on the reductive nitrosylation of water-soluble iron porphyrin, *Inorg. Chem.*, v. 42, p. 1945-1951, 2003.

Vilhena, F.S.D.S.; Louro, S. R. W. Nitric oxide transfer from the NO-donor S-nitroso-N-acetylpenicillamine to monomers and dimers of water-soluble iron-porphyrins. *Journal of Inorganic Biochemistry*, v. 98, n. 3, p. 459-468, 2004.

Vilhena, F.S.D.S.; Louro, S.R.W. Estudo espectrofotométrico do equilíbrio monômero-dímero de ferro-porfirinas férricas solúveis. Influência da interação

com fases micelares. 2002. Tese de mestrado Departamento de Física. Pontifícia Universidade Católica do Rio de Janeiro.

Wang P.G., Cai T.B., Taniguchi N. (Eds.) Nitric Oxide Donors, Wiley-VCH Verlag GmbH & Co. KGaA, Weinheim, 2005.

Watanabe, H.; Saitoh, T.; Kamidate, T.; Haraguchi, K. Distribution of metal chelates between aqueous and surfactant phases separated from a micellar solution of a non-ionic surfactant. *Mikrochim Acta*, v. 106, n. 1-2, p. 83-90, 1992.

Weil, J.A.; Bolton, J.R.; Wertz, J.E. Electron Paramagnetic Resonance. Elementary Theory and Applications. New York: John Wiley & Sons, Inc., 1994.

Weitemeyer, A.; Kliesch, H.; Michelsen, U.; Hirth, A.; Wöhrle, D. Unsymmetrically substituted porphyrazines. In: *Photodynamic Tumor Therapy: Second and Third Generation Photosensitizers*. New Delhi: Moser, J.G. (Ed.). Harwood, 1998. p. 87-99.

Whicher, J.; Spence, C. When is serum albumin worth measuring? *Ann. Clin. Biochem.* v. 24, p. 572-580, 1987.

Wink, D. A.; Feelisch, M.; Fukuto, J. M.; Christodolou, D.; Jourdeuil, D.; Grisham, M. B.; Vodovotz, Y.; Cook, J. A.; DeGraff, W. G.; Kim, S.; Gamson, J.; Mitchell, J. B. The cytotoxicity of nitroxyl: Possible implications for the pathophysiological role of NO *Arch. Biochem. Biophys.*, v. 351, p. 66-74, 1998.

Wink, D. A.; Miranda, K. M.; Katori, T.; Mancardi, D.; Thomas, D. D.; Ridnour, L.; Espey, M. G.; Feelisch, M.; Colton, C. A.; Fukuto, J. M.; Pagliaro, P.; Kass, D. A.; Paolocci, N. Orthogonal properties of the redox siblings nitroxyl and nitric oxide in the cardiovascular system: a novel redox paradigm. *Am. J. Physiol.* v. 285, n. 6, p. H2264-H2276, 2003.

Wink, D.A.; Osawa, Y.; Darbyshire, J.F.; Jones, C.R.; Eshenaur, S. C.; Nims, R. W. Inhibition of Cytochromes P450 by Nitric Oxide and a Nitric Oxide-Releasing Agent. *Arch. Biochem. Biophys.*, v. 300, p. 115, 1993.

Yoshimura, T.; Toi, H.; Inaba, S.; Ogoshi, H. Iron(III) Porphyrins substituted with highly electron-withdrawing CF_3 groups - electronic absorption, MCD, and EPR spectral study. *Inorg. Chem.* v.30, n. 23, p. 4315-4321, 1991.

Yushmanov, V.E.; Imasato, H.; Tominaga, T.T.; Tabak, M. H NMR and electronic absorption spectroscopy of paramagnetic water-soluble meso-tetraarylsubstituted cationic and anionic metalloporphyrins. *Journal of Inorganic Biochemistry*, v. 61, p.233-250, 1996.

Zunszain, P.A.; Ghuman, J.; Komatsu, T.; Tsuchida, E.; Curry, S. Crystal structural analysis of human serum albumin complexed with hemin and fatty acid. *BMC Struct. Biol.* v.3, p. 6, 2003.